

General catalogue 2021



auta

Bringing people together

They say that the first impression is what counts, and our products are the first impression that visitors receive, so at Auta we face a new era with the mission of revaluing the role of door and video door systems.

Our new designs and functionalities use technology to adapt to the present and anticipate the future, without losing sight of our essence.

At Auta we create products so that you open your doors to others safely and trust. **Our mission is to facilitate meetings and bring people closer together.**



auta.es





Values

QUALITY

Our products are designed and produced to respond reliably to the most demanding uses. They are certified ES99 / 0101 (ISO 9001) in design, manufacture, marketing and repair of electronic doorphones and video doorphones.

The not seen components as well as well as the seen finishes have both the same high quality.

CLOSENESS

We are a Spanish company focused on our clients. We pride ourselves on responding when they need us and being fast and efficient in shipments and solutions, before or after the sale.



Customer Service

961 643 020

 YouTube

Auta Comunicaciones s.l.



auta.es

COMPROMISE

We are one of the most important European manufacturers of door, video door and access control systems.

The more than 50 years of experience and the presence on the five continents are the result of our commitment to technology, design, flexibility and reliability.

TRUST

At Auta we design and manufacture all our products in Spain for the world. This is a guarantee of trust for our national and international clients, since we remain faithful to the commitment to quality and service that has characterized us since 1966.



PRODUCTOS AUTA
100% MADE IN SPAIN



Index



neos

8 Door and video door entry systems

ENTRY PANELS

- 8 Compact
- 9 Stainless Steel

MONITORS & HANDSETS

- 10 Neos range
- 14 Avant
- 16 E-Compact
- 17 Slim
- 18 Compact

26 Compact entry panels

- 28 Compact entry panels T
- 32 Compact entry panels TT
- 34 Compact push-buttons & cardholders
- 39 Compact alphanumeric entry panels
- 40 Accessories

42 Stainless Steel entry panels

- 43 Stainless Steel entry panels
- 48 Stainless Steel push-buttons & cardholder
- 52 Stainless Steel alphanumeric entry panels

20 Wi-Fi Auta Free system



auta free



stainless steel compact

auta

Bringing people together



compact



slim



Central
Guard Porter



avant

54 Systems

56 Systems compatibility

2 WIRES

60 Entry Panels
62 Monitors & handsets
65 Accessories

VISUALTECH

68 Entry Panels
71 Monitors & handsets
78 Central Guard Porter
80 Accessories

PLUG & PLAY / ISO PLUG & PLAY

84 Entry Panels
87 Monitors & handsets
90 Central Guard Porter
92 Accessories

COAX / COAXLESS

96 Entry Panels
99 Monitors & handsets
105 Central Guard Porter
106 Accessories

INTERCOM

110 Entry Panels
113 Monitors & handsets
115 Central Guard Porter
116 Accessories
118 Internal communication
system
119 Power supplies

ANALOG

122 Entry Panels
124 Handsets
126 Monitors
127 Accessories

128 Kits

130 Kits 2 Wires
138 Kits Visualtech
152 Kits Coax
162 Kits Coaxless
172 Kits Audio Digital
176 Kits Audio Analog

178 Door openers

180 Spares

182 Access control

183 Standalone
185 Standalone Off-line
186 Network
188 Network web management
189 Standalone / remote management
190 Power supplies & accessories



e-compact



compact

The evolution

Entry panels that reflect the evolution of the design and provide to the space and unique style.

Its elegant and modern design adopts soft shapes with an excellent anodized aluminium finishing that provide an ideal solution for every level of demand

Anodized aluminium

Quality and resistance

Semi-modulars

5 sizes

Versatile: audio, audio/video & access control Surface or flush mounted

Maximum performance



SERIES



Series 1

Series 2

Series 3

Series 4

Series 5


ALPHANUMERIC



Series 4

Series 5

Compatibility



! COMPACT ALPHANUMERIC entry panels are not available in analog system.



COMPACT entry panels references see page 26-41

stainless steel

Design & steel

Auta stainless steel range is presented in the form of solid and elegant designs seeking the highest levels of quality and functionality.

Entry panels made of 2,5mm thick stainless steel with safety screws and fully sealed steel push-buttons IP-65.



HIGH WEATHER RESISTANCE

Stainless Steel

IP-65 push-buttons

Robustness and durability

5 sizes

Maximum performance

Customizable in size and push-button location

Gloss finishing, hand polished.



SERIES



Series 1

Series 2

Series 3

Series 4

Series 5


ALPHANUMERIC



Series 4

Series 5

Compatibility



! STAINLESS STEEL ALPHANUMERIC entry panels are not available in analog system.



STAINLESS STEEL entry panels references see page 42-54

Door and video door entry

MONITORS & HANDSETS

RANGE

neos

the beginning of a new era



KNOW MORE
ABOUT THE
NEOS RANGE

auta.es/en/neos/



Simple and intuitive
navigation



High quality
sound



LCD 4,3" screen,
16:9



Touch
buttons



Induction loop
amplification system
(Teleloop)

neos

HANDSFREE + HANDSET

To choose the way
to answer



See video




Handset...

to respond without others
listening the conversation.



.. or handsfree

to respond even with
busy hands.



Measures in mm.

4,3" screen (16:9)

Surface installation

Backlit touch buttons

Dual operation handsfree to
handset and vice versa

Mute function

Messages on screen

Sequential self-starting (entry
panels and cameras scrolling

Adjustment of ringtones and
volume

Adjustment of brithness, color
& contrast

Auxiliary functions (door-bell,
remote door opening, ...)

Available finishes



Compatibility



* COMING SOON

Door and video door entry

MONITORS & HANDSETS

neos

HANDSFREE

The lightest design

<  > Navigation and adjustments



Answer



Mute / ringtones



Self-starting



Special functions




Door opening
Call to porter

Speaker



Microphone



Measures in mm.

Available finishes



Compatibility





* COMING SOON

neos

HANDSET


For installations
with no video

-  Door opening
Call to porter
-  Auxiliary
Self-starting
Ringtones / call volume

NEW

neos 7"

HANDSFREE Wi-Fi




Available finishes



Compatibility



* COMING SOON



Surface installation with
universal box 60x60

LCD screen 7", touch buttons

Handsfree

Compatibility



Video door entry systems

MONITORS




avant

Open your senses

Avant represents the latest generation in video door entry systems standing out for its performance, their avant-garde design and their small size.

With high definition TFT / LCD displays and integrated touch buttons, they are a perfect combination of technology, functionality and aesthetics.



Extra flat design
Handsfree
Wide LCD. 5,6"
Touch buttons

- Up
- Access menu to different functions. Confirmation / Enter / OK
- Down
- Cancel/ Delete
- Door opening
Call to porter
- Self-starting
- Programmable auxiliary output
- Programmable auxiliary output

Available finishes











Compatibility



Video door entry systems

MONITORS

-  Screen settings selection menu: brightness, contrast, color
-  Down, decrease,...
-  Up, increase,...
-  Confirmation / Enter / OK
-  Door opening
Call to porter
-  Self-starting
-  Adjustment of ringtone / volume
-  Auxiliary: interface with external devices



Speaker

LED status

Microphone

e-compact

Access to the future

The handsfree monitor is the most practical solution to communicate without neglecting other tasks, both in the office and at home.

Modern and economical, its extra-flat design and its possibilities for surface or flush mounting, make it a monitor that fits into any environment.


- Extra flat design
- Handsfree
- LCD color screen panoramic 4,3". 16:9 format

Available finishes



Surface

Flush



178

33







10

142

Measures in mm.

Compatibility




- <  > Menu adjustments of screen & volume
-  Talk / Cancel
-  Mute
-  Self-starting
-  Auxiliary: interface with external devices
-  Door opening
Call to porter



slim

Design in essence

As its name suggests, the Slim video intercom offers an attractive and lightweight design, which integrates the touch buttons on a high-quality screen.



Extra flat design

Handsfree

LCD color screen panoramic 4,3"

Touch buttons

Available finishes



Compatibility




compact

MONITOR

Reliable and functional

With a current design that does not go out of style, the Compact monitors and handsets represent the perfect compromise between reliability, simplicity and performance.

The Compact range offers a large number of options, configurations and accessories to perfectly adapt to different needs.



- On-Off
- Brightness setting
- Color setting
- Door opening
Call to porter
- Self-starting
- Special functions
- AUX Special functions


Available finishes



INTERCOM

Sequential self-starting (entry panels and cameras scrolling)

Compatibility



! The COMPACT INTERCOM monitor is only available for coax/coaxless systems.

compact

HANDSET

ABS plastic




Ringtone selection


Moor-bell mode. Replaces the flat's door-bell generating a different ringtone

Surface of flush installation with universal box 60 x 60

Audio privacy

Desk converter available

-  Door opening
Call to porter
-  Self-starting
-  Special functions



Measures in mm.

Compatibility



! The COMPACT INTERCOM handset is only available for coax/coaxless systems.



Available finishes



INTERCOM


auta

Bringing people together

Wi-Fi system auta free

Connect with your
video door entry
from any where

With Auta Free you can divert calls from the video door entry to your mobile phone and attend them from anywhere, as if you were in house: you will see who it is, answer, even open.



DISCOVER
THE Wi-Fi AUTA FREE

See video




Two options to choose

The **entry panel** emits the **Wi-Fi** signal




Both the monitor and the entry panel can be bought separately.

The **monitor** emits the **Wi-Fi** signal



It is supplied as a KIT FREE PROX IP.



FREE APP

Available for IOS and ANDROID



- > Easy pairing process with the installed system.
- > Allows up to 2 entry panels.
- > See who is calling your entry panel if you have Wi-Fi, 3G o 4G connectivity.
- > Talk to who rings to your door entry.
- > Door opening option.
- > Receive calls on the mobiles you want.
- > Possibility of controlling serveral homes with the same APP.
- > Images and video recording.
- > **Unlimited IP FREE entry panels and IP FREE monitors**

auta free

FREE entry panel + FREE monitor



CONNECTION
DOOR ENTRY





Wi-Fi



LAN

FREE IP65 entry panel

FREE monitor



7" screen TFT 16:9

TOUCH buttons

Images and video recording

Opening time selection

OSD technology

Intercommunication between
monitors

Up to 2 entry panels

Up to 2 CCTV cameras

Real size

Includes all
necessary items
for its installation:
visor and
mounting box or
surface box.



HD video sensor



Wide angle optics up to 145°
with **WDR system**




Management through
Smartphone or Tablet



A 10 dBi antenna to expand the range of Wi-Fi
connectivity is also included



Power supply



Measures in mm.

auta free


FREE entry panel + FREE monitor

Two operating possibilities

1

Entry panel + monitor


The monitor also receives the calls from the entry panel at the same time as on the smartphone or tablet.



2

Just with the entry panel

Receive the calls in your smartphone or tablet.



auta free

FREE entry panel

FREE entry panel
+ FREE monitor

The AUTA FREE entry panel includes the following items:

Surface mounting box
Flush mounting box
Visor
45° angle adapter
12Vdc 2A power supply
Outdoor antenna 10 dBi



FREE entry panel
IP65 touch



MONITOR
AUTA FREE

REF.

660001
751001

730578
730482

DESCRIPTION

AUTA FREE ENTRY PANEL
AUTA FREE MONITOR

FREE FRAME
DESK CONVERTER

auta free

FREE PROX entry panel + FREE IP monitor

Kit



CONNECTION
MONITOR





Wi-Fi



LAN

Monitor FREE IP



7" TFT IPS 16:9 screen

Possibility of expansion with
3 additional monitors (FREE
monitor). Total 4 monitors

Image and video recording

Image parameter adjustment;
volume, audio and call adjustment
and opening time adjustment

Intercom system between
monitors


Possibility of connecting another
additional plate. Total 2 entry
panels

CCTV control. Possibility of
installing up to two CCTV
cameras


Management through
Smartphone or Tablet

Integrated 5 dBi antenna

FREE PROX entry panel



130



193

18

Measures in mm.

Includes all
necessary items
for its installation:
visor and
mounting box or
surface box



HD video sensor



145°


Wide angle optics up to
145° with **WDR system**



EM access control



Power supply



Kit Free Prox IP

- Composed of:
- FREE PROX entry panel
 - + FREE IP (Wi-Fi) monitor
 - + 12 Vcc 2A power supply
 - + entry panel's accessories
 - + proximity fob



FREE PROX
ENTRY PANEL



FREE IP
MONITOR

REF.

751003

DESCRIPTION

KIT FREE PROX IP

COMPOSITION

(660003) FREE PROX ENTRY PANEL
(751002) FREE IP MONITOR

auta

Bringing people together



Entry panels compact




Entry panels

compact T

- D DIGITAL T
- A ANALOG T

SERIES 1

Dimensions:
Entry panel: 145 x 130 mm
Mounting box: 132 x 122 x 60 mm





VIDEO ONLY

REF.		DESCRIPTION
<div><div>D</div></div> 651151	<div><div>A</div></div> 851151	FV S1 101
<div><div>D</div></div> 651161	<div><div>A</div></div> 851161	FV S1 201
<div><div>D</div></div> 651131	<div><div>A</div></div> 851131	F S1 101
<div><div>D</div></div> 651141	<div><div>A</div></div> 851141	F S1 201
	<div><div>A</div></div> 850101	AUTA KEY
<div><div>D</div></div> 659100		V S1
<div><div>D</div></div> 651100	<div><div>A</div></div> 851100	T S1

SERIES 2

Dimensions:
Entry panel: 215 x 130 mm
Mounting box: 203 x 130 x 60 mm



REF.		DESCRIPTION
<div><div>D</div></div> 651211	<div><div>A</div></div> 851211	T S2 101
<div><div>D</div></div> 651212	<div><div>A</div></div> 851212	T S2 102
<div><div>D</div></div> 651213	<div><div>A</div></div> 851213	T S2 103
<div><div>D</div></div> 651214	<div><div>A</div></div> 851214	T S2 104
<div><div>D</div></div> 651221	<div><div>A</div></div> 851221	T S2 201
<div><div>D</div></div> 651222	<div><div>A</div></div> 851222	T S2 202
<div><div>D</div></div> 651223	<div><div>A</div></div> 851223	T S2 203
<div><div>D</div></div> 651224	<div><div>A</div></div> 851224	T S2 204
<div><div>D</div></div> 651200	<div><div>A</div></div> 851200	T S2




Entry panels

compact T

D DIGITAL T
A ANALOG T

SERIES 3

Dimensions:
Entry panel: 262 x 130 mm
Mounting box: 248 x 130 x 60 mm



REF.		DESCRIPTION
D	A	
651312	851312	T S3 102
651313	851313	T S3 103
651314	851314	T S3 104
651315	851315	T S3 105
651316	851316	T S3 106
651322	851322	T S3 202
651323	851323	T S3 203
651324	851324	T S3 204
651325	851325	T S3 205
651326	851326	T S3 206

REF.		DESCRIPTION
D	A	
651301	851301	T S3 101 AUTA KEY
651321	855321	T S3 201 AUTA KEY
651302		T S3 KEYPAD
651300	851300	T S3


Entry panels

compact T

- D DIGITAL T
- A ANALOG T

SERIES 4

Dimensions:
Entry panel: 330 x 130 mm
Mounting box: 319 x 130 x 60 mm











REF.		DESCRIPTION
D	A	
651417	851417	T S4 107
651418	851418	T S4 108
651419	851419	T S4 109
651427	851427	T S4 207
651428	851428	T S4 208
651429	851429	T S4 209

REF.		DESCRIPTION
D	A	
655422	855422	T S4 202 AUTA KEY
655423	855423	T S4 203 AUTA KEY
655424	855424	T S4 204 AUTA KEY
651403		T S4 DIRECTORY
651400	851400	T S4

compact T

SERIES 5

Mounting box: 390 x 130 x 60 mm



851500 851500 T S5


Entry panels

compact T/T

- D DIGITAL T/T
- A ANALOG T/T

SERIES 2


Dimensions:
Entry panel: 215 x 130 mm
Mounting box: 203 x 130 x 60 mm



REF.		DESCRIPTION
<div>D</div> 652211	<div>A</div> 852211	T/T S2 101
652221	852221	T/T S2 201

SERIES 3

Dimensions:
Entry panel: 262 x 130 mm
Mounting box: 248 x 130 x 60 mm



REF.		DESCRIPTION
<div>D</div> 652311	<div>A</div> 852311	T/T S3 101
652312	852312	T/T S3 102
652313	852313	T/T S3 103
652322	852322	T/T S3 202
652323	852323	T/T S3 203



Entry panels

compact T/T

- D DIGITAL T/T
- A ANALOG T/T

SERIES 4



Dimensions:
Entry panel: 330 x 130 mm
Mounting box: 319 x 130 x 60 mm



REF.		DESCRIPTION
D	A	
652413	852413	T/T S4 103
652414	852414	T/T S4 104
652415	852415	T/T S4 105
652416	852416	T/T S4 106
652423	852423	T/T S4 203
652424	852424	T/T S4 204
652425	852425	T/T S4 205
652426	852426	T/T S4 206
652401	852401	T/T S4 101 AUTA KEY
652402		T/T S4 KEYPAD

SERIES 5

Dimensions:
Entry panel: 400 x 130 mm
Mounting box: 390 x 130 x 60 mm



REF.		DESCRIPTION
D	A	
652517	852517	T/T S5 107
652518	852518	T/T S5 108
652519	852519	T/T S5 109
652527	852527	T/T S5 207
652528	852528	T/T S5 208
652529	852529	T/T S5 209
653502		T/T/T S5 KEYPAD

compact

D DIGITAL


A ANALOG

SERIES 2

Dimensions:
Entry panel: 215 x 130 mm
Mounting box: 203 x 130 x 60 mm


P S2 105

D A




P S2 106

D A




P S2 107

D A




P S2 205

D A




P S2 206

D A



P S2 207

D A



REF.		DESCRIPTION
<div>D A</div> 650215	<div>A</div> 850215	P S2 105
<div>D A</div> 650216	<div>A</div> 850216	P S2 106
<div>D A</div> 650217	<div>A</div> 850217	P S2 107
<div>D A</div> 650225	<div>A</div> 850225	P S2 205
<div>D A</div> 650226	<div>A</div> 850226	P S2 206
<div>D A</div> 650227	<div>A</div> 850227	P S2 207




compact

D DIGITAL

A ANALOG

SERIES 3

Dimensions:
Entry panel: 262 x 130 mm
Mounting box: 248 x 130 x 60 mm



REF.		DESCRIPTION	REF.		DESCRIPTION
<div>D</div>	<div>A</div>		<div>D</div>	<div>A</div>	
650314	850314	P S3 104	650328	850328	P S3 208
650315	850315	P S3 105	650329	850329	P S3 209
650316	850316	P S3 106			
650324	850324	P S3 204		850300	S3 BLIND
650325	850325	P S3 205	653301		CARDHOLDER S3
650326	850326	P S3 206			
650327	850327	P S3 207			



compact

D DIGITAL

A ANALOG

SERIES 4

Dimensions:
Entry panel: 330 x 130 mm
Mounting box: 319 x 130 x 60 mm



REF.		DESCRIPTION
D	A	
650417	850417	P S4 107
650418	850418	P S4 108
650419	850419	P S4 109
650427	850427	P S4 207
650428	850428	P S4 208
650429	850429	P S4 209
650440	850440	P S4 210

REF.		DESCRIPTION
D	A	
650441	850441	P S4 211
	850442	P S4 212
	850400	S4 BLIND
654401		S4 CARDHOLDER



compact

D DIGITAL

A ANALOG

SERIES 5

Dimensions:
Entry panel: 400 x 130 mm
Mounting box: 390 x 130 x 60 mm



REF.		DESCRIPTION
<div>D</div>	<div>A</div>	
650530	850530	P S5 110
650531	850531	P S5 111
	850532	P S5 112
650540	850540	P S5 210
650541	850541	P S5 211
	850542	P S5 212
	850543	P S5 213

REF.		DESCRIPTION
	<div>A</div>	
	850544	P S5 214
	850500	BLIND S5
655501		S5 CARDHOLDER

Entry panels

compact

ALPHANUMERIC

A different way of dialing

Dial the floor number with the keypad and complete the call dialing the door of the flat. No need to memorize the calling codes or search for names on the push-buttons.

Example: To call to flat 3°B, dial 3 on the keypad and press the button with the letter B.



compact

D DIGITAL

SERIES 4

Dimensions:
Entry panel: 330 x 130 mm
Mounting box: 319 x 130 x 60 mm

T S4 103
ALPHANUM

D



T S4 102
ALPHANUM

D



T S4 201
ALPHANUM

D



T S4 202
ALPHANUM

D



T S4 203
ALPHANUM

D



REF.

D

656412
656413
656421
656422
656423

DESCRIPTION

T S4 102 ALPHANUM
T S4 103 ALPHANUM
T S4 201 ALPHANUM
T S4 202 ALPHANUM
T S4 203 ALPHANUM

SERIES 5

Dimensions:
Entry panel: 400 x 130 mm
Mounting box: 390 x 130 x 60 mm

T S5 104
ALPHANUM

D



T S5 105
ALPHANUM

D



T S5 106
ALPHANUM

D



T S5 204
ALPHANUM

D



T S5 205
ALPHANUM

D



T S5 206
ALPHANUM

D



REF.

D

656514
656515
656516
656524
656525
656526

DESCRIPTION

T S5 104 ALPHANUM
T S5 105 ALPHANUM
T S5 106 ALPHANUM
T S5 204 ALPHANUM
T S5 205 ALPHANUM
T S5 206 ALPHANUM

compact



Surface box
COMPACT



Mounting box
COMPACT



Rainshield
COMPACT

REF.

DESCRIPTION

SERIES 1

509021	MOUNTING BOX SERIES 1
730501	RAINSHIELD COMPACT SERIES 1
730520	SURFACE BOX WITH RAINSHIELD COMPACT SERIES 1
730521	SURFACE BOX COMPACT SERIES 1
730541	BOX WITH ANGLE COMPACT SERIES 1
730560	FRAME COMPACT SERIES 1 (KF) 175 x 155 mm
730561	FRAME COMPACT SERIES 1 (O) 175 x 155 mm
730575	FRAME COMPACT SERIES 1 UNIVERSAL 275 x 155 mm

SERIES 2

509022	MOUNTING BOX SERIES 2
730502	RAINSHIELD COMPACT SERIES 2
730516	RAINSHIELD COMPACT SERIES 2 (2 ENTRY PANELS)
730517	RAINSHIELD COMPACT SERIES 2 (3 ENTRY PANELS)
730522	SURFACE BOX COMPACT SERIES 2
730532	SURFACE BOX WITH RAINSHIELD COMPACT SERIES 2
730542	BOX WITH ANGLE COMPACT SERIES 2
730562	FRAME COMPACT SERIES 2 (KV) 275 x 155 mm
730563	FRAME COMPACT SERIES 2 (1) 275 x 155 mm
730577	FRAME COMPACT SERIES 2 (2P) 360 x 155 mm

SERIES 3

509023	MOUNTING BOX SERIES 3
730503	RAINSHIELD COMPACT SERIES 3
730510	RAINSHIELD COMPACT SERIES 3 (2 ENTRY PANELS)
730511	RAINSHIELD COMPACT SERIES 3 (3 ENTRY PANELS)
730523	SURFACE BOX COMPACT SERIES 3
730533	SURFACE BOX WITH RAINSHIELD COMPACT SERIES 3
730543	BOX WITH ANGLE COMPACT SERIES 3
730550	BOX WITH ANGLE COMPACT SERIES 3 (2 entry panels)
730551	BOX WITH ANGLE COMPACT SERIES 3 (3 entry panels)
730564	FRAME COMPACT SERIES 3 (2P) 360 x 155 mm
730576	FRAME COMPACT SERIES 3 - (3) 430 x 210 mm
730570	FRAME COMPACT SERIES 3 - (2 PANELS) 440 x 295 mm

compact



Box with angle
COMPACT

REF.	DESCRIPTION
------	-------------

SERIES 4

509024	MOUNTING BOX SERIES 4
730504	RAINSHIELD COMPACT SERIES 4
730512	RAINSHIELD COMPACT SERIES 4 (2 ENTRY PANELS)
730513	RAINSHIELD COMPACT SERIES 4 (3 ENTRY PANELS)
730524	SURFACE BOX COMPACT SERIES 4
730534	SURFACE BOX WITH RAINSHIELD COMPACT SERIES 4
730544	BOX WITH ANGLE COMPACT SERIES 3
730552	BOX WITH ANGLE COMPACT SERIES 3 (2 entry panels)
730553	BOX WITH ANGLE COMPACT SERIES 3 (3 entry panels)
730565	FRAME COMPACT SERIES 4 (2P) 360 x 155 mm
730566	FRAME COMPACT SERIES 4 (2G) 430 x 155 mm
730567	FRAME COMPACT SERIES 4 (3) 430 x 210 mm
730571	FRAME COMPACT SERIES 4 - 2 PANELS (4) 440 x 295 mm
730573	FRAME COMPACT SERIES 4 - 2 PANELS (5) 440 x 375 mm

SERIES 5

509025	MOUNTING BOX SERIES 4
730505	RAINSHIELD COMPACT SERIES 5
730514	RAINSHIELD COMPACT SERIES 5 (2 ENTRY PANELS)
730515	RAINSHIELD COMPACT SERIES 5(3 ENTRY PANELS)
730525	SURFACE BOX COMPACT SERIES 5
730535	SURFACE BOX WITH RAINSHIELD COMPACT SERIES 5
730545	BOX WITH ANGLE COMPACT SERIES 5
730554	BOX WITH ANGLE COMPACT SERIES 5 (2 entry panels)
730555	BOX WITH ANGLE COMPACT SERIES 5 (3 entry panels)
730568	FRAME COMPACT SERIES 5 (2G) 430 x 155 mm
730569	FRAME COMPACT SERIES 5 (3) 430 x 210 mm
730572	FRAME COMPACT SERIES 5 - 2 PANELS (4) 440 x 295 mm
730574	FRAME COMPACT SERIES 5 - 2 PANELS (5) 440 x 375 mm

auta

Bringing people together

Entry panels stainless steel



Entry panels

stainless steel

SERIES 1

Dimensions:
Entry panel: 155 x 130 mm
Mounting box: 132 x 122 x 60 mm

- D

DIGITAL
- A

ANALOG

V S1

D



AUTA KEY

A



REF.

D

XX0102

A

940100

DESCRIPTION

V S1

AUTA KEY

AUDIO

F S1 101

D A



F S1 201

D A



REF.

D

XX1111

XX1121

A

941111

941121

DESCRIPTION

F S1 101

F S1 201

AUDIO + VIDEO

FV S1 101

D



FV S1 201

D



REF.

D

XX7111

XX7121

DESCRIPTION

FV S1 101

FV S1 201

The first 2 digits of the reference (XX1301) must be replaced depending on the system chosen for the installation

COAX SYSTEM	77	VISUALTECH SYSTEM	79
COAXLESS SYSTEM	78	2 WIRES SYSTEM	69

Entry panels


stainless steel

- D DIGITAL
- A ANALOG


SERIES 2

Dimensions:
Entry panel: 225 x 130 mm
Mounting box: 203 x 130 x 60 mm

AUDIO



AUDIO + VIDEO



FV S2 203

D



REF.		DESCRIPTION
<div><div>D</div></div> XX1212	<div><div>A</div></div> 941212	F S2 102
XX1213	941213	F S2 103
XX1222	941222	F S2 202
XX1223	941223	F S2 203

REF.	DESCRIPTION
<div><div>D</div></div> XX7211	FV S2 101
XX7212	FV S2 102
XX7213	FV S2 103
XX7222	FV S2 202
XX7223	FV S2 203

The first 2 digits of the reference (XX1301) must be replaced depending on the systemn chosen for the installation

COAX SYSTEM	77	VISUALTECH SYSTEM	79
COAXLESS SYSTEM	78	2 WIRES SYSTEM	69

Entry panels

stainless steel

D DIGITAL
A ANALOG


SERIES 3

Dimensions:
Entry panel: 272 x 130 mm
Mounting box: 248 x 130 x 60 mm

AUDIO


F S3
KEYPAD

D




F S3 101
AUTA KEY

D A




F S3
DIRECTORY

D




F S3 104

D A




F S3 105

D A




F S3 204

D A



F S3 205

D A




REF.		DESCRIPTION
D	A	
XX1301		F S3 KEYPAD
XX1302	941302	F S3 101 AUTA KEY
XX1303		F S3 DIRECTORY
XX1314	941314	F S3 104
XX1315	941315	F S3 105
XX1324	941324	F S3 204
XX1325	941325	F S3 205

AUDIO + VIDEO


FV S3
KEYPAD

D




FV S3 101
AUTA KEY

D




FV S3
DIRECTORY

D




FV S3 104

D




FV S3 105

D




FV S3 204

D



FV S3 205

D



REF.	DESCRIPTION
D	
XX7301	FV S3 KEYPAD
XX7302	FV S3 101 AUTA KEY
XX7303	FV S3 DIRECTORY
XX7314	FV S3 104
XX7315	FV S3 105
XX7324	FV S3 204
XX7325	FV S3 205

The first 2 digits of the reference (XX1301) must be replaced depending on the system chosen for the installation

COAX SYSTEM	77	VISUALTECH SYSTEM	79
COAXLESS SYSTEM	78	2 WIRES SYSTEM	69

! FV S3 DIRECTORY
is NOT available
for the 2 wires system.

Entry panels



stainless steel

D DIGITAL
A ANALOG

SERIES 4


Dimensions:
Entry panel: 340 x 130 mm
Mounting box: 319 x 130 x 60 mm

AUDIO



REF.		DESCRIPTION
D	A	
XX1416	941416	F S4 106
XX1417	941417	F S4 107
XX1418	941418	F S4 108
XX1426	941426	F S4 206
XX1427	941427	F S4 207
XX1428	941428	F S4 208

AUDIO + VIDEO



REF.	DESCRIPTION
D	
XX7416	FV S4 106
XX7417	FV S4 107
XX7418	FV S4 108
XX7426	FV S4 206
XX7427	FV S4 207
XX7428	FV S4 208
XX8401	FV/T S4 KEYPAD
XX8403	FV/T S4 DIRECTORY

The first 2 digits of the reference (XX1301) must be replaced depending on the system chosen for the installation

COAX SYSTEM	77	VISUALTECH SYSTEM	79
COAXLESS SYSTEM	78	2 WIRES SYSTEM	69

FV/T S4 DIRECTORY
is NOT available
for the 2 wires system.

Entry panels


stainless steel

D DIGITAL
A ANALOG

SERIES 5


Dimensions:
Entry panel: 410 x 130 mm
Mounting box: 390 x 130 x 60 mm

AUDIO



REF.		DESCRIPTION
D	A	
XX1519	941519	F S5 109
XX1520	941520	F S5 110
XX1521	941521	F S5 111
XX1529	941529	F S5 209
XX1530	941530	F S5 210
XX1531	941531	F S5 211

AUDIO + VIDEO



REF.	DESCRIPTION
D	
XX7519	FV S5 109
XX7520	FV S5 110
XX7521	FV S5 111
XX7529	FV S5 209
XX7530	FV S5 210
XX7531	FV S5 211
XX8501	FV/T S5 KEYPAD

The first 2 digits of the reference (XX1301) must be replaced depending on the system chosen for the installation

COAX SYSTEM	77	VISUALTECH SYSTEM	79
COAXLESS SYSTEM	78	2 WIRES SYSTEM	69





stainless steel

D DIGITAL

A ANALOG

SERIES 3

Dimensions:
Entry panel: 272 x 130 mm
Mounting box: 248 x 130 x 60 mm



REF.	DESCRIPTION	
<div><div>D</div><div>A</div></div>		
773314	943314	P S3 104
773315	943315	P S3 105
773323	943323	P S3 203
773324	943324	P S3 204
773325	943325	P S3 205
773326	943326	P S3 206
773327	943327	P S3 207
773328	943328	P S3 208
	946300	S3 CARDHOLDER

REF.	DESCRIPTION	
<div><div>D</div><div>A</div></div>		
776314	943314	T/P S3 104
776315	946315	T/P S3 105
776323	946323	T/P S3 203
776324	946324	T/P S3 204
776325	946325	T/P S3 205





stainless steel

D DIGITAL

A ANALOG

SERIES 4

Dimensions:
Entry panel: 340 x 130 mm
Mounting box: 319 x 130 x 60 mm



REF.		DESCRIPTION
<div>D</div>	<div>A</div>	
773416	943416	P S4 106
773417	943417	P S4 107
773418	943418	P S4 108
773426	943426	P S4 206
773427	943427	P S4 207
773428	943428	P S4 208
773429	943429	P S4 209
773430	943430	P S4 210
773431	943431	P S4 211
	946400	S4 CARDHOLDER

REF.		DESCRIPTION
<div>D</div>	<div>A</div>	
776416	946416	T/P S4 106
776417	946417	T/P S4 107
776418	946418	T/P S4 108
776426	946426	T/P S4 206
776427	946427	T/P S4 207
776428	946428	T/P S4 208



stainless steel

D DIGITAL

A ANALOG

SERIES 5

Dimensions:
Entry panel: 410 x 130 mm
Mounting box: 390 x 130 x 60 mm



REF.		DESCRIPTION
<div>D</div> 773519	<div>A</div> 943519	P S5 109
773520	943520	P S5 110
773521	943521	P S5 111
773529	943529	P S5 209
773530	943530	P S5 210
773531	943531	P S5 211
773532	943532	P S5 212

REF.		DESCRIPTION
	<div>A</div> 943533	P S5 213
	943534	P S5 214
	946500	S5 CARDHOLDER

stainless steel

D


DIGITAL

A

ANALOG

SERIES 5

Dimensions:
Entry panel: 410 x 130 mm
Mounting box: 390 x 130 x 60 mm



REF.		DESCRIPTION
<div><div>D</div></div> 776519	<div><div>A</div></div> 946519	T/P S5 109
<div><div>D</div></div> 776520	<div><div>A</div></div> 946520	T/P S5 110
<div><div>D</div></div> 776521	<div><div>A</div></div> 946521	T/P S5 111
<div><div>D</div></div> 776529	<div><div>A</div></div> 946529	T/P S5 209
<div><div>D</div></div> 776530	<div><div>A</div></div> 946530	T/P S5 210
<div><div>D</div></div> 776531	<div><div>A</div></div> 946531	T/P S5 211

stainless steel

D

DIGITAL

SERIES 4

Dimensions:
Entry panel: 340 x 130 mm
Mounting box: 319 x 130 x 60 mm

AUDIO



AUDIO + VIDEO



REF.	DESCRIPTION
<div>D</div> XX0412	F S4 102 ALPHANUM
XX0413	F S4 103 ALPHANUM
XX0421	F S4 201 ALPHANUM
XX0422	F S4 202 ALPHANUM
XX0423	F S3 201 ALPHANUM

REF.	DESCRIPTION
<div>D</div> XX5412	FV S4 102 ALPHANUM
XX5413	FV S4 103 ALPHANUM
XX5421	FV S4 201 ALPHANUM
XX5422	FV S4 202 ALPHANUM
XX5423	FV S3 203 ALPHANUM

The first 2 digits of the reference (XX1301) must be replaced depending on the systemn chosen for the installation

COAX SYSTEM	77	VISUALTECH SYSTEM	79
COAXLESS SYSTEM	78	2 WIRES SYSTEM	69



stainless steel

D DIGITAL

SERIES 5



Dimensions:
Entry panel: 410 x 130 mm
Mounting box: 390 x 130 x 60 mm

AUDIO



REF.	DESCRIPTION
D	
XX0514	F S5 104 ALPHANUM
XX0515	F S5 105 ALPHANUM
XX0516	F S5 106 ALPHANUM
XX0524	F S5 204 ALPHANUM
XX0525	F S5 205 ALPHANUM
XX0526	F S5 206 ALPHANUM

AUDIO + VIDEO



REF.	DESCRIPTION
D	
XX5514	FV S5 104 ALPHANUM
XX5515	FV S5 105 ALPHANUM
XX5516	FV S5 106 ALPHANUM
XX5524	FV S5 204 ALPHANUM
XX5525	FV S5 205 ALPHANUM
XX5526	FV S5 206 ALPHANUM

The first 2 digits of the reference (XX1301) must be replaced depending on the system chosen for the installation

COAX SYSTEM	77	VISUALTECH SYSTEM	79
COAXLESS SYSTEM	78	2 WIRES SYSTEM	69

Entry panels

stainless steel

Design on steel

The elegant design of Auta's stainless steel plates houses in its interior the most advanced technology and protects it to ensure its durability.



Multiple configurations: push-buttons, keypad, directory and access control.

> 2,5 <

Made of 2,5m thick stainless steel.



Gloss finishing, hand polished.

IP 65

Retroilluminated single or double cardholders. IP65 stainless Steel push-buttons.



Vandal proof screws.



HIGH WEATHER
RESISTANCE



SERIES



ALPHANUMERIC



auta

Bringing people together

auta.es



Systems

2W
TWO WIRES

**VISUAL
TECH**

**PLUG
& PLAY
/ ISO**

COAX 
COAXLESS

INTERCOM

ANALOG

auta


Bringing people together

Systems compatibility

ENTRY PANELS




compact



compact
ALPHANUMERIC



stainless
steel



stainless
steel
ALPHANUMERIC

MONITORS/ HANDSETS



neos



compact



FLUSH
SURFACE
AUDIO
AUDIO/VIDEO

FLUSH
SURFACE
AUDIO
AUDIO/VIDEO

FLUSH
SURFACE
AUDIO
AUDIO/VIDEO


FLUSH
SURFACE
AUDIO
AUDIO/VIDEO

SURFACE
DESK MOUNT
AUDIO
AUDIO/VIDEO

SURFACE
DESK MOUNT
AUDIO
AUDIO/VIDEO

2W TWO WIRES	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> COMING SOON	<input checked="" type="checkbox"/>
VISUAL TECH	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
PLUG & PLAY ISO	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
COAX COAXLESS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
INTERCOM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
ANALOG	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> HANDSET ONLY	<input checked="" type="checkbox"/> HANDSET ONLY

CENTRAL GUARD PORTERS



compact INTERCOM

SURFACE
DESK MOUNT
AUDIO
AUDIO/VIDEO

avant

SURFACE
FLUSH
DESK MOUNT
AUDIO/VIDEO

avant INTERCOM

SURFACE
FLUSH
DESK MOUNT
AUDIO/VIDEO

e-compact

SURFACE
FLUSH
DESK MOUNT
AUDIO/VIDEO

slim

SURFACE
FLUSH
DESK MOUNT
AUDIO/VIDEO

guard porter CCI GUARD PORTER

SURFACE
DESK MOUNT
AUDIO/VIDEO

guard porter CCA GUARD PORTER

SURFACE
DESK MOUNT
AUDIO

				✓		
	✓			✓	✓	
	✓		✓		✓	✓
	✓		✓		✓	✓
✓		✓			✓	✓

2W TWO WIRES

System

Pure 2-wire system.

System without polarity.

Complete modulation of signals.

Maneuver without latencies.

Entry panels


compact

compact
ALPHANUMERIC



stainless
steel

stainless
steel
ALPHANUMERIC





Monitors & handsets

neos

MONITORS

HANDSET



Available in:



COMING SOON

slim



compact

MONITOR

HANDSET



compact

Anodized aluminum
Quality and resistance
Semi-modulars
5 sizes
Versatile: audio, audio/video & access control
Surface or flush mounted
Maximum benefits

SERIES 1/2/3/4/5




Series 1 Series 2 Series 3 Series 4 Series 5

ALPHANUMERIC

SERIES 4/5



Series 4 Series 5

 COMPACT entry panels
references see page 26-41

stainless steel

Stainless Steel
IP-65 push-buttons
Robustness and durability
5 sizes
Maximum performance
Customizable in size and push-button location

SERIES 1/2/3/4/5




Series 1 Series 2 Series 3 Series 4 Series 5

ALPHANUMERIC

SERIES 4/5



Series 4 Series 5

 STAINLESS STEEL entry panels
references see page 42-54

MODULES FOR BUILDINGS



508004

2 WIRES AUDIO MODULE

Audio module for 2H digital systems. Incorporates 2H video management that allows future extensions of the system. Compatible with COMPACT entry panels.



508001

2 WIRES AUDIO/VIDEO MODULE

Audio and video module for 2H digital systems. Compatible with COMPACT entry panels.

PANEL AUXILIARY MODULES



509018

CARDHOLDER MODULE (DC)

Panoramic retro-illuminated card module. It allows incorporating any type of information deemed necessary into street signs. Compatible with COMPACT entry panels. 24Vdc power supply.

MODULE OF CONTROL Y ACCESORIES



600019

2 WIRES MODULE OF CONTROL

Digital control module for AUDIO and AUDIO / VIDEO 2H systems. Independent management of up to 2 doors with free opening. Door sensor management. Management of auxiliary opening buttons. Possibility of selecting opening times. It incorporates access control with up to an individual opening code per dwelling as well as 4 general codes. Automatic management of plates only push button, keyboard + display entry panels



600020

2 WIRES ALPHANUMERIC MODULE OF CONTROL

Digital module of control for AUDIO and AUDIO / VIDEO 2H systems. Allows direct dialing using the floor + letter number of the house. It allows to dispense plates repertoire. Management of mixed boards (Display + Pushbuttons), as well as ONLY PUSHBUTTONS where the choice of the buttons for the floor number and the letters of the houses is free. It incorporates the same features as the 600019 module.



600002

CONNECTION MODULE OF ROWS & COLUMNS

Allows the link of push-button digital entry panels. Lighting Management. Compatible with all digital systems. Up to 3 entry panels with 66 push-buttons.



KEYPAD
MINI

REF.

730165

DESCRIPTION

KEYPAD MINI

Portable keyboard that allows the configuration of internal parameters in the module of control. It also allows the management of the user database in those who have this function

neos

COMING SOON

MONITORS

HANDSFREE + HANDSET

Dimensions: 185 x 155 x 24 mm
Finishes: White & Black
Installation: Surface
LCD 4,3" format 16:9



NEOS
HANDSFREE
+ HANDSET
White



NEOS
HANDSFREE
+ HANDSET
Black

HANDSFREE

Dimensions: 125 x 155 x 24 mm
Finishes: White & Black
Installation: Surface
LCD 4,3" format 16:9



NEOS
HANDSFREE
White



NEOS
HANDSFREE
Black

REF.	DESCRIPTION
751813 ○	2 WIRES WHITE HANDSET NEOS MONITOR
751823 ●	2 WIRES BLACK HANDSET NEOS MONITOR
751817 ○	2 WIRES WHITE HANDSFREE NEOS MONITOR
751827 ●	2 WIRES BLACK HANDSFREE NEOS MONITOR
751899	NEOS MONITOR WALL BRACKET
730186	NEOS HANDSFREE MONITOR DESK CONVERTER
730187	NEOS HANDSET MONITOR DESK CONVERTER

neos

HANDSETS

Dimensions:
90 x 155 x 36 (base + handset)
90 x 116 x 23 (only base)
Finishes: White & Black
Installation: Surface with
universal box 60x60



NEOS
HANDSET
White



NEOS
HANDSET
Black

REF.	DESCRIPTION
701814 ○	2 WIRES WHITE NEOS HANDSET
701824 ●	2 WIRES BLACK NEOS HANDSET
730184 ○	WHITE FRAME FOR NEOS HANDSET
730185 ●	BLACK FRAME FOR NEOS HANDSET

slim

MONITORS

Dimensions:
178 x 146 x 30 (surface)
178 x 146 x 7 (flush)
Finishes: White
Design: Extraflat
Touch buttons
LCD 4,3" screen panoramic



SLIM MONITOR
White



SLIM
monitor desk
converter

REF.		DESCRIPTION
751502	○	2 WIRES SLIM MONITOR
750920		SLIM MONITOR PLATE Surface mounting plate
750921		SLIM MONITOR MOUNTING BOX Flush mounting box (W 179 x H 152 x D 35 mm.)
750927	○	SLIM MONITOR FRAME Fush mouting frame
750923		SLIM MONITOR DESK CONVERTER Made of metracilat. BLUE LEDs.
750928	○	SLIM MONITOR NON-CONVENTIONAL FIXING For non conventional fixing; pladur, wood, etc. Includes de frame (black or white color).

compact

MONITORS

Finishes: White
Installation: Surface
LCD 4,3" panoramic screen



COMPACT
MONITOR
White

REF.

DESCRIPTION

755005



2 WIRES DIGITAL COMPACT MONITOR

Digital technology. Installation 2 wires without.

750699

CONNECTION BRACKET FOR 2 WIRES COMPACT MONITOR

Digital technology. Installation 2 wires without polarity.

750799

2 WIRES PLUS CONNECTION BRACKET

For 2-wire monitors without polarity. Connection module with additional functions, remote door opener or auxiliary doorbell.

730482

COMPACT MONITOR DESK CONVERTER



COMPACT
monitor
desk
converter

compact

HANDSETS

Finishes: White
Installation: Surface



COMPACT
HANDSET
White

REF.

DESCRIPTION

705005



2 WIRES COMPACT HANDSET

Digital technology. Installation 2 wires without polarity.

507030

COMPACT MONITOR DESK CONVERTER



COMPACT
handset
desk
converter

POWER SUPPLY



715303



715703



730168



730145



715503

REF. DESCRIPTION

715303 ALV-1,5 A POWER SUPPLY UNIT
Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 1.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 30 monitors and 50 telephones or 3 elements with simultaneous call. It can be installed on the surface or by DIN rail (3 elements)

715703 ALV-2,5 A POWER SUPPLY UNIT
Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 2.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 50 monitors and 100 telephones or 5 elements with simultaneous call. It can be installed on the surface or by DIN rail (4 elements)

730168 2 WIRES POWER INJECT
Power injector for 2 WIRES systems. It has 2 operating modes. INJECTOR MODE (FACTORY): Installed next to the system feeder. SECTIONER MODE: It is used to place reinforcement feeders in the same line.

730145 BATTERY MANAGER
It allows to connect some batteries to maintain permanent power in the installation, to the following power supplies: 715303 and 715703.

715503 ATF-12 POWER SUPPLY UNIT
Analog power supply. Entry 220-230 Vac. Output 12Vac 1.2A. Made of high quality ABS. It is mainly used in analog installations. It can also be used in systems where you want to feed a 12Vca door opener up to 1.2A. Can be mounted on the surface or DIN rail (2 elements)

COMMUNICATIONS



730171

REF. DESCRIPTION

730171 2 WIRES SYSTEM ROUTER
It allows the realization of multiple entry panel and riser 2 WIRES installations. It allows to apply several routers in the same.

AUDIO & VIDEO



753298

REF. DESCRIPTION

753298 2 WIRES MINI DISTRIBUTOR
Distributor for 2 WIRES systems. It has 4 outputs. Dimensions: 40 x 43 x 22 mm

ACCESSORIES



730213

REF. DESCRIPTION

730213 12V MINI RELAY
12V relay. Universal. Allows the connection of normally open normally closed circuits.

BUZZERS



730174

REF. DESCRIPTION

730174 WIRELESS BUZZER HEB KIT
Allows the call extension of the monitor/handset. Wireless. Up to 200m a open field. Emission frequency 868 Mhz that allows good reception. 32 selectable melodies. Up to 30 receivers in the same apartment/house.

VISUAL TECH

System

Ideal for renovation.


Use of existing wiring in the installation. Without works.

Quick and easy installation.

Entry panels


compact

compact
ALPHANUMERIC



stainless
steel

stainless
steel
ALPHANUMERIC





VISUAL TECH

Monitors & handsets

Central Guard Porter

neos

MONITORS
HANDSET



Available in:



NEOS 7" only available
in black color.

avant



Available in:



slim



compact

MONITOR
HANDSET



Available in:



compact

Anodized aluminum
Quality and resistance
Semi-modulars
5 sizes
Versatile: audio, audio/video & access control
Surface or flush mounted
Maximum benefits

SERIES 1/2/3/4/5



Series 1 Series 2 Series 3 Series 4 Series 5

ALPHANUMERIC

SERIES 4/5



Series 4 Series 5

stainless steel

Stainless Steel
IP-65 push-buttons
Robustness and durability
5 sizes
Maximum performance
Customizable in size and push-button location

SERIES 1/2/3/4/5



Series 1 Series 2 Series 3 Series 4 Series 5

ALPHANUMERIC

SERIES 4/5



Series 4 Series 5



COMPACT entry panels
references see page 26-41



STAINLESS STEEL entry panels
references see page 42-54

MODULES FOR BUILDINGS



509052

VISUALTECH AUDIO MODULE

Audio module for VISUALTECH systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels



509066

VISUALTECH COLOR AUDIO/VIDEO MODULE

Audio and video module for VISUALTECH systems. Compatible COMPACT door entry panels.

MODULES FOR S1 ENTRY PANELS



509080

VISUALTECH AUDIO MODULE FOR KIT S1

Audio module for VISUALTECH systems with built-in module of control. It incorporates COAXLESS video management that allows future extensions of the system. Allows Switchboard Unit. Compatible with COMPACT SERIES 1 door entry panels. Management of up to 2 independent calls.



509075

VISUALTECH COLOR AUDIO/VIDEO MODULE FOR KIT S1

Audio/Video module for VISUALTECH systems with built-in module of control. Allows Switchboard Unit. Compatible with COMPACT SERIES 1 door entry panels. Management of up to 2 independent calls.

PANEL AUXILIARY MODULES



509018

CARHOLDER MODULE (DC)

Panoramic retro-illuminated card module. It allows incorporating any type of information deemed necessary into street signs. Compatible with COMPACT entry panels. 24Vdc power supply.



509048

DIGITAL ADAPTED MODULE

Panoramic retro-illuminated card module. Shows system information to people with hearing impairment. Compatible with COMPACT entry panels and DIGITAL systems.








509011

COLOR COAXLESS DECOR VIDEO MODULE

Color module of coaxless and P&P systems. Compatible with COMPACT y DECOR entry panels. Allows installation with B&W monitors.

MODULE OF CONTROL Y ACCESORIES

REF.	DESCRIPTION
	600011 VISUALTECH MODULE OF CONTROL Digital control module for AUDIO and AUDIO / VIDEO VISUALTECH systems. Central Guard Porter Management. Can manage up to 63 buildings and 16.000 appartments. Door sensor management. Management of auxiliary opening buttons. Possibility of selecting opening times. It incorporates access control with up to an individual opening code per dwelling as well as 4 general codes. Automatic management of plates only push button, keyboard + display entry panels.
	600017 ALPHANUMERIC VISUALTECH MODULE OF CONTROL Digital control module for AUDIO and AUDIO / VIDEO VISUALTECH systems. Allows the direct deal as floors number and appartment letter. Can manage push-buttons & display entry panels and push-button ONLY entry panels. Same benefits as 600011.
	600002 CONNECTION MODULE OF ROWS & COLUMNS Allows the link of push-button digital entry panels. Lighting Management. Compatible with all digital systems. Up to 3 entry panels with 66 push-buttons.
	600015 MULTI-MODULE OF CONTROL Allows the connection of several modules of control wit ONE AUDIO or AUDIO/VIDEO module. Allows more than 3 entry panels and 66 push-buttons. Compatible with all digital systems.

	REF.	DESCRIPTION
	730165	KEYPAD MINI Portable keyboard that allows the configuration of internal parameters in the module of control. It also allows the management of the user database in those who have this function

neos

HANDSFREE + HANDSET



HOW TO INSTALL
THE MONITORS?

See video



To choose the way to answer



Handset...

To respond without others listening the conversation.



.. or handsfree

To responde even with busy hands.



Easy and intuitive navigation
High quality sound
LCD 4,3" screen, format 16:9
Touch buttons
Induction loop amplification
system (Teleloop)



Monitors

neos

VISUALTECH

HANDSFREE + HANDSET

Dimensions: 185 x 155 x 24 mm
 Finishes: White & Black
 Installation: Surface
 LCD 4,3" format 16:9



NEOS
HANDSFREE
+ HANDSET
White




NEOS
HANDSFREE
+ HANDSET
Black

HANDSFREE



Dimensions: 125 x 155 x 24 mm
 Finishes: White & Black
 Installation: Surface
 LCD 4,3" format 16:9



NEOS
HANDSFREE
White



NEOS
HANDSFREE
Black

	REF.		DESCRIPTION
	751810	○	VISUALTECH WHITE HANDSET NEOS MONITOR
	751820	●	VISUALTECH BLACK HANDSET NEOS MONITOR
	751814	○	VISUALTECH WHITE HANDSFREE NEOS MONITOR
	751824	●	VISUALTECH BLACK HANDSFREE NEOS MONITOR
	751899		NEOS MONITOR WALL BRACKET
	730186		NEOS HANDSFREE MONITOR DESK CONVERTER
	730187		NEOS HANDSET MONITOR DESK CONVERTER

NEW RELEASE

neos 7"

HANDSFREE



HANDSFREE

Dimensions: 185 x 155 x 25 mm
Finishes: Black
Installation: Surface with
universal box 60 x 60
LCD 7" screen



NEOS 7"
HANDSFREE
Wi-Fi



> Possibility of
operation with Wi-Fi
and AUTA ONEX APP.

COMING SOON

REF.

751924 ●
751944 ●

751899

DESCRIPTION

NEOS 7" VISUALTECH HANDSFREE
NEOS 7" VISUALTECH HANDSFREE WIFI

BRACKET
NEOS MONITOR



Handsets

neos

VISUALTECH




HANDSETS

Dimensions:
90 x 155 x 36 (base + handset)
90 x 116 x 23 (only base)
Finishes: White & Black
Installation: Surface with
universal box 60x60



NEOS
HANDSET
White



NEOS
HANDSET
Black

REF.

DESCRIPTION

701813

○

VISUALTECH WHITE NEOS HANDSET

701823

●

VISUALTECH BLACK NEOS HANDSET

730184

○

WHITE FRAME FOR NEOS HANDSET

730185

●

BLACK FRAME FOR NEOS HANDSET



NEOS
handset
frame

avant

MONITORS

Dimensions:
178 x 142 x 27 (surface)
178 x 142 x 6 (flush)
Finishes: White, Black & Steel
Design: Extraflat
Touch buttons
TFT-LCD 5,6" screen



AVANT MONITOR
Black



AVANT MONITOR
White



AVANT MONITOR
Steel

REF.

750907 ●
750908 ○
750909 ●

DESCRIPTION

VISUALTECH AVANT MONITOR
Digital technology. installation 5 wires. COAXLESS

750920

AVANT MONITOR PLATE
Surface mounting plate

750921

AVANT MONITOR MOUNTING BOX
Flush mounting box (W 179 x H 152 x D 35 mm.)

750922 ●
750927 ○

AVANT MONITOR FRAME
Flush mouting frame. Black and White color.

750923

AVANT MONITOR DESK CONVERTER
Made of metracilat. BLUE LEDs

750924 ●
750928 ○

AVANT / SLIM MONITOR DESK CONVERTER
Made of metracilat. BLUE LEDs



AVANT
monitor desk
converter

slim

MONITORS

Dimensions:
178 x 146 x 30 (surface)
178 x 146 x 7 (flush)
Finishes: White
Design: Extraflat
Touch buttons
LCD 4,3" screen panoramic



SLIM MONITOR
White

REF.		DESCRIPTION
751501	○	SLIM VISUALTECH MONITOR
750920		SLIM MONITOR PLATE Surface mounting plate
750921		SLIM MONITOR MOUNTING BOX Flush mounting box (W 179 x H 152 x D 35 mm.)
750927	○	SLIM MONITOR FRAME Fush mouting frame
750923		SLIM MONITOR DESK CONVERTER Made of metracilat. BLUE LEDs.
750928	○	SLIM MONITOR NON-CONVENTIONAL FIXING For non conventional fixing; pladur, wood, etc. Includes de frame (black or white color).



SLIM
monitor desk
converter

compact

MONITORS

Finishes: White & Silver
Installation: Surface
LCD 4,3" panoramic screen



COMPACT
MONITOR
White



COMPACT
MONITOR
Silver



COMPACT
monitor
desk
converter

REF.		DESCRIPTION
752305	○	COLOR VISUALTECH COMPACT MONITOR Digital technology. Installatioin 5 wire COAXLESS. Recommended for replacement of convertional AUDIO 4+N systems.
752905	●	COLOR VISUALTECH SILVER COMPACT MONITOR Digital technology. Installatioin 5 wire COAXLESS. Recommended for replacement of convertional AUDIO 4+N systems.
750399		VISUALTECH/COAXLESS COMPACT BRACKET Bracket for VISUALTECH or COAXLESS COMPACT monitors
730482		COMPACT MONITOR DESK CONVERTER

compact

HANDSETS

Finishes: White & Silver
Installation: Surface



COMPACT
HANDSET
White



COMPACT
HANDSET
Silver



COMPACT
handset
desk
converter

REF.		DESCRIPTION
701705	○	VISUALTECH BASIC COMPACT HANDSET Digital technology. Installation 3 wires
700205	○	VISUALTECH COMPACT HANDSET Digital technology. Installation 3 wires
702505	●	VISUALTECH BASIC COMPACT SILVER HANDSET Digital technology. Installation 3 wires
701105	●	VISUALTECH COMPACT SILVER HANDSET Digital technology. Installation 3 wires
507030		COMPACT HANDSET DESK CONVERTER

auta

Bringing people together

Central guard porter VISUALTECH

Seeing is believing

The Visualtech system allows updating a unmodified analog guard unit building wiring, and enter image simply and inexpensively.

- > **Without works**
- > **No installation change**
- > **No need for batteries**





COMMUNICATION

Panel < > Central
 Central < > Flat
 Flat < > Central
 Panel < > Flat
 Central < > Central

Receives all income calls from the entry panel. Can transfer the received call directly. Also can consult the tenant if the call wanted to be attended.

Receives calls from all appartments.

Missing calls queue. Shows the last 25 unattended calls received from the appartments.

MUTE option.

Monitoring of all calls.

DO NOT DISTURB mode. If the call from the entry panels is not answered at the Central Guard Porter it will not be transferred to the apartment.

Audio/Video
 Dimensions: 19,5 x 23 x 5 cm
 TFT color screen
 O.S.D. technology
 Information on screen without video signal



3 operating modes:
 Standard / Direct / Do not Disturb.



25 Missing calls queue. Shows the last 25 non-attended calls from the flats.



The Central Guard Porter can be set up as INTERNAL or EXTERNAL.



COMPACT
guard porter
converter

REF.

760597

730482

DESCRIPTION

VISUALTECH CENTRAL GUARD PORTER

CENTRAL GUARD PORTER DESK CONVERTER

POWER SUPPLY



715303



715703



730145



715503

REF.	DESCRIPTION
715303	ALV-1,5 A POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 1.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 30 monitors and 50 telephones or 3 elements with simultaneous call. It can be installed on the surface or by DIN rail (3 elements)
715703	ALV-2,5 A POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 2.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 50 monitors and 100 telephones or 5 elements with simultaneous call. It can be installed on the surface or by DIN rail (4 elements)
730145	BATTERY MANAGER It allows to connect some batteries to maintain permanent power in the installation, to the following power supplies: 715303 and 715703.
715503	ATF-12 POWER SUPPLY UNIT Analog power supply. Entry 220-230 Vac. Output 12Vac 1.2A. Made of high quality ABS. It is mainly used in analog installations. It can also be used in systems where you want to feed a 12Vca door opener up to 1.2A. Can be mounted on the surface or DIN rail (2 elements)

COMMUNICATIONS



730146

REF.	DESCRIPTION
730146	VISUALTECH DIGITAL LINES SELECTOR SDL One independent line per SDL.

VIDEO



753098



730140



730141



730142



730144

REF.	DESCRIPTION
753098	COAXLESS MINI VIDEO SPLITTER 2 double outputs allowing up to 4 monitors. Measures: 40 x 43 x 22 mm.
730140	SV-U UNIVERSAL VIDEO SELECTOR Universal video switcher for COAX and COAXLESS installations. 2 inputs / 1 output
730141	COAX TO COAXLESS CONVERTER Converts COAX video signal to COAXLESS video signal.
730142	COAXLESS TO COAX CONVERTER Converts COAXLESS video signal to COAX video signal.
730144	COAXLESS VIDEO AMPLIFIER 24 Vdc. Gain between -2dB y 6dB. 1 input and 2 amplified outputs

ACCESSORIES



730212



730152

REF.	DESCRIPTION
730212	24V DC MINI RELAY 24Vdc relay for digital installations. Allows the connection of normally open normally closed circuits.
730152	DRP-1 VISUALTECH Interface that allows the connection with other devices without additional cables. Multiple applications: Security (CCTV cameras), home management, building management, etc.

BUZZERS



730131



730174

REF.	DESCRIPTION
730131	DIGITAL BUZZER Allows the call extention of the monitor/handset. 2 wires. Compatible with All digital monitors and handsets.
730174	WIRELESS BUZZER HEB KIT Allows the call extention of the monitor/handset. Wireless. Up to 200m a open field. Emission frequency 868 Mhz that allows good reception. 32 selectable melodies. Up to 30 receivers in the same apartment/house.



PLUG & PLAY / ISO

System

Structured cabling. CAT-5/6 cable with RJ-45 connectors.

Universal T-568B connectorization protocol that eliminates errors in wiring.


ISO system 100% isolated.

Isolate each flat from the rest of the installation.

Entry panels


compact

compact
ALPHANUMERIC



stainless
steel

stainless
steel
ALPHANUMERIC





**PLUG
& PLAY
/ ISO**

Monitors & handsets

avant



Available in:



e-compact



Available in:



compact

MONITOR



Available in:



HANDSET



Central Guard Porter

AUDIO + VIDEO



AUDIO



compact

Anodized aluminum
Quality and resistance
Semi-modulars
5 sizes
Versatile: audio, audio/video & access control
Surface or flush mounted
Maximum benefits

stainless steel

Stainless Steel
IP-65 push-buttons
Robustness and durability
5 sizes
Maximum performance
Customizable in size and push-button location

SERIES 1/2/3/4/5



Series 1 Series 2 Series 3 Series 4 Series 5

SERIES 1/2/3/4/5



Series 1 Series 2 Series 3 Series 4 Series 5

ALPHANUMERIC

SERIES 4/5




Series 4 Series 5


ALPHANUMERIC

SERIES 4/5



Series 4 Series 5

 COMPACT entry panels
references see page 26-41

 STAINLESS STEEL entry panels
references see page 42-54

MODULES FOR BUILDINGS



509049

COAXLESS AUDIO MODULE

Audio module for COAXLESS and P&P systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels.



509058

COLOR COAXLESS AUDIO/VIDEO MODULE

Audio and video module for COAXLESS and P&P systems. Compatible COMPACT door entry panels.

MODULES FOR S1 ENTRY PANELS



509088

COAXLESS AUDIO MODULE FOR S1 PANEL

Audio module for COAXLESS and P&P systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels S1



509077

COAXLESS AUDIO/VIDEO FOR S1 PANEL

Audio and video module for COAXLESS and P&P systems. Compatible COMPACT door entry panels S1. It can be installed on systems with B&W monitors.

PANEL AUXILIARY MODULES



509018

CARDHOLDER MODULE (DC)

Panoramic retro-illuminated card module. It allows incorporating any type of information deemed necessary into street signs. Compatible with COMPACT entry panels. 24Vdc power supply.



509048

DIGITAL ADAPTED MODULE

Panoramic retro-illuminated card module. Shows system information to people with hearing impairment. Compatible with COMPACT entry panels and DIGITAL systems.





509011

COLOR COAXLESS DECOR VIDEO MODULE

Color module of coaxless and P&P systems. Compatible with COMPACT y DECOR entry panels. Allows installation with B&W monitors.

MODULE OF CONTROL AND ACCESSORIES

REF.	DESCRIPTION
600016	P&P MODULE OF CONTROL Digital module of control for P&P systems. Not screws required. Connection with RJ-45 connectors. Allows calling code data-base setting. Independent Manager of 2 doors. Door sensor management. Central Guard Porter management. Up to 64500 flats and 254 buildings. Opening auxiliary buttons management. Opening time selection. Build-in access control with 1 accesscode for each flat and 4 access codes. Automatic selection of push-button/keypad+display/mix entry panels. Compatible with COMPACT y DECOR digital entry panels.
600021	DIRECTORY P&P MODULE OF CONTROL Same benefits as 600016 module of control. Each calling code can have name associated User's research through arrows. ONLY compatible with Directory entry panels.
600002	CONNECTION MODULE OF ROWS & COLUMNS Allows the link of push-button digital entry panels. Lighting Management. Compatible with all digital systems. Up to 3 entry panels with 66 push-buttons.
600015	MULTI-MODULE OF CONTROL Allows the connection of several modules of control wit ONE AUDIO or AUDIO/VIDEO module. Allows more than 3 entry panels and 66 push-buttons. Compatible with All digital systems.

	REF.	DESCRIPTION
 Kit connection PC USB	167097	KIT CONNECTION PC USB USB communications KIT for PC. Allows the calling call data-base management in the module of control. Free Software included. Compatible with Windows XP, 7, 8 y 10.
 KEYPAD MINI	730165	KEYPAD MINI Portable keyboard that allows the configuration of internal parameters in the module of control. It also allows the management of the user database in those who have this function

avant

MONITORS

Dimensions:
178 x 142 x 27 (surface)
178 x 142 x 6 (flush)
Finishes: White, Black & Steel
Design: Extraflat
Touch buttons
TFT-LCD 5,6" screen



AVANT MONITOR
Black



AVANT MONITOR
White



AVANT MONITOR
Steel

REF.

750937 ●
750938 ○
750939 ●

DESCRIPTION

PLUG & PLAY AVANT MONITOR
Digital Technology. CAT 5/6 100% copper cable.

750920

AVANT MONITOR PLATE
Surface mounting plate

750921

AVANT MONITOR MOUNTING BOX
Flush mounting box (W 179 x H 152 x D 35 mm.)

750922 ●
750927 ○

AVANT MONITOR FRAME
Flush mouting frame. Black and White color.

750923

AVANT MONITOR DESK CONVERTER
Made of metracilat. BLUE LEDs

750924 ●
750928 ○

AVANT / SLIM MONITOR DESK CONVERTER
Made of metracilat. BLUE LEDs



AVANT
monitor desk
converter

e-compact

MONITORS

Dimensions:
178 x 142 x 33 (surface)
178 x 142 x 10 (flush)
Finishes: White & Black
Design: Extraflat
LCD 4,3" panoramic.
Format 16:9



E-COMPACT
MONITOR
White



E-COMPACT
MONITOR
Black

REF.		DESCRIPTION
751317	○	E-COMPACT PLUS PLUG & PLAY
751316	●	Works with CAT 5/6 100% copper cable and RJ-45 connectors according to T568B rule.
751319	○	MONITOR E-COMPACT PLUS ISO PLUG & PLAY
751318	●	Works with CAT 5/6 100% copper cable and RJ-45 connectors according to T568B rule.
750920		E-COMPACT SURFACE BRACKET For ALL E-COMPACT monitors regardless the system
750921		E-COMPACT MOUNTING BOX Flush mounting box (W 179 x H 152 x D 35 mm)
750927	○	E-COMPACT MONITOR FRAME
750922	●	Flush mounting frame. Black and White color.
750923		E-COMPACT MONITOR DESK CONVERTER Made of metracilat. BLUE LEDs
750928	○	E-COMPACT NON-CONVENTIONAL FIXING
750924	●	For non conventional fixing; pladur, wood..etc. Includes de frame black or white color.



E-COMPACT
monitor
desk
converter

compact

MONITORS

Finishes: White
Installation: Surface
LCD 4,3" panoramic screen



COMPACT
MONITOR
White



COMPACT
MONITOR
Silver

REF.

DESCRIPTION

752105 ○

COLOR DIGITAL COMPACT MONITOR
Works with CAT 5/6 100% copper cable

752705 ●

SILVER COLOR DIGITAL COMPACT MONITOR
Works with CAT 5/6 100% copper cable

750599

PLUG&PLAY COMPACT MONITOR WALL BRACKET
Works with CAT 5/6 100% copper cable.

730482

COMPACT MONITOR DESK CONVERTER



COMPACT
monitor
desk
converter

compact

HANDSETS

Finishes: White & Silver
Installation: Surface



COMPACT
HANDSET
White



COMPACT
HANDSET
Silver

REF.

DESCRIPTION

700005 ○

DIGITAL BASIC COMPACT HANDSET
4 wires. Can be installed with CAT 5/6 cable

700105 ○

DIGITAL COMPACT HANDSET
4 wires. Can be installed with CAT 5/6 cable

701005 ●

SILVER DIGITAL COMPACT HANDSET
4 wires. Can be installed with CAT 5/6 cable

507030

COMPACT HANDSET DESK CONVERTER



COMPACT
handset
desk
converter

A smiling man with dark hair and a beard, wearing a white button-down shirt, is giving a thumbs up. He is standing in an office environment with blurred figures of other people in the background.

auta

Bringing people together

Central guard porter

Save time and avoid mistakes

With the Plug & Play system our central Concierge is very easy to set up. Simplify work, save time and reduce the chances of short circuit. Circuit and wiring errors.

- > **Structured cable**
- > **RJ-45 connector (standard universal connection)**
- > **Easy installation**
- > **Easy maintenance**

Audio

Dimensions: 8,5 x 23 x 5 cm



Audio/Video

Dimensions: 19,5 x 23 x 5 cm

TFT color screen

O.S.D. technology

Information on screen without video signal



3 operating modes:
Standard / Direct / Do not
Disturb.



Multicentral. Allows
up to 15 centrals in the
communication bus.



Missing calls queue. Shows
the last 25 non-attended
calls from the flats.



The Central Guard Porter can
be set up as INTERNAL or
EXTERNAL.

COMMUNICATION

Panel < > Central

Central < > Flat

Flat < > Central

Panel < > Flat

Central < > Central

Receives all income calls from the entry panel. Can transfer the received call directly. Also can consult the tenant if the call wanted to be attended.

Receives calls from all appartments.

Missing calls queue. Shows the last 25 unattended calls received from the appartments.

MUTE option.

Monitoring of all calls.

DO NOT DISTURB mode. If the call from the entry panels is not answered at the Central Guard Porter it will not be transfered to the appartment.

Up to 15 Central Guard Porter can be installed in the same BUS. **Intercom between the Central Guard Porters.**

MANAGER mode. The central guard porter only receives calls from other central guard porter.



Kit
connection
PC USB



CCA
guard porter
desk
converter



CCI
guard porter
desk
converter

REF.

761301
760596
730160

DESCRIPTION

AUDIO CENTRAL GUARD PORTER CCA
COAXLESS CENTRAL GUARD PORTER CCI
ADAPTOR P&P RJ45 TERMINAL STRIP

PC USB CONNECTION KIT
CCI DESK CONVERTER COMPACT
CCA DESK CONVERTER



715303



715703



730164



730145



715503

POWER SUPPLY

REF.	DESCRIPTION
715303	ALV-1,5 A POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 1.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 30 monitors and 50 telephones or 3 elements with simultaneous call. It can be installed on the surface or by DIN rail (3 elements)
715703	ALV-2,5 A POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 2.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 50 monitors and 100 telephones or 5 elements with simultaneous call. It can be installed on the surface or by DIN rail (4 elements)
730164	PLUG & PLAY RJ45 POWER ADAPTOR Hardwire to PLUG & PLAY adaptor. Used when there is 1 single door entry
730145	BATTERY MANAGER Allows the connection of back battery with: 715303 y 715703.
715503	ATF-12 POWER SUPPLY UNIT Analog power supply. Entry 220-230 Vac. Output 12Vac 1.2A. Made of high quality ABS. It is mainly used in analog installations. It can also be used in systems where you want to feed a 12Vca door opener up to 1.2A. Can be mounted on the surface or DIN rail (2 elements)

COMMUNICATIONS



730162

REF.	DESCRIPTION
730162	PLUG & PLAY DIGITAL LINES SELECTOR SDL Allows 2 communication channels. For P&P systems

AUDIO & VIDEO



730161



752998



753198

REF.	DESCRIPTION
730161	PLUG & PLAY VIDEO SELECTOR Video Selector for P&P systems. Made of high quality ABS plastic. 4 outputs for 4 video door entry panels.. Allows DIN o rack 19"(2 units) montage.
752998	PLUG & PLAY 8 OUTPUTS HUB Video distributor with 8 outputs for installations with UTP cable connected following T568B rule.
753198	ISO PLUG & PLAY 4 OUTPUTS HUB Fully ISOLATED video distributor with 4 outputs for installations with UTP cable connected following T568B rule. The outputs are FULLY isolated offering a FULLY protection to the connected monitors. Can be ONLY used with the Isolated ISO E-COMPACT monitor.



730160

AUDIO & VIDEO

REF.	DESCRIPTION
730160	PLUG & PLAY RJ45 ADAPTOR Hardwire to PLUG & PLAY adaptor.



730150



730182



730157



730212

REF.	DESCRIPTION
730150	DRP-1 DIGITAL Interface that allows the connection with other devices without additional cables. Multiple applications: Security (CCTV cameras), home management, building management..etc
730182	DRP-2 DIGITAL Allows the lift control management through AUTA monitors or handsets.
730157	PLUG & PLAY TESTER KIT UTP cabling tester KIT. Emitter and Receiver. It works with 9V battery (not included).
730212	24V DC MINI RELAY 4Vdc relay for digital installations. Allows the connection of normally open normally closed circuits.

BUZZERS



730131



730174

REF.	DESCRIPTION
730131	DIGITAL BUZZER Allows the call extention of the monitor/handset. 2 wires. Compatible with All digital monitors and handsets.
730174	WIRELESS BUZZER HEB KIT Allows the call extention of the monitor/handset. Wireless. Up to 200m a open field. Emission frequency 868 Mhz that allows good reception. 32 selectable melodies. Up to 30 receivers in the same appartment/house.

COAX COAXLESS

System

Digital system.

Bus operation that allows installation.


Multi-building y Multi-housing.

Flexible system with multiple possibilities.

Entry panels


compact

compact
ALPHANUMERIC



stainless
steel

stainless
steel
ALPHANUMERIC





COAX / COAXLESS

Monitors & handsets

Central Guard Porter

neos

MONITORS
HANDSET



Available in:



NEOS 7" only available
in black color.

avant



Available in:



e-compact



Available in:



compact

MONITOR
HANDSET



Available in:



AUDIO + VIDEO
AUDIO



compact

Anodized aluminum
Quality and resistance
Semi-modulars
5 sizes
Versatile: audio, audio/video & access control
Surface or flush mounted
Maximum benefits

stainless steel

Stainless Steel
IP-65 push-buttons
Robustness and durability
5 sizes
Maximum performance
Customizable in size and push-button location

SERIES 1/2/3/4/5



Series 1 Series 2 Series 3 Series 4 Series 5

SERIES 1/2/3/4/5



Series 1 Series 2 Series 3 Series 4 Series 5

ALPHANUMERIC

SERIES 4/5




Series 4 Series 5


ALPHANUMERIC

SERIES 4/5







Series 4 Series 5





 COMPACT entry panels
references see page 26-41

 STAINLESS STEEL entry panels
references see page 42-54





MODULES FOR BUILDINGS

REF.	DESCRIPTION
 509049	COAXLESS AUDIO MODULE Audio module for COAXLESS and P&P systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels.
 509050	MÓDULO DE AUDIO DIGITAL COAX Audio module for COAX systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels.
 509057	MÓDULO DE AUDIO/VIDEO COLOR DIGITAL COAX Audio and video module for COAX systems. Compatible COMPACT door entry panels. It can be installed on systems with B&W monitors.
 509058	MÓDULO DE AUDIO/VIDEO COLOR DIGITAL NO-COAX Audio and video module for COAXLESS and P&P systems. Compatible COMPACT door entry panels. It can be installed on systems with B&W monitors.






MODULES FOR S1 ENTRY PANELS



REF.	DESCRIPTION
 509088	COAXLESS AUDIO MODULE FOR S1 PANEL Audio module for COAXLESS and P&P systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels S1.
 509079	AUDIO MODULE FOR S1 PANEL Audio module for COAX systems. It incorporates COAX video management that allows future extensions of the system. Compatible with COMPACT door entry panels S1.
 509077	COLOR COAXLESS AUDIO/VIDEO MODULE FOR S1 PANEL Audio and video module for COAXLESS and P&P systems. Compatible COMPACT door entry panels S1. It can be installed on systems with B&W monitors.
 509074	COLOR COAX AUDIO/VIDEO MODULE FOR S1 PANEL Audio and video module for COAX systems. Compatible COMPACT door entry panels S1. It can be installed on systems with B&W monitors.

PANEL AUXILIARY MODULES

REF.	DESCRIPTION
 509018	CARDHOLDER MODULE CC Panoramic retro-illuminated card module. It allows incorporating any type of information deemed necessary into street signs. Compatible with COMPACT entry panels. 24Vdc power supply.
 509048	DIGITAL ADAPTED MODULE Panoramic retro-illuminated card module. Shows system information to people with hearing impairment. Compatible with COMPACT entry panels and DIGITAL systems.
 509005	COAX DECOR COLOR VIDEO MODULE Color module of COAX systems. Compatible with COMPACT y DECOR entry panels. Allows installation with B&W monitors.
 509011	COAXLESS DECOR COLOR VIDEO MODULE Color module of COAXLESS and P&P systems. Compatible with COMPACT y DECOR entry panels. Allows installation with B&W monitors.

MODULE OF CONTROL AND ACCESSORIES


REF.	DESCRIPTION
 600013	COMPACT MODULE OF CONTROL Digital module of control for AUDIO, COAX and COAXLESS systems. . Allows calling code data-base setting. Independent Manager of 2 doors. Door sensor management. Central Guard Porter management. Up to 64500 flats and 254 buildings. Opening auxiliary buttons management. Opening time selection. Build-in access control with 1 accesscode for each flat and 4 access codes. Automatic selection of push-button/ keypad+display/mix entry panels. Compatible with COMPACT y DECOR digital entry panels.
 600014	DIRECTORY MODULE OF CONTROL Same benefits as 600013 module of control. Each calling code can have name associated User's research through arrows. ONLY compatible with Directory entry panels.
 600018	ALPHANUMERIC MODULE OF CONTROL Digital module of control for AUDIO, COAX and COAXLESS systems. Allows the call pressing floor's number and flat's letter. Same benefits as 600013 module of control.
 600002	CONNECTION MODULE OF ROWS & COLUMNS Allows the link of push-button digital entry panels. Lighting Management. Compatible with all digital systems. Up to 3 entry panels with 66 push-buttons.
 600015	MULTI-MODULE OF CONTROL Allows the connection of several modules of control wit ONE AUDIO

	REF.	DESCRIPTION
 Kit connection PC USB	167097	KIT CONNECTION PC USB USB communications KIT for PC. Allows the calling call data-base management in the module of control. Free Software included. Compatible with Windows XP, 7, 8 y 10.
 KEYPAD MINI	730165	KEYPAD MINI Portable keyboard that allows the configuration of internal parameters in the module of control. It also allows the management of the user database in those who have this function



HOW TO INSTALL
THE MONITORS?

See video



neos

HANDSFREE

The lightest design

LCD 4,3" screen, format 16:9

Touch buttons

Induction lopp amplification system (Teleloop)



Monitors

neos

COAX / COAXLESS

HANDSFREE + HANDSET

Dimensions: 185 x 155 x 24 mm
Finishes: White & Black
Installation: Surface
LCD 4,3" format 16:9



NEOS
HANDSFREE
+ HANDSET
White



NEOS
HANDSFREE
+ HANDSET
Black

HANDSFREE

Dimensions: 125 x 155 x 24 mm
Finishes: White & Black
Installation: Surface
LCD 4,3" format 16:9



NEOS
HANDSFREE
White



NEOS
HANDSFREE
Black

REF.

751811 ○
751821 ●
751812 ○
751822 ●
751815 ○
751825 ●
751816 ○
751826 ●

DESCRIPTION

COAX WHITE HANDSET NEOS MONITOR
COAX BLACK HANDSET NEOS MONITOR
COAXLESS WHITE HANDSET NEOS MONITOR
COAXLESS BLACK HANDSET NEOS MONITOR
COAX WHITE HANDSFREE NEOS MONITOR
COAX BLACK HANDSFREE NEOS MONITOR
COAXLESS WHITE HANDSFREE NEOS MONITOR
COAXLESS BLACK HANDSFREE NEOS MONITOR



NEOS HF
monitor desk
converter



NEOS HANDSET
monitor desk
converter

751899
730186
730187

NEOS MONITOR WALL BRACKET
NEOS HANDSFREE MONITOR DESK CONVERTER
NEOS HANDSET MONITOR DESK CONVERTER



HOW TO INSTALL
THE NEOS
HANDSET?

See video



Handsets

neos

HANDSETS

Dimensions:
90 x 155 x 36 (base + handset)
90 x 116 x 23 (only base)
Finishes: White & Black
Installation: Surface with
universal box 60x60



NEOS
HANDSET
White



NEOS
HANDSET
Black



NEOS
handset
frame

REF.

701812 ○
701822 ●

730184 ○
730185 ●

DESCRIPTION

DIGITAL WHITE NEOS HANDSET
DIGITAL BLACK NEOS HANDSET

WHITE FRAME FOR NEOS HANDSET
BLACK FRAME FOR NEOS HANDSET

avant

MONITORS

Dimensions:
178 x 142 x 27 (surface)
178 x 142 x 6 (flush)
Finishes: White, Black & Steel
Design: Extraflat
Touch buttons
TFT-LCD 5,6" screen



AVANT MONITOR
Black



AVANT MONITOR
White



AVANT MONITOR
Steel

REF.

750931 ●
750932 ○
750933 ●

750934 ●
750935 ○
750936 ●

DESCRIPTION

COAX AVANT MONITOR

4 wires + COAX RG-59

COAXLESS AVANT MONITOR

6 wires. Can be installed with CAT 5/6 UTP cable

750920

AVANT MONITOR PLATE

Surface mounting plate

750921

AVANT MONITOR MOUNTING BOX

Flush mounting box (W 179 x H 152 x D 35 mm.)

750922 ●
750927 ○

AVANT MONITOR FRAME

Flush mouting frame. Black and White color.

750923

AVANT MONITOR DESK CONVERTER

Made of metracilat. BLUE LEDs

750924 ●
750928 ○

AVANT / SLIM MONITOR DESK CONVERTER

Made of metracilat. BLUE LEDs



AVANT
monitor desk
converter

e-compact

MONITORS

Dimensions:
178 x 142 x 33 (surface)
178 x 142 x 10 (flush)
Finishes: White & Black
Design: Extraflat
LCD 4,3" panoramic.
Format 16:9



E-COMPACT
MONITOR
White



E-COMPACT
MONITOR
Black

REF.

DESCRIPTION

751311 ○
751310 ●

E-COMPACT PLUS COAX MONITOR
Digital technology. Installation 4 + RG - 59

751313 ○
751312 ●

E-COMPACT PLUS COAXLESS MONITOR
Digital technology. Installation CATS - 5/6.

750920

E-COMPACT SURFACE BRACKET
For ALL E-COMPACT monitors regardless the system

750921

E-COMPACT MOUNTING BOX
Flush mounting box (W 179 x H 152 x D 35 mm)

750927 ○
750922 ●

E-COMPACT MONITOR FRAME
Flush mounting frame. Black and White color.

750923

E-COMPACT MONITOR DESK CONVERTER
Made of metracilat. BLUE LEDs



E-COMPACT
monitor desk
converter

750928 ○
750924 ●

E-COMPACT NON-CONVENTIONAL FIXING
For non conventional fixing; pladur, wood..etc. Includes de frame black or white color.

compact

MONITORS

Finishes: White
Installation: Surface
LCD 4,3" panoramic screen



COMPACT
MONITOR
White



COMPACT
MONITOR
Silver

REF.

DESCRIPTION

752105



COLOR DIGITAL COMPACT MONITOR
Digital. 4 wires + RG-59 or 6 wires (CAT 5/6 UTP cable).

752705



SILVER COLOR DIGITAL COMPACT MONITOR
RG-59 or 6 wires (CAT 5/6 UTP cable).

750299

COAX MONITOR WALL BRACKET
Digital. 4 wires + RG-59

750399

COAXLESS MONITOR WALL BRACKET
6 wires (CAT 5/6 UTP cable).

730482

MONITOR DESK CONVERTER



COMPACT
monitor
desk
converter

compact

HANDSETS

Finishes: White & Silver
Installation: Surface



COMPACT
HANDSET
White



COMPACT
HANDSET
Silver

REF.

DESCRIPTION

700005



DIGITAL BASIC COMPACT HANDSET
4 wires. Can be installed with CAT 5/6 cable

700105



DIGITAL COMPACT HANDSET
4 wires. Can be installed with CAT 5/6 cable

701005



SILVER DIGITAL COMPACT HANDSET
4 wires. Can be installed with CAT 5/6 cable

507030

HANDSET DESK CONVERTER



COMPACT
handset
desk
converter

Central guard porter

COAX / COAXLESS

Audio
 Dimensions: 8,5 x 23 x 5 cm

Audio/Video
 Dimensions: 19,5 x 23 x 5 cm
 TFT color screen
 O.S.D. technology
 Information on screen without video signal

Receives all income calls from the entry panel. Can transfer the received call directly. Also can consult the tenant if the call wanted to be attended.

Receives calls from all apartments.

Missing calls queue. Shows the last 25 unattended calls received from the apartments.

MUTE option.

Monitoring of all calls.

DO NOT DISTURB mode. If the call from the entry panels is not answered at the Central Guard Porter it will not be transferred to the apartment.

Up to 15 Central Guard Porter can be installed in the same BUS.
Intercom between the Central Guard Porters.

MANAGER mode. The central guard porter only receives calls from other central guard porter.



Kit connection PC USB



CCI guard porter desk converter



CCA guard porter desk converter

REF.	DESCRIPTION
761301	AUDIO CENTRAL GUARD PORTER CCA
760595	COAX CENTRAL GUARD PORTER CCI
760596	COAXLESS CENTRAL GUARD PORTER CCI
167097	KIT CONNECTION PC USB
730482	CCI DESK CONVERTER
507030	CCA DESK CONVERTER



COMMUNICATION


- Panel < > Central
- Central < > Flat
- Flat < > Central
- Panel < > Flat
- Central < > Central



4 operating modes:
 Standard / Direct /
 Manager / Do not Disturb.



Shows the last 25 non-attended calls from the flats.



Multi-central. Up to 15
 Central Guard Porter can be
 installed in the same BUS.



The Central Guard Porter can
 be set up as INTERNAL or
 EXTERNAL.

POWER SUPPLY



715303



715703



730145



715503

REF.	DESCRIPTION
715303	ALV-1,5 A POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 1.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 30 monitors and 50 telephones or 3 elements with simultaneous call. It can be installed on the surface or by DIN rail (3 elements).
715703	ALV-2,5 A POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 2.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 50 monitors and 100 telephones or 5 elements with simultaneous call. It can be installed on the surface or by DIN rail (4 elements).
730145	BATTERY MANAGER It allows to connect some batteries to maintain permanent power in the installation, to the following power supplies: 715303 and 715703..
715503	ATF-12 POWER SUPPLY UNIT Analog power supply. Entry 220-230 Vac. Output 12Vac 1.2A. Made of high quality ABS. It is mainly used in analog installations. It can also be used in systems where you want to feed a 12Vca door opener up to 1.2A. Can be mounted on the surface or DIN rail (2 elements)

COMMUNICATIONS



730137



730149



730154

REF.	DESCRIPTION
730137	DIGITAL LINES SELECTOR (SDL) One independent line per SDL. Suitable for COAX and COAXLESS systems.
730149	INTERIOR DIGITAL LINES SELECTOR SDI One independent line per FLAT. Suitable for COAX and COAXLESS systems
730154	FLOOR DIGITAL LINES SELECTOR SDP One independent line per FLOOR. Suitable for COAX and COAXLESS systems.

VIDEO



750498



753098

REF.	DESCRIPTION
750498	COAXIAL VIDEO DISTRIBUTOR DV4-CS 4 OUTPUTS 4 outputs allowing up to 4 monitors. For COAX systems.
753098	COAXLESS MINI DISTRIBUTOR 4 OUTPUTS 2 double outputs allowing up to 4 monitors. For COAXLESS/VISUALTECH systems.

VIDEO



730140



730141



730142



730143



730144

REF.	DESCRIPTION
730140	UNIVERSAL VIDEO SELECTOR SV-U Universal video switcher for COAX and COAXLESS installations. 2 inputs / 1 output.
730141	COAX - COAXLESS CONVERTER Converts COAX video signal to COAXLESS video signal. To be installed together with the ref: 730140, Allows the installation of a second camera.
730142	COAXLESS - COAX CONVERTER Converts COAXLESS video signal to COAX video signal.
730143	COAX VIDEO AMPLIFIER 24 Vdc. Gain between -2dB y 6dB. 1 input and 2 amplified outputs
730144	COAXLESS VIDEO AMPLIFIER 24 Vdc. Gain between -2dB y 6dB. 1 input and 2 amplified outputs.as.

ACCESSORIES



730212



730150



730182

REF.	DESCRIPTION
730212	24V MINI RELAY 24Vdc relay for digital installations. Allows the connection of normally open normally closed circuits.
730150	DRP-1 DIGITAL Interface that allows the connection with other devices without additional cables. Multiple applications: Security (CCTV cameras), home management, building management..etc
730182	DRP-2 DIGITAL Allows the lift control management through AUTA monitors or handsets.

BUZZERS



730131



730174

REF.	DESCRIPTION
730131	DIGITAL BUZZER Allows the call extention of the monitor/handset. 2 wires. Compatible with all digital monitors and handsets.
730174	WIRELESS BUZZER HEB KIT Allows the call extention of the monitor/handset. Wireless. Up to 200m a open field. Emission frequency 868 Mhz that allows good reception. 32 selectable melodies. Up to 30 receivers in the same apartment/house.

INTERCOM

System

Intercommunication in homes. Up to 15 indoor units in the house.

Inner intercommunication, ideal for offices and commercial premises. Up to 63 indoor units.

Entry panels


compact

compact
ALPHANUMERIC



stainless
steel

stainless
steel
ALPHANUMERIC





INTERCOM

Monitors & handsets

avant



Available in:



compact

MONITOR



HANDSET



Central Guard Porter

AUDIO + VIDEO



AUDIO



compact

Anodized aluminum
Quality and resistance
Semi-modulars
5 sizes
Versatile: audio, audio/video & access control
Surface or flush mounted
Maximum benefits

stainless steel

Stainless Steel
IP-65 push-buttons
Robustness and durability
5 sizes
Maximum performance
Customizable in size and push-button location

SERIES 1/2/3/4/5



Series 1 Series 2 Series 3 Series 4 Series 5

SERIES 1/2/3/4/5



Series 1 Series 2 Series 3 Series 4 Series 5

ALPHANUMERIC

SERIES 4/5




Series 4 Series 5


ALPHANUMERIC

SERIES 4/5







Series 4 Series 5





 COMPACT entry panels
references see page 26-41

 STAINLESS STEEL entry panels
references see page 42-54





MODULES FOR BUILDINGS

REF.	DESCRIPTION
 509049	COAXLESS AUDIO MODULE Audio module for COAXLESS systems. It incorporates COAX video management that allows future extensions of the system. Compatible with COMPACT door entry panel
 509050	AUDIO MODULE Audio module for COAX systems. It incorporates COAX video management that allows future extensions of the system. Compatible with COMPACT door entry panel
 509057	COLOR COAX AUDIO/VIDEO MODULE Audio and video module for COAX systems. Compatible COMPACT door entry panels. It can be installed on systems with B&W monitors.
 509058	COLOR COAXLESS AUDIO/VIDEO MODULE Audio and video module for COAXLESS and P&P systems. Compatible COMPACT door entry panels. It can be installed on systems with B&W monitors






MODULES FOR S1 ENTRY PANELS



REF.	DESCRIPTION
 509088	COAXLESS AUDIO MODULE FOR S1 PANEL Audio module for COAXLESS and P&P systems. It incorporates COAXLESS video management that allows future extensions of the system. Compatible with COMPACT door entry panels S1.
 509079	AUDIO MODULE FOR S1 PANEL Audio module for COAX systems. It incorporates COAX video management that allows future extensions of the system. Compatible with COMPACT door entry panels S1.
 509077	COLOR COAXLESS AUDIO/VIDEO MODULE FOR S1 PANEL Audio and video module for COAXLESS and P&P systems. Compatible COMPACT door entry panels S1. It can be installed on systems with B&W monitors.
 509074	COLOR COAX AUDIO/VIDEO MODULE FOR S1 PANEL Audio and video module for COAX systems. Compatible COMPACT door entry panels S1. It can be installed on systems with B&W monitors.

PANEL AUXILIARY MODULES

REF.	DESCRIPTION
 509018	CARDHOLDER MODULE (DC) Panoramic retro-illuminated card module. It allows incorporating any type of information deemed necessary into street signs. Compatible with COMPACT entry panels. 24Vdc power supply.
 509048	DIGITAL ADAPTED MODULE Panoramic retro-illuminated card module. Shows system information to people with hearing impairment. Compatible with COMPACT entry panels and DIGITAL system.
 509005	COLOR COAX DECOR VIDEO MODULE Color module of COAX systems. Compatible with COMPACT y DECOR entry panels. Allows installation with B&W monitors.
 509011	COLOR COAXLESS DECOR VIDEO MODULE Color module of COAXLESS and P&P systems. Compatible with COMPACT y DECOR entry panels. Allows installation with B&W monitors.

MODULE OF CONTROL Y ACCESORIES

REF.	DESCRIPTION
 600013	COMPACT MODULE OF CONTROL Digital module of control for AUDIO, COAX and COAXLESS systems. . Allows calling code data-base setting. Independent Manager of 2 doors. Door sensor management. Central Guard Porter management. Up to 64500 flats and 254 buildings. Opening auxiliary buttons management. Opening time selection. Build-in access control with 1 accesscode for each flat and 4 access codes. Automatic selection of push-button/ keypad+display/mix entry panels. Compatible with COMPACT y DECOR digital entry panels.
 600014	DIRECTORY MODULE OF CONTROL Same benefits as 600013 module of control. Each calling code can have name associated User's research through arrows. ONLY compatible with Directory entry panels.
 600018	ALPHANUMERIC MODULE OF CONTROL Digital module of control for AUDIO, COAX and COAXLESS systems. Allows the call pressing floor's number and flat's letter. Same benefits as 600013 module of control
 600002	CONNECTION MODULE OF ROWS & COLUMNS Allows the link of push-button digital entry panels. Lighting Management. Compatible with all digital systems. Up to 3 entry panels with 66 push-buttons.
 600015	MULTI-MODULE OF CONTROL Allows the connection of several modules of control wit ONE AUDIO or AUDIO/VIDEO module. Allows more than 3 entry panels and 66 push-buttons. Compatible with All digital systems.

	REF.	DESCRIPTION
 Kit connection PC USB	167097	KIT CONNECTION PC USB USB communications KIT for PC. Allows the calling call data-base management in the module of control. Free Software included. Compatible with Windows XP, 7, 8 y 10.
 KEYPAD MINI	730165	KEYPAD MINI Portable keyboard that allows the configuration of internal parameters in the module of control. It also allows the management of the user database in those who have this function

avant

MONITORS

Dimensions:
178 x 142 x 27 (surface)
178 x 142 x 6 (flush)
Finishes: White, Black & Steel
Design: Extraflat
Touch buttons
TFT-LCD 5,6" screen



AVANT MONITOR
Black



AVANT MONITOR
White



AVANT MONITOR
Steel

REF.

- 750941 ●
- 750942 ○
- 750943 ●

DESCRIPTION

COAX INTERCOM AVANT MONITOR
4 wires + COAX RG-59 Up to 15 intercom monitors inside the same house/flat.

- 750944 ●
- 750945 ○
- 750946 ●

COAXLESS INTERCOM AVANT MONITOR AVANT
6 wires. Can be installed with CAT 5/6 UTP cable. Up to 15 intercom monitors inside the same house/flat.

750920

AVANT MONITOR PLATE
Surface mounting plate

750921

AVANT MONITOR MOUNTING BOX
Flush mounting box (W 179 x H 152 x D 35 mm.)

- 750922 ●
- 750927 ○

AVANT MONITOR FRAME
Flush mouting frame. Black and White color.

750923

AVANT MONITOR DESK CONVERTER
Made of metracilat. BLUE LEDs

- 750924 ●
- 750928 ○

AVANT / SLIM MONITOR DESK CONVERTER
Made of metracilat. BLUE LEDs



AVANT
monitor desk
converter

compact

MONITORS

Finishes: White
Installation: Surface
LCD 4,3" panoramic screen



COMPACT
MONITOR
Intercom
(no keypad)



COMPACT
MONITOR
Intercom
(keypad)

REF.

DESCRIPTION

754205



COLOR DIGITAL INTERCOM COMPACT MONITOR NO KEYPAD
4 wires + COAX RG-59 or 6 wires (can be installed with CAT 5/6 UTP cable). Internal INTERCOM up to 6 units in the same house or flat.

754305



COLOR DIGITAL INTERCOM COMPACT MONITOR KEYPAD
4 wires + COAX RG-59 or 6 wires (can be installed with CAT 5/6 UTP cable). Internal INTERCOM up to 15 units in the same house or flat.

750299

COAX COMPACT MONITOR WALL BRACKET
4 + COAX RG-59

750399

COAXLESS COMPACT MONITOR WALL BRACKET
6 wires (CAT 5/6 UTP cable).

730482

DESK CONVERTER



COMPACT
monitor
desk
converter

compact

HANDSETS

Finishes: White
Installation: Surface



COMPACT
HANDSET
Intercom
(no keypad)



COMPACT
HANDSET
Intercom
(keypad)

REF.

DESCRIPTION

702105



COMPACT INTERCOM HANDSET NO KEYPAD
4 wires (can be installed with CAT 5/6 UTP cable). Internal INTERCOM up to 6 units in the same house

702205



COMPACT INTERCOM HANDSET KEYPAD
4 wires (can be installed with CAT 5/6 UTP cable). Internal INTERCOM up to 15 units in the same house

507030

HANDSET DESK CONVERTER



COMPACT
handset
desk
converter

Central guard porter

INTERCOM

Audio

Dimensions: 8,5 x 23 x 5 cm

Audio/Video

Dimensions: 19,5 x 23 x 5 cm

TFT color screen

O.S.D. technology

Information on screen without video signal

Receives all income calls from the entry panel. Can transfer the received call directly. Also can consult the tenant if the call wanted to be attended.

Receives calls from all apartments.

Missing calls queue. Shows the last 25 unattended calls received from the apartments.

MUTE option.


Monitoring of all calls.

DO NOT DISTURB mode. If the call from the entry panels is not answered at the Central Guard Porter it will not be transferred to the apartment.

Up to 15 Central Guard Porter can be installed in the same BUS.

Intercom between the Central Guard Porters.

MANAGER mode. The central guard porter only receives calls from other central guard porter.



Kit
connection
PC USB



CCA
guard porter
desk
converter



CCI
guard porter
desk
converter



COMMUNICATION

Panel < > Central

Central < > Flat

Flat < > Central

Panel < > Flat

Central < > Central



4 operating modes:
Standard / Direct /
Manager / Do not Disturb.



Shows the last 25 non-attended calls from the flats.



Multi-central. Up to 15
Central Guard Porter can be
installed in the same BUS.



The Central Guard Porter can
be set up as INTERNAL or
EXTERNAL.

REF.

DESCRIPTION

761301
760595
760596

AUDIO CENTRAL GUARD PORTER CCA
COAX CENTRAL GUARD PORTER CCI
COAXLESS CENTRAL GUARD PORTER CCI

167097
730482
507030

KIT CONNECTION PC USB
CCI DESK CONVERTER
CCA DESK CONVERTER

POWER SUPPLY



715303



715703



730145



715503

REF.	DESCRIPTION
715303	ALV-1,5 A POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 1.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 30 monitors and 50 telephones or 3 elements with simultaneous call. It can be installed on the surface or by DIN rail (3 elements).
715703	ALV-2,5 A POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 2.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 50 monitors and 100 telephones or 5 elements with simultaneous call. It can be installed on the surface or by DIN rail (4 elements).
730145	BATTERY BACK UP MANAGER It allows to connect some batteries to maintain permanent power in the installation, to the following power supplies: 715303 and 715703..
715503	ATF-12 POWER SUPPLY UNIT Analog power supply. Entry 220-230 Vac. Output 12Vac 1.2A. Made of high quality ABS. It is mainly used in analog installations. It can also be used in systems where you want to feed a 12Vca door opener up to 1.2A. Can be mounted on the surface or DIN rail (2 elements)

COMMUNICATIONS



730149



730137



730154

REF.	DESCRIPTION
730149	INTERIOR DIGITAL LINES SELECTOR SDi One independent line per FLAT. Suitable for COAX and COAXLESS systems.
730137	DIGITAL LINES SELECTOR SDL One independent line per SDL. Suitable for COAX and COAXLESS systems.
730154	FLOOR DIGITAL LINES SELECTOR SDP One independent line per FLOOR. Suitable for COAX and COAXLESS systems.

VIDEO



750498



753098

REF.	DESCRIPTION
750498	COAX VIDEO DISTRIBUTOR 4 outputs allowing up to 4 monitors. For COAX systems
753098	COAXLESS MINI VIDEO DISTRIBUTOR 2 double outputs allowing up to 4 monitors. For COAXLESS/VISUALTECH systems. 40 x 43 x 22 mm.

VIDEO



730140



730141



730142



730143



730144

REF.	DESCRIPTION
730140	UNIVERSAL VIDEO SELECTOR SV-U Universal video switcher for COAX and COAXLESS installations. 2 inputs / 1 output.
730141	COAX TO COAXLESS CONVERTER Converts COAX video signal to COAXLESS video signal.
730142	COAXLESS TO COAX CONVERTER Converts COAXLESS video signal to COAX video signal.
730143	COAX VIDEO AMPLIFIER 24 Vdc. Gain between -2dB y 6dB. 1 input and 2 amplified outputs
730144	COAXLESS VIDEO AMPLIFIER 24 Vdc. Gain between -2dB y 6dB. 1 input and 2 amplified outputs

ACCESSORIES



730212



730150



730182

REF.	DESCRIPTION
730212	24V DC MINI RELAY 24Vdc relay for digital installations. Allows the connection of normally open normally closed circuits.
730150	DRP-1 DIGITAL Interface that allows the connection with other devices without additional cables. Multiple applications: Security (CCTV cameras), home management, building management..etc For COAX and COAXLESS systems.
730182	DRP-2 DIGITAL Allows the lift control management through AUTA monitors or handsets.

BUZZERS



730131



730174

REF.	DESCRIPTION
730131	DIGITAL BUZZER Allows the call extention of the monitor/handset. 2 wires. Compatible with all digital monitors and handsets.
730174	WIRELESS BUZZER HEB KIT Allows the call extention of the monitor/handset. Wireless. Up to 200m a open field. Emission frequency 868 Mhz that allows good reception. 32 selectable melodies. Up to 30 receivers in the same apartment/house.

System of intercommunication interior

without
entry panel

INTERCOM

Dimensions: 8,5 x 23 x 5 cm



701805



701905



702005



Handset
desk
converter
COMPACT

REF.

701805 ○

701905 ○

702005 ○

507030

DESCRIPTION

INTERNAL INTERCOM HANDSET WITHOUT KEYPAD



Internal intercommunication system. All to All. 4 wires (can be installed with CAT 5*6 UTP. Up to 6 units.

INTERNAL INTERCOM HANDSET WITH KEYPAD

Internal intercommunication system. All to All. 4 wires (can be installed with CAT 5*6 UTP. Up to 63 units

INTERNAL INTERCOM HANDSET WITH KEYPAD AND DISPLAY Internal intercommunication system. All to All. 4 wires (can be installed with CAT 5*6 UTP. Up to 63 units.

HANDSET DESK CONVERTER

	REF.	DESCRIPTION
	715303	ALV-1,5 A POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 1.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 30 monitors and 50 telephones or 3 elements with simultaneous call. It can be installed on the surface or by DIN rail (3 elements).
	715703	ALV-2,5 A POWER SUPPLY UNIT Switched power supply. Input 100-260 Vac 50-60 Hz. Output 24Vdc 2.5A. Made of high quality ABS. In digital systems Auta allows you to install up to 50 monitors and 100 telephones or 5 elements with simultaneous call.



ANALOG

System

Conventional analog audio system.

Elements compatible with other manufacturers of conventional analog systems.

Entry panels

compact



stainless
steel





ANALOG

Renovation monitors

compact
MONITOR



decor
MONITOR



Handsets

neos
HANDSET



Available in:



compact
HANDSET



Available in:



compact

Anodized aluminum
Quality and resistance
Semi-modulars
5 sizes
Versatile: audio, audio/video & access control
Surface or flush mounted
Maximum benefits


stainless steel


Stainless Steel
IP-65 push-buttons
Robustness and durability
5 sizes
Maximum performance
Customizable in size and push-button location


SERIES 1/2/3/4/5



SERIES 1/2/3/4/5



 COMPACT entry panels
references see page 26-41

 STAINLESS STEEL entry panels
references see page 42-54

MODULES FOR BUILDINGS



REF.	DESCRIPTION
509051	ANALOG AUDIO MODULE Analog audio module for conventional 4+N systems. Compatible with COMPACT analog entry panels.
509046	UNIVERSAL ANALOG AUDIO MODULE Analog audio module for conventional 4+N systems. Compatible with other analog audio systems. Compatible also with COMPACT analog entry panels.

PANEL AUXILIARY MODULES



REF.	DESCRIPTION
509030	CARDHOLDER MODULE Panoramic retro-illuminated card module. Allows incorporating any type of information deemed necessary into street signs Compatible with COMPACT entry panels. 24Vdc power supply.





HOW TO INSTALL
THE NEOS HANDSET?

See video



neos

TELÉFONO

High quality sound
Touch buttons
Modern and minimalist design
Induction loop amplification system (Teleloop)



HOW TO INSTALL THE
NEOS HANDSET FRAME?

See video



auta.es

auta

Bringing people together

neos

HANDSETS

Dimensions:
90 x 155 x 36 (base + handset)
90 x 116 x 23 (only base)
Finishes: White & Black
Installation: Surface with
universal box 60x60



NEOS
HANDSET
White



NEOS
HANDSET
Black



REF.		DESCRIPTION
701810	<input type="radio"/>	WHITE ANALOG NEOS HANDSET
701820	<input checked="" type="radio"/>	BLACK ANALOG NEOS HANDSET
701811	<input type="radio"/>	WHITE COMPATIBLE NEOS HANDSET
701821	<input checked="" type="radio"/>	BLACK COMPATIBLE NEOS HANDSET
730184	<input type="radio"/>	WHITE FRAME FOR NEOS HANDSET
730185	<input checked="" type="radio"/>	BLACK FRAME FOR NEOS HANDSET

compact

HANDSETS

Finishes: White & Silver
Installation: Surface



COMPACT
HANDSET
White



COMPACT
HANDSET
Silver

REF.		DESCRIPTION
700305	<input type="radio"/>	ANALOG COMPACT HANDSET For conventional 4 +N systems.
700505	<input type="radio"/>	COMPATIBLE ANALOG COMPACT HANDSET For conventional 4+N systems. Compatible with other conventional audio systems.
701305	<input checked="" type="radio"/>	ANALOG COMPACT HANDSET SILVER
701505	<input checked="" type="radio"/>	COMPATIBLE ANALOG COMPACT HANDSET

compact
decor

MONITORS

Finishes: Blanco
Installation: Surface



COMPACT
MONITOR
analog
AC-900N



DECOR
MONITOR
analog

REF.

DESCRIPTION

751305



COLOR COMPACT AC-900N ANALOG MONITOR

For AUTA analog audio/video systems. Compatible in installations with the following Analog monitors: AV-79N, AV-793, AV-870. Connection bracket included.

751098



COLOR ANALOG DECOR MONITOR

For AUTA analog audio/video systems. Compatible in installations with the following Analog monitors: AV-96 (750196), B&W DECOR (750698). Connection bracket included.





715503

719902



719903

POWER SUPPLY

REF.	DESCRIPTION
715503	ATF-12 POWER SUPPLY UNIT Analog power supply. Entry 220-230 Vac. Output 12Vac 1.2A. Made of high quality ABS. It is mainly used in analog installations. It can also be used in systems where you want to feed a 12Vca door opener up to 1.2A. Can be mounted on the surface or DIN rail (2 elements).
719902	KIT POWER SUPPLY FOR AUDIO SYSTEMS Compatible con power supplies: ATF-80, ATF-91, ATF-92.
719903	KIT POWER SUPPLY FOR VIDEO SYSTEMS Compatible con power supplies: ALK-79, ALV-79, ALK-95, ALV-95, ALK-96, ALV-96.

COMMUNICATIONS



730181

730180

REF.	DESCRIPTION
730181	KIT CA-2 MINI + ATF-12 To switch audio between panels. One feeds 2 panels. Includes ATF-12 POWER SUPPLY.
730180	CA-2 MIN To switch audio between panels. One feeds 2 panels.

ACCESSORIES



730211

730213

REF.	DESCRIPTION
730211	MINI AUXILIARY RELAY For analog systems with Electronic call. Allows the connection of normally open normally closed circuits.
730213	12V MINI AUXILIARY RELAY 12V universal relay. Allows the connection of normally open normally closed circuits.

BUZZERS



730174 ! Only for buzzer call systems.

REF.	DESCRIPTION
730174	WIRELESS BUZZER HEB KIT Allows the call extension of the monitor/handset. Wireless. Up to 200m a open field. Emission frequency 868 Mhz that allows good reception. 32 selectable melodies. Up to 30 receivers in the same apartment/house.

auta

Bringing people together



kits

VIDEO
AUDIO



Kits of 1 & 2 ways

compact
entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 2	215 x 130 mm	203 x 130 x 60 mm

REF. QUANTITY DESCRIPTION




746011	1	KIT KVD-1 COMPACT
651211	1	COMPACT ENTRY PANEL T S2 101
509022	1	MOUNTING BOX SERIES2
508001	1	2 WIRES AUDIO/VIDEO MODULE
600019	1	2 WIRES MODULE OF CONTROL
755005	1	2 WIRES COMPACT MONITOR
750699	1	2 WIRES COMPACT MONITOR BRACKET
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION



746012	2	KIT KVD-2 COMPACT
651212	1	COMPACT ENTRY PANEL T S2 102
509022	1	MOUNTING BOX SERIES2
508001	1	2 WIRES AUDIO/VIDEO MODULE
600019	1	2 WIRES MODULE OF CONTROL
755005	2	2 WIRES COMPACT MONITOR
750699	2	2 WIRES COMPACT MONITOR BRACKET
753298	1	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



746151	1	KIT KVD-1 SLIM
651211	1	COMPACT ENTRY PANEL T S2 101
509022	1	MOUNTING BOX SERIES2
508001	1	2 WIRES AUDIO/VIDEO MODULE
600019	1	2 WIRES MODULE OF CONTROL
751502	1	2 WIRES SLIM MONITOR
750920	1	SLIM MONITOR SURFACE BRACKET
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



746152	2	KIT KVD-2 SLIM
651212	1	COMPACT ENTRY PANEL T S2 102
509022	1	MOUNTING BOX SERIES2
508001	1	2 WIRES AUDIO/VIDEO MODULE
600019	1	2 WIRES MODULE OF CONTROL
751502	2	2 WIRES SLIM MONITOR
750920	2	SLIM MONITOR SURFACE BRACKET
753298	1	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

stainless steel

entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 2	225 x 130 mm	203 x 130 x 60 mm

REF. QUANTITY DESCRIPTION



746031 1 KIT KVD-1 STAINLESS STEEL COMPACT

697211	1	STAINLESS STEEL 2 WIRES ENTRY PANEL FV S2 101
509022	1	MOUNTING BOX SERIES2
600019	1	2 WIRES MODULE OF CONTROL
755005	1	2 WIRES COMPACT MONITOR
750699	1	2 WIRES COMPACT MONITOR BRACKET
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION



746032 2 KIT KVD-2 STAINLESS STEEL COMPACT

697212	1	STAINLESS STEEL 2 WIRES ENTRY PANEL FV S2 102
509022	1	MOUNTING BOX SERIES2
600019	1	2 WIRES MODULE OF CONTROL
755005	2	2 WIRES COMPACT MONITOR
750699	2	2 WIRES COMPACT MONITOR BRACKET
753298	1	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



746171 1 KIT KVD-1 STAINLESS STEEL SLIM

6697211	1	STAINLESS STEEL 2 WIRES ENTRY PANEL FV S2 101
509022	1	MOUNTING BOX SERIES2
600019	1	2 WIRES MODULE OF CONTROL
751502	1	2 WIRES SLIM MONITOR
750920	1	SLIM MONITOR SURFACE BRACKET
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



746172 2 KIT KVD-2 STAINLESS STEEL SLIM

697212	1	STAINLESS STEEL 2 WIRES ENTRY PANEL FV S2 102
509022	1	MOUNTING BOX SERIES2
600019	1	2 WIRES MODULE OF CONTROL
751502	2	2 WIRES SLIM MONITOR
750920	2	SLIM MONITOR SURFACE BRACKET
753298	1	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits for buildings

compact entry panel

They include all the necessary material, to perform a standard installation, except the indoor units (monitors)

- Full COMPACT entry panel including the A/V module.
- Mounting box.
- Module of control.
- Power supply + power injector.
- 1 video distributor for each 4 monitors.

**MONITORS
DO NOT INCLUDED
IN THE KIT**

AVAILABLE MONITORS

SLIM



COMPACT



ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 2	215 x 130 mm	203 x 130 x 60 mm
SERIES 3	262 x 130 mm	248 x 130 x 60 mm
SERIES 4	330 x 130 mm	319 x 130 x 60 mm
SERIES 5	400 x 130 mm	390 x 130 x 60 mm

REF. QUANTITY DESCRIPTION

741053 3 KIT VIDEO 3 WAY COMPACT PUSH-BUTTON 2 WIRES

651213	1	COMPACT ENTRY PANEL T S2 103
509022	1	MOUNTING BOX SERIES 2
600019	1	2 WIRES MODULE OF CONTROL
508001	1	2 WIRES AUDIO/VIDEO MODULE
753298	1	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1*5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741056 6 KIT VIDEO 6 WAY COMPACT PUSH-BUTTON 2 WIRES

651223	1	COMPACT ENTRY PANEL T S2 203
509022	1	MOUNTING BOX SERIES 2
600019	1	2 WIRES MODULE OF CONTROL
508001	1	2 WIRES AUDIO/VIDEO MODULE
753298	2	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1*5A / 24VDC POWER SUPPLY



741054 4 KIT VIDEO 4 WAY COMPACT PUSH-BUTTON 2 WIRES

651222	1	COMPACT ENTRY PANEL T S2 202
509022	1	MOUNTING BOX SERIES 2
600019	1	2 WIRES MODULE OF CONTROL
508001	1	2 WIRES AUDIO/VIDEO MODULE
753298	1	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1*5A / 24VDC POWER SUPPLY



741058 8 KIT VIDEO 8 WAY COMPACT PUSH-BUTTON 2 WIRES

651224	1	COMPACT ENTRY PANEL T S2 204
509022	1	MOUNTING BOX SERIES 2
600019	1	2 WIRES MODULE OF CONTROL
508001	1	2 WIRES AUDIO/VIDEO MODULE
753298	2	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1*5A / 24VDC POWER SUPPLY



Kits for buildings

REF. QUANTITY DESCRIPTION

741060 10 KIT VIDEO 10 WAY COMPACT PUSH-BUTTON 2 WIRES

651325	1	COMPACT ENTRY PANEL T S3 205
509023	1	MOUNTING BOX SERIES 3
600019	1	2 WIRES MODULE OF CONTROL
508001	1	2 WIRES AUDIO/VIDEO MODULE
753298	3	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741062 12 KIT VIDEO 12 WAY COMPACT PUSH-BUTTON 2 WIRES**

651326	1	COMPACT ENTRY PANEL T S3 206
509023	1	MOUNTING BOX SERIES 3
600019	1	2 WIRES MODULE OF CONTROL
508001	1	2 WIRES AUDIO/VIDEO MODULE
753298	3	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741064 14 KIT VIDEO 14 WAY COMPACT PUSH-BUTTON 2 WIRES**

651427	1	COMPACT ENTRY PANEL T S4 207
509024	1	MOUNTING BOX SERIES 4
600019	1	2 WIRES MODULE OF CONTROL
508001	1	2 WIRES AUDIO/VIDEO MODULE
753298	4	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741066 16 KIT VIDEO 16 WAY COMPACT PUSH-BUTTON 2 WIRES**

651428	1	COMPACT ENTRY PANEL T S4 208
509024	1	MOUNTING BOX SERIES 4
600019	1	2 WIRES MODULE OF CONTROL
508001	1	2 WIRES AUDIO/VIDEO MODULE
753298	4	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741068 18 KIT VIDEO 18 WAY COMPACT PUSH-BUTTON 2 WIRES**

651429	1	COMPACT ENTRY PANEL T S4 209
509024	1	MOUNTING BOX SERIES 4
600019	1	2 WIRES MODULE OF CONTROL
508001	1	2 WIRES AUDIO/VIDEO MODULE
753298	5	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741070 20 KIT VIDEO 20 WAY COMPACT PUSH-BUTTON 2 WIRES

651540	1	COMPACT ENTRY PANEL T S5 210
509025	1	MOUNTING BOX SERIES 5
600019	1	2 WIRES MODULE OF CONTROL
508001	1	2 WIRES AUDIO/VIDEO MODULE
753298	5	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY

**741072 22 KIT VIDEO 22 WAY COMPACT PUSH-BUTTON 2 WIRES**

651541	1	COMPACT ENTRY PANEL T S5 211
509025	1	MOUNTING BOX SERIES 5
600019	1	2 WIRES MODULE OF CONTROL
508001	1	2 WIRES AUDIO/VIDEO MODULE
753298	6	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY

**741082 32 KIT VIDEO 32 WAY COMPACT KEYPAD 2 WIRES**

652402	1	COMPACT ENTRY PANEL T/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600019	1	2 WIRES MODULE OF CONTROL
508001	1	2 WIRES AUDIO/VIDEO MODULE
509018	1	DC CARDHOLDER
753298	8	2 WIRES DISTRIBUTOR
730171	1	ROUTER 2 WIRES
730168	3	2 WIRES POWER INJECTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY

**741090 40 KIT VIDEO 40 WAY COMPACT KEYPAD 2 WIRES**

652402	1	COMPACT ENTRY PANEL T/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600019	1	2 WIRES MODULE OF CONTROL
508001	1	2 WIRES AUDIO/VIDEO MODULE
509018	1	DC CARDHOLDER
753298	10	2 WIRES DISTRIBUTOR
730171	1	ROUTER 2 WIRES
730168	3	2 WIRES POWER INJECTOR
715703	2	ALV-1'5A / 24VDC POWER SUPPLY



Kits for buildings

stainless steel

entry panel


They include all the necessary material, to perform a standard installation, except the indoor units (monitors)

- Full STAINLESS STEEL entry panel including the A/V module.
- Mounting box.
- Module of control.
- Power supply + power injector.
- 1 video distributor for each 4 monitors.

**MONITORS
DO NOT INCLUDED
IN THE KIT**

AVAILABLE MONITORS

SLIM



COMPACT



ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 2	225 x 130 mm	203 x 130 x 60 mm
SERIES 3	272 x 130 mm	248 x 130 x 60 mm
SERIES 4	340 x 130 mm	319 x 130 x 60 mm
SERIES 5	410 x 130 mm	390 x 130 x 60 mm

REF.	QUANTITY	DESCRIPTION
------	----------	-------------

741453 3 KIT VIDEO 3 WAY STAINLESS STEEL PUSH-BUTTON 2 WIRES

697213	1	STAINLESS STEEL ENTRY PANEL FV S2 103
509022	1	MOUNTING BOX SERIES 2
600019	1	2 WIRES MODULE OF CONTROL
753298	1	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF.	QUANTITY	DESCRIPTION
------	----------	-------------

741456 6 KIT VIDEO 6 WAY STAINLESS STEEL PUSH-BUTTON 2 WIRES

697223	1	STAINLESS STEEL ENTRY PANEL FV S2 203
509022	1	MOUNTING BOX SERIES 2
600019	1	2 WIRES MODULE OF CONTROL
753298	2	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741454 4 KIT VIDEO 4 WAY STAINLESS STEEL PUSH-BUTTON 2 WIRES**

697222	1	STAINLESS STEEL ENTRY PANEL FV S2 202
509022	1	MOUNTING BOX SERIES 2
600019	1	2 WIRES MODULE OF CONTROL
753298	1	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741458 8 KIT VIDEO 8 WAY STAINLESS STEEL PUSH-BUTTON 2 WIRES**

697324	1	STAINLESS STEEL ENTRY PANEL FV S3 204
509023	1	MOUNTING BOX SERIES 3
600019	1	2 WIRES MODULE OF CONTROL
753298	2	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits for buildings

REF. QUANTITY DESCRIPTION

741460 10 KIT VIDEO 10 WAY STAINLESS STEEL PUSH-BUTTON 2 WIRES

697325	1	STAINLESS STEEL ENTRY PANEL FV S3 205
509023	1	MOUNTING BOX SERIES 3
600019	1	2 WIRES MODULE OF CONTROL
753298	3	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741462 12 KIT VIDEO 12 WAY STAINLESS STEEL PUSH-BUTTON 2 WIRES**

697426	1	STAINLESS STEEL ENTRY PANEL FV S4 206
509024	1	MOUNTING BOX SERIES 4
600019	1	2 WIRES MODULE OF CONTROL
753298	3	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741464 14 KIT VIDEO 14 WAY STAINLESS STEEL PUSH-BUTTON 2 WIRES**

697427	1	STAINLESS STEEL ENTRY PANEL FV S4 207
509024	1	MOUNTING BOX SERIES 4
600019	1	2 WIRES MODULE OF CONTROL
753298	4	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741466 16 KIT VIDEO 16 WAY STAINLESS STEEL PUSH-BUTTON 2 WIRES**

697428	1	STAINLESS STEEL ENTRY PANEL FV S4 208
509025	1	MOUNTING BOX SERIES 4
600019	1	2 WIRES MODULE OF CONTROL
753298	4	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741468 18 KIT VIDEO 18 WAY STAINLESS STEEL PUSH-BUTTON 2 WIRES**

697529	1	STAINLESS STEEL ENTRY PANEL FV S5 209
509025	1	MOUNTING BOX SERIES 5
600019	1	2 WIRES MODULE OF CONTROL
753298	5	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741470 20 KIT VIDEO 20 WAY STAINLESS STEEL PUSH-BUTTON 2 WIRES

697530	1	STAINLESS STEEL ENTRY PANEL FV S5 210
509025	1	MOUNTING BOX SERIES 5
600019	1	2 WIRES MODULE OF CONTROL
753298	5	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY

**741472 22 KIT VIDEO 22 WAY STAINLESS STEEL PUSH-BUTTON 2 WIRES**

697531	1	STAINLESS STEEL ENTRY PANEL FV S5 211
509025	1	MOUNTING BOX SERIES 5
600019	1	2 WIRES MODULE OF CONTROL
753298	6	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY

**741482 32 KIT VIDEO 32 WAY STAINLESS STEEL KEYPAD 2 WIRES**

698401	1	STAINLESS STEEL FV/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600019	1	2 WIRES MODULE OF CONTROL
753298	8	2 WIRES DISTRIBUTOR
730171	1	ROUTER 2 WIRES
730168	3	2 WIRES POWER INJECTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY

**741490 40 KIT VIDEO 40 WAY STAINLESS STEEL KEYPAD 2 WIRES**

698401	1	STAINLESS STEEL FV/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600019	1	2 WIRES MODULE OF CONTROL
753298	10	2 WIRES DISTRIBUTOR
730171	1	ROUTER 2 WIRES
730168	3	2 WIRES POWER INJECTOR
715703	2	ALV-1'5A / 24VDC POWER SUPPLY



Kits of 1 & 2 ways

compact
entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 2	215 x 130 mm	203 x 130 x 60 mm

REF.	QUANTITY	DESCRIPTION	PVP (€)
------	----------	-------------	---------

**749871 1 KIT KFD-1 COMPACT PUSH-BUTTON**

651211	1	COMPACT ENTRY PANEL T S2 101
509022	1	MOUNTING BOX SERIES 2
508004	1	AUDIO MODULE 2 WIRES
600019	1	2 WIRES MODULE OF CONTROL
705005	1	COMPACT HANDSET 2 WIRES
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'SA / 24VDC POWER SUPPLY

**749872 2 KIT KFD-2 COMPACT PUSH-BUTTON**

651212	1	COMPACT ENTRY PANEL T S2 102
509022	1	MOUNTING BOX SERIES 2
508004	1	AUDIO MODULE 2 WIRES
600019	1	2 WIRES MODULE OF CONTROL
705005	2	COMPACT HANDSET 2 WIRES
753298	1	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'SA / 24VDC POWER SUPPLY

Kits for buildings

compact
entry panel

They include all the necessary material, to perform a standard installation, except the indoor units (handsets).

- Full COMPACT entry panel including the A/V module.
- Mounting box.
- Module of control.
- Power supply + power injector.
- 1 distributor for each 4 handsets.

**HANDSET
DO NOT INCLUDED
IN THE KIT**



ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 2	215 x 130 mm	203 x 130 x 60 mm
SERIES 3	262 x 130 mm	248 x 130 x 60 mm
SERIES 4	330 x 130 mm	319 x 130 x 60 mm
SERIES 5	400 x 130 mm	390 x 130 x 60 mm

REF.	QUANTITY	DESCRIPTION
------	----------	-------------

741253 3 KIT AUDIO 3 WAY COMPACT PUSH-BUTTON 2 WIRES

651213	1	COMPACT ENTRY PANEL T S2 103
509022	1	MOUNTING BOX SERIES 2
600019	1	2 WIRES MODULE OF CONTROL
508004	1	AUDIO MODULE 2 WIRES
753298	1	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'SA / 24VDC POWER SUPPLY

**741254 4 KIT AUDIO 4 WAY COMPACT PUSH-BUTTON 2 WIRES**

651222	1	COMPACT ENTRY PANEL T S2 202
509022	1	MOUNTING BOX SERIES 2
600019	1	2 WIRES MODULE OF CONTROL
508004	1	AUDIO MODULE 2 WIRES
753298	1	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'SA / 24VDC POWER SUPPLY

**741256 6 KIT AUDIO 6 WAY COMPACT PUSH-BUTTON 2 WIRES**

651223	1	COMPACT ENTRY PANEL T S2 203
509022	1	MOUNTING BOX SERIES 2
600019	1	2 WIRES MODULE OF CONTROL
508004	1	AUDIO MODULE 2 WIRES
753298	2	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'SA / 24VDC POWER SUPPLY



Kits for buildings

REF. QUANTITY DESCRIPTION

741258 8 KIT AUDIO 8 WAY COMPACT PUSH-BUTTON 2 WIRES

651224	1	COMPACT ENTRY PANEL T S2 204
509022	1	MOUNTING BOX SERIES2
600019	1	2 WIRES MODULE OF CONTROL
508004	1	AUDIO MODULE 2 WIRES
753298	2	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741260 10 KIT AUDIO 10 WAY COMPACT PUSH-BUTTON 2 WIRES

651325	1	COMPACT ENTRY PANEL T S3 205
509023	1	MOUNTING BOX SERIES 3
600019	1	2 WIRES MODULE OF CONTROL
508004	1	AUDIO MODULE 2 WIRES
753298	3	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741262 12 KIT AUDIO 12 WAY COMPACT PUSH-BUTTON 2 WIRES

651326	1	COMPACT ENTRY PANEL T S3 206
509023	1	MOUNTING BOX SERIES 3
600019	1	2 WIRES MODULE OF CONTROL
508004	1	AUDIO MODULE 2 WIRES
753298	3	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741264 14 KIT AUDIO 14 WAY COMPACT PUSH-BUTTON 2 WIRES

651427	1	COMPACT ENTRY PANEL T S4 207
509024	1	MOUNTING BOX SERIES 4
600019	1	2 WIRES MODULE OF CONTROL
508004	1	AUDIO MODULE 2 WIRES
753298	4	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741266 16 KIT AUDIO 16 WAY COMPACT PUSH-BUTTON 2 WIRES

651428	1	COMPACT ENTRY PANEL T S4 208
509024	1	MOUNTING BOX SERIES 4
600019	1	2 WIRES MODULE OF CONTROL
508004	1	AUDIO MODULE 2 WIRES
753298	4	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741268 18 KIT AUDIO 18 WAY COMPACT PUSH-BUTTON 2 WIRES

651429	1	COMPACT ENTRY PANEL T S4 209
509024	1	MOUNTING BOX SERIES 4
600019	1	2 WIRES MODULE OF CONTROL
508004	1	AUDIO MODULE 2 WIRES
753298	5	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY



741270 20 KIT AUDIO 20 WAY COMPACT PUSH-BUTTON 2 WIRES

651540	1	COMPACT ENTRY PANEL T S5 210
509025	1	MOUNTING BOX SERIES 5
600019	1	2 WIRES MODULE OF CONTROL
508004	1	AUDIO MODULE 2 WIRES
753298	5	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY



741272 22 KIT AUDIO 22 WAY COMPACT PUSH-BUTTON 2 WIRES

651541	1	COMPACT ENTRY PANEL T S5 211
509025	1	MOUNTING BOX SERIES 5
600019	1	2 WIRES MODULE OF CONTROL
508004	1	AUDIO MODULE 2 WIRES
753298	6	2 WIRES DISTRIBUTOR
730168	1	2 WIRES POWER INJECTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY



741282 KIT AUDIO 32 WAY COMPACT KEYPAD 2 WIRES

652402	1	COMPACT ENTRY PANEL T/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600019	1	2 WIRES MODULE OF CONTROL
508004	1	AUDIO MODULE 2 WIRES
509018	1	DC CARDHOLDER
753298	8	2 WIRES DISTRIBUTOR
730171	1	ROUTER 2H
730168	3	2 WIRES POWER INJECTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits of 1 & 2 ways

compact entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm



! The NEOS monitor HANDSET and HANDSFREE is also available in black color. See reference ●

REF. QUANTITY DESCRIPTION



○ ●
745101 745141 1 KIT KVD-1 NEOS MONITOR HANDSET

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509075	1	AUDIO/VIDEO COLOR VISUALTECH MODULE S1
751810	751820	1 MONITOR NEOS HANDSET VISUALTECH
751899	1	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION



○ ●
745102 745142 2 KIT KVD-2 NEOS MONITOR HANDSET

651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509075	1	AUDIO/VIDEO COLOR VISUALTECH MODULE S1
753098	1	COAXLESS VIDEO DISTRIBUTOR
751810	751820	2 MONITOR NEOS HANDSET VISUALTECH
751899	2	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



○ ●
745121 745161 1 KIT KVD-1 NEOS MONITOR HANDSFREE

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509075	1	AUDIO/VIDEO COLOR VISUALTECH MODULE S1
751814	751824	1 MONITOR NEOS HANDSFREE VISUALTECH
751899	1	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



○ ●
745122 745162 2 KIT KVD-2 NEOS MONITOR HANDSFREE

651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509075	1	AUDIO/VIDEO COLOR VISUALTECH MODULE S1
753098	1	COAXLESS VIDEO DISTRIBUTOR
751814	751824	2 MONITOR NEOS HANDSFREE VISUALTECH
751899	2	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

stainless steel

entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	155 x 130 mm	132 x 122 x 60 mm



The NEOS monitor HANDSET and HANDSFREE is also available in black color. See reference ●

REF. QUANTITY DESCRIPTION



○ ●
745181 745183 1 KIT STAINLESS STEEL KVD-1 NEOS MONITOR HANDSET

797111	1	STAINLESS STEEL ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
751810	751820	1 MONITOR NEOS HANDSET VISUALTECH
751899	1	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION



○ ●
745185 745187 2 KIT STAINLESS STEEL KVD-2 NEOS MONITOR HANDSET

797121	1	STAINLESS STEEL ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
751810	751820	2 MONITOR NEOS HANDSET VISUALTECH
751899	2	NEOS MONITOR WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



○ ●
745182 745184 1 KIT STAINLESS STEEL KVD-1 NEOS MONITOR HANDSFREE

797111	1	STAINLESS STEEL ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
751814	751824	1 MONITOR NEOS HANDSFREE VISUALTECH
751899	1	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



○ ●
745186 745188 2 KIT STAINLESS STEEL KVD-2 NEOS MONITOR HANDSFREE

797121	1	STAINLESS STEEL ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
751814	751824	2 MONITOR NEOS HANDSFREE VISUALTECH
751899	2	NEOS MONITOR WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

compact entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm

REF. QUANTITY DESCRIPTION



746821 1 KIT KVD-1 COMPACT

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509075	1	AUDIO/VIDEO COLOR VISUALTECH MODULE S1
752305	1	COMPACT MONITOR
750399	1	COMPACT WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION



747521 1 KIT KVD-1 AVANT BLACK

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509075	1	AUDIO/VIDEO COLOR VISUALTECH MODULE S1
750907	1	AVANT BLACK MONITOR
750920	1	AVANT WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



746111 1 KIT KVD-1 SLIM

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509075	1	AUDIO/VIDEO COLOR VISUALTECH MODULE S1
751501	1	SLIM MONITOR
750920	1	SLIM WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

compact

entry panel

ENTRY PANEL DIMENSIONS


SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm

REF. QUANTITY DESCRIPTION



746822	2	KIT KVD-2 COMPACT
651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509075	1	AUDIO/VIDEO COLOR VISUALTECH MODULE S1
752305	2	COMPACT MONITOR
750399	2	COMPACT WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION



747524	2	KIT KVD-2 AVANT BLACK
651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509075	1	AUDIO/VIDEO COLOR VISUALTECH MODULE S1
750907	2	AVANT BLACK MONITOR
750920	2	AVANT WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



746112	2	KIT KVD-2 SLIM
651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509075	1	AUDIO/VIDEO COLOR VISUALTECH MODULE S1
751501	2	SLIM MONITOR
750920	2	SLIM WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

stainless steel
entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	155 x 130 mm	132 x 122 x 60 mm

REF.	QUANTITY	DESCRIPTION
------	----------	-------------


**746606 1 KIT KVD-1 STAINLESS STEEL COMPACT**

797111	1	STAINLESS STEEL ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
752305	1	VISUALTECH COMPACT MONITOR
750399	1	COMPACT MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF.	QUANTITY	DESCRIPTION
------	----------	-------------

**747551 1 KIT KVD-1 STAINLESS STEEL AVANT BLACK**

797111	1	STAINLESS STEEL ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
750907	1	VISUALTECH AVANT BLACK MONITOR
750920	1	AVANT MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**746131 1 KIT KVD-1 STAINLESS STEEL SLIM**

797111	1	STAINLESS STEEL ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
751501	1	VISUALTECH SLIM MONITOR
750920	1	SLIM MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

stainless steel

entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	155 x 130 mm	132 x 122 x 60 mm


REF. QUANTITY DESCRIPTION



746607 2 KIT KVD-2 STAINLESS STEEL COMPACT

797121	1	STAINLESS STEEL ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
752305	2	VISUALTECH COMPACT MONITOR
750399	2	COMPACT MONITOR WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION



747673 2 KIT KVD-2 STAINLESS STEEL AVANT BLACK

797121	1	STAINLESS STEEL ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
750907	2	VISUALTECH AVANT BLACK MONITOR
750920	2	AVANT MONITOR WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



746132 2 KIT KVD-2 STAINLESS STEEL SLIM

797121	1	STAINLESS STEEL ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
751501	2	VISUALTECH SLIM MONITOR
750920	2	SLIM MONITOR WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits for buildings

compact entry panel

They include all the necessary material, to perform a standard installation, except the indoor units (monitors)

- Full COMPACT entry panel including the A/V module.
- Mounting box.
- Module of control.
- Power supply .
- 1 video distributor for each 4 monitors.

**MONITORS
DO NOT INCLUDED
IN THE KIT**

AVAILABLE MONITORS

NEOS HANDSET ○ ●



NEOS HANDSFREE ○ ●



AVANT



SLIM



COMPACT



ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 2	215 x 130 mm	203 x 130 x 60 mm
SERIES 3	262 x 130 mm	248 x 130 x 60 mm
SERIES 4	330 x 130 mm	319 x 130 x 60 mm
SERIES 5	400 x 130 mm	390 x 130 x 60 mm

REF. QUANTITY DESCRIPTION

741003 3 KIT VIDEO VISUALTECH 3 WAY COMPACT PUSH-BUTTON

651213	1	COMPACT ENTRY PANEL T S2 103
509022	1	MOUNTING BOX SERIES2
600011	1	MODULE OF CONTROL VISUALTECH
509066	1	AUDIO/VIDEO VISUALTECH MODULE
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741006 6 KIT VIDEO VISUALTECH 6 WAY COMPACT PUSH-BUTTON

651223	1	COMPACT ENTRY PANEL T S2 203
509022	1	MOUNTING BOX SERIES2
600011	1	MODULE OF CONTROL VISUALTECH
509066	1	AUDIO/VIDEO VISUALTECH MODULE
753098	2	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741004 4 KIT VIDEO VISUALTECH 4 WAY COMPACT PUSH-BUTTON

651222	1	COMPACT ENTRY PANEL T S2 202
509022	1	MOUNTING BOX SERIES2
600011	1	MODULE OF CONTROL VISUALTECH
509066	1	AUDIO/VIDEO VISUALTECH MODULE
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741008 8 KIT VIDEO VISUALTECH 8 WAY COMPACT PUSH-BUTTON

651224	1	COMPACT ENTRY PANEL T S2 204
509022	1	MOUNTING BOX SERIES2
600011	1	MODULE OF CONTROL VISUALTECH
509066	1	AUDIO/VIDEO VISUALTECH MODULE
753098	2	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits for buildings

REF. QUANTITY DESCRIPTION

741010 10 KIT VIDEO VISUALTECH 10 WAY COMPACT PUSH-BUTTON

651325	1	COMPACT ENTRY PANEL T S3 205
509023	1	MOUNTING BOX SERIES 3
600011	1	MODULE OF CONTROL VISUALTECH
509066	1	AUDIO/VIDEO VISUALTECH MODULE
753098	3	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741012 12 KIT VIDEO VISUALTECH 12 WAY COMPACT PUSH-BUTTON

651326	1	COMPACT ENTRY PANEL T S3 206
509023	1	MOUNTING BOX SERIES 3
600011	1	MODULE OF CONTROL VISUALTECH
509066	1	AUDIO/VIDEO VISUALTECH MODULE
753098	3	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741014 14 KIT VIDEO VISUALTECH 14 WAY COMPACT PUSH-BUTTON

651427	1	COMPACT ENTRY PANEL T S4 207
509024	1	MOUNTING BOX SERIES 4
600011	1	MODULE OF CONTROL VISUALTECH
509066	1	AUDIO/VIDEO VISUALTECH MODULE
753098	4	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741016 16 KIT VIDEO VISUALTECH 16 WAY COMPACT PUSH-BUTTON

651428	1	COMPACT ENTRY PANEL T S4 208
509024	1	MOUNTING BOX SERIES 4
600011	1	MODULE OF CONTROL VISUALTECH
509066	1	AUDIO/VIDEO VISUALTECH MODULE
753098	4	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741018 18 KIT VIDEO VISUALTECH 18 WAY COMPACT PUSH-BUTTON

651429	1	COMPACT ENTRY PANEL T S4 209
509024	1	MOUNTING BOX SERIES 4
600011	1	MODULE OF CONTROL VISUALTECH
509066	1	AUDIO/VIDEO VISUALTECH MODULE
753098	5	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741020 20 KIT VIDEO VISUALTECH 20 WAY COMPACT PUSH-BUTTON

651540	1	COMPACT ENTRY PANEL T S5 210
509025	1	MOUNTING BOX SERIES 5
600011	1	MODULE OF CONTROL VISUALTECH
509066	1	AUDIO/VIDEO VISUALTECH MODULE
753098	5	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741022 22 KIT VIDEO VISUALTECH 22 WAY COMPACT PUSH-BUTTON

651541	1	COMPACT ENTRY PANEL T S5 211
509025	1	MOUNTING BOX SERIES 5
600011	1	MODULE OF CONTROL VISUALTECH
509066	1	AUDIO/VIDEO VISUALTECH MODULE
753098	6	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741032 32 KIT VIDEO VISUALTECH 32 WAY COMPACT KEYPAD

652402	1	COMPACT ENTRY PANEL T/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600011	1	MODULE OF CONTROL VISUALTECH
509066	1	AUDIO/VIDEO VISUALTECH MODULE
509018	1	DC CARDHOLDER
753098	8	COAXLESS VIDEO DISTRIBUTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY



741040 40 KIT VIDEO VISUALTECH 40 WAY COMPACT KEYPAD

652402	1	COMPACT ENTRY PANEL T/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600011	1	MODULE OF CONTROL VISUALTECH
509066	1	AUDIO/VIDEO VISUALTECH MODULE
509018	1	DC CARDHOLDER
753098	10	COAXLESS VIDEO DISTRIBUTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits for buildings

stainless steel entry panel

They include all the necessary material, to perform a standard installation, except the indoor units (monitors)

- Full STAINLESS STEEL entry panel including the A/V module.
- Mounting box.
- Module of control.
- Power supply.
- 1 video distributor for each 4 monitors.

**MONITORS
DO NOT INCLUDED
IN THE KIT**

AVAILABLE MONITORS

NEOS HANDSET ○ ●




NEOS HANDSFREE ○ ●



AVANT



SLIM



COMPACT



ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 2	225 x 130 mm	203 x 130 x 60 mm
SERIES 3	272 x 130 mm	248 x 130 x 60 mm
SERIES 4	340 x 130 mm	319 x 130 x 60 mm
SERIES 5	410 x 130 mm	390 x 130 x 60 mm

REF. QUANTITY DESCRIPTION

741403 3 KIT VIDEO 3 WAY STAINLESS STEEL PUSH-BUTTON

797213	1	STAINLESS STEEL ENTRY PANEL FV S2 103
509022	1	MOUNTING BOX SERIES2
600011	1	MODULE OF CONTROL VISUALTECH
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741406 6 KIT VIDEO 6 WAY STAINLESS STEEL PUSH-BUTTON

797223	1	STAINLESS STEEL ENTRY PANEL FV S2 203
509022	1	MOUNTING BOX SERIES2
600011	1	MODULE OF CONTROL VISUALTECH
753098	2	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741404 4 KIT VIDEO 4 WAY STAINLESS STEEL PUSH-BUTTON

797222	1	STAINLESS STEEL ENTRY PANEL FV S2 202
509022	1	MOUNTING BOX SERIES2
600011	1	MODULE OF CONTROL VISUALTECH
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741408 8 KIT VIDEO 8 WAY STAINLESS STEEL PUSH-BUTTON

797324	1	STAINLESS STEEL ENTRY PANEL FV S3 204
509023	1	MOUNTING BOX SERIES 3
600011	1	MODULE OF CONTROL VISUALTECH
753098	2	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits for buildings

REF. QUANTITY DESCRIPTION

741410 10 KIT VIDEO 10 WAY STAINLESS STEEL PUSH-BUTTON

797325	1	STAINLESS STEEL ENTRY PANEL FV S3 205
509023	1	MOUNTING BOX SERIES 3
600011	1	MODULE OF CONTROL VISUALTECH
753098	3	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741412 12 KIT VIDEO 12 WAY STAINLESS STEEL PUSH-BUTTON

797426	1	STAINLESS STEEL ENTRY PANEL FV S4 206
509024	1	MOUNTING BOX SERIES 4
600011	1	MODULE OF CONTROL VISUALTECH
753098	3	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741414 14 KIT VIDEO 14 WAY STAINLESS STEEL PUSH-BUTTON

797427	1	STAINLESS STEEL ENTRY PANEL FV S4 207
509024	1	MOUNTING BOX SERIES 4
600011	1	MODULE OF CONTROL VISUALTECH
753098	4	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741416 16 KIT VIDEO 16 WAY STAINLESS STEEL PUSH-BUTTON

797428	1	STAINLESS STEEL ENTRY PANEL FV S4 208
509024	1	MOUNTING BOX SERIES 4
600011	1	MODULE OF CONTROL VISUALTECH
753098	4	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741418 18 KIT VIDEO 18 WAY STAINLESS STEEL PUSH-BUTTON

797529	1	STAINLESS STEEL ENTRY PANEL FV S5 209
509025	1	MOUNTING BOX SERIES 5
600011	1	MODULE OF CONTROL VISUALTECH
753098	5	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741420 20 KIT VIDEO 20 WAY STAINLESS STEEL PUSH-BUTTON

797530	1	STAINLESS STEEL ENTRY PANEL FV S5 210
509025	1	MOUNTING BOX SERIES 5
600011	1	MODULE OF CONTROL VISUALTECH
753098	5	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741422 22 KIT VIDEO 22 WAY STAINLESS STEEL PUSH-BUTTON

797531	1	STAINLESS STEEL ENTRY PANEL FV S5 211
509025	1	MOUNTING BOX SERIES 5
600011	1	MODULE OF CONTROL VISUALTECH
753098	6	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741432 32 KIT VIDEO 32 WAY STAINLESS STEEL KEYPAD

798401	1	STAINLESS STEEL ENTRY PANEL FV/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600011	1	MODULE OF CONTROL VISUALTECH
753098	8	COAXLESS VIDEO DISTRIBUTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY



741440 40 KKIT VIDEO 40 WAY STAINLESS STEEL KEYPAD

798401	1	STAINLESS STEEL ENTRY PANEL FV/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600011	1	MODULE OF CONTROL VISUALTECH
753098	10	COAXLESS VIDEO DISTRIBUTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits of 1 & 2 ways

compact entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm



! The NEOS handset is also available in black color. See reference ●

REF.	QUANTITY	DESCRIPTION
------	----------	-------------



○ ●
744101 744141 1 KIT KFD-1 NEOS

651131	1	COMPACT ENTRY PANEL F S1 101
509021	1	MOUNTING BOX SERIES 1
509080	1	AUDIO MODULE VISUALTECH KIT S1
701813	701823	1 NEOS VISUALTECH HANDSET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF.	QUANTITY	DESCRIPTION
------	----------	-------------



○ ●
744102 744142 2 KIT KFD-2 NEOS

651141	1	COMPACT ENTRY PANEL F S1 201
509021	1	MOUNTING BOX SERIES 1
509080	1	AUDIO MODULE VISUALTECH KIT S1
701813	701823	2 NEOS VISUALTECH HANDSET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

compact

entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm

REF.	QUANTITY	DESCRIPTION
------	----------	-------------



749851 1 KIT KFD-1 COMPACT

651131	1	COMPACT ENTRY PANEL F S1 101
509021	1	MOUNTING BOX SERIES 1
509080	1	AUDIO MODULE VISUALTECH KIT S1
701705	1	COMPACT VISUALTECH HANDSET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF.	QUANTITY	DESCRIPTION
------	----------	-------------



749852 2 KIT KFD-2 COMPACT

651141	1	COMPACT ENTRY PANEL F S1 201
509021	1	MOUNTING BOX SERIES 1
509080	1	AUDIO MODULE VISUALTECH KIT S1
701705	2	COMPACT VISUALTECH HANDSET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits for buildings

compact entry panel

They include all the necessary material, to perform a standard installation, except the indoor units (handsets).

- Full COMPACT entry panel including the A/V module.
- Mounting box.
- Module of control.
- Power supply.

**HANDSET
DO NOT INCLUDED
IN THE KIT**

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 2	215 x 130 mm	203 x 130 x 60 mm
SERIES 3	262 x 130 mm	248 x 130 x 60 mm
SERIES 4	330 x 130 mm	319 x 130 x 60 mm
SERIES 5	400 x 130 mm	390 x 130 x 60 mm

AVAILABLE HANDSETS

NEOS



COMPACT



REF. QUANTITY DESCRIPTION

741203 3 KIT AUDIO VISUALTECH 3 WAY COMPACT PUSH-BUTTON

651213	1	COMPACT ENTRY PANEL T S2 103
509022	1	MOUNTING BOX SERIES2
600011	1	MODULE OF CONTROL VISUALTECH
509052	1	AUDIO/VIDEO MODULE VISUALTECH
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741204 4 KIT AUDIO VISUALTECH 4 WAY COMPACT PUSH-BUTTON

651222	1	COMPACT ENTRY PANEL T S2 202
509022	1	MOUNTING BOX SERIES2
600011	1	MODULE OF CONTROL VISUALTECH
509052	1	AUDIO/VIDEO MODULE VISUALTECH
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741206 6 KIT AUDIO VISUALTECH 6 WAY COMPACT PUSH-BUTTON

651223	1	COMPACT ENTRY PANEL T S2 203
509022	1	MOUNTING BOX SERIES2
600011	1	MODULE OF CONTROL VISUALTECH
509052	1	AUDIO/VIDEO MODULE VISUALTECH
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits for buildings

REF. QUANTITY DESCRIPTION

741208 8 KIT AUDIO VISUALTECH 8 WAY COMPACT PUSH-BUTTON

651224	1	COMPACT ENTRY PANEL T S2 204
509022	1	MOUNTING BOX SERIES2
600011	1	MODULE OF CONTROL VISUALTECH
509052	1	AUDIO/VIDEO MODULE VISUALTECH
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741210 10 KIT AUDIO VISUALTECH 10 WAY COMPACT PUSH-BUTTON

651325	1	COMPACT ENTRY PANEL T S3 205
509023	1	MOUNTING BOX SERIES 3
600011	1	MODULE OF CONTROL VISUALTECH
509052	1	AUDIO/VIDEO MODULE VISUALTECH
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741212 12 KIT AUDIO VISUALTECH 12 WAY COMPACT PUSH-BUTTON

651326	1	COMPACT ENTRY PANEL T S3 206
509023	1	MOUNTING BOX SERIES 3
600011	1	MODULE OF CONTROL VISUALTECH
509052	1	AUDIO/VIDEO MODULE VISUALTECH
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741214 14 KIT AUDIO VISUALTECH 14 WAY COMPACT PUSH-BUTTON

651427	1	COMPACT ENTRY PANEL T S4 207
509024	1	MOUNTING BOX SERIES 4
600011	1	MODULE OF CONTROL VISUALTECH
509052	1	AUDIO/VIDEO MODULE VISUALTECH
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741216 16 KIT AUDIO VISUALTECH 16 WAY COMPACT PUSH-BUTTON

651428	1	COMPACT ENTRY PANEL T S4 208
509024	1	MOUNTING BOX SERIES 4
600011	1	MODULE OF CONTROL VISUALTECH
509052	1	AUDIO/VIDEO MODULE VISUALTECH
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741218 18 KIT AUDIO VISUALTECH 18 WAY COMPACT PUSH-BUTTON

651429	1	COMPACT ENTRY PANEL T S4 209
509024	1	MOUNTING BOX SERIES 4
600011	1	MODULE OF CONTROL VISUALTECH
509052	1	AUDIO/VIDEO MODULE VISUALTECH
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741220 20 KIT AUDIO VISUALTECH 20 WAY COMPACT PUSH-BUTTON

651540	1	COMPACT ENTRY PANEL T S5 210
509025	1	MOUNTING BOX SERIES 5
600011	1	MODULE OF CONTROL VISUALTECH
509052	1	AUDIO/VIDEO MODULE VISUALTECH
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741222 22 KIT AUDIO VISUALTECH 22 WAY COMPACT PUSH-BUTTON

651541	1	COMPACT ENTRY PANEL T S5 211
509025	1	MOUNTING BOX SERIES 5
600011	1	MODULE OF CONTROL VISUALTECH
509052	1	AUDIO/VIDEO MODULE VISUALTECH
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741232 KIT AUDIO VISUALTECH COMPACT KEYPAD

652402	1	COMPACT ENTRY PANEL T/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600011	1	MODULE OF CONTROL VISUALTECH
509052	1	AUDIO/VIDEO MODULE VISUALTECH
509018	1	DC CARDHOLDER
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits of 1 & 2 ways

COAX

compact
entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm



! The NEOS monitor HANDSET and HANDSFREE is also available in black color. See reference ●

REF. QUANTITY DESCRIPTION



○ ●
745201 755241 1 KIT KVD-1 NEOS HANDSET MONITOR

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509074	1	AAUDIO/VIDEO COAX MODULE S1
751811	751821	NEOS HANDSET MONITOR COAX
751899	1	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION



○ ●
745202 745241 2 KIT KVD-2 NEOS HANDSET MONITOR

651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509074	1	AAUDIO/VIDEO COAX MODULE S1
750498	1	COAX VIDEO DISTRIBUTOR
751811	751821	NEOS HANDSET MONITOR COAX
751899	2	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



○ ●
745221 745261 1 KIT KVD-1 NEOS HANDSFREE MONITOR

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509074	1	AAUDIO/VIDEO COAX MODULE S1
751815	751825	NEOS HANDSFREE MONITOR COAX
751899	1	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



○ ●
745222 745262 2 KIT KVD-2 NEOS HANDSFREE MONITOR

651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509074	1	AAUDIO/VIDEO COAX MODULE S1
750498	1	COAX VIDEO DISTRIBUTOR
751815	751825	NEOS HANDSFREE MONITOR COAX
751899	2	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

COAX

stainless steel

entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	155 x 130 mm	132 x 122 x 60 mm



! The NEOS monitor HANDSET and HANDSFREE is also available in black color. See reference ●

REF. QUANTITY DESCRIPTION



○ ●
745281 745283 1 KIT KVD-1 STAINLESS STEEL
NEOS HANDSET MONITOR

777111	1	STAINLESS STEEL ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
751811	751821	NEOS HANDSET MONITOR COAX
751899	1	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION



○ ●
745285 745287 2 KIT KVD-2 STAINLESS STEEL
NEOS HANDSET MONITOR

777121	1	STAINLESS STEEL ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
751811	751821	NEOS HANDSET MONITOR COAX
751899	2	NEOS MONITOR WALL BRACKET
750498	1	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



○ ●
745282 745284 1 KIT KVD-1 STAINLESS STEEL
NEOS HANDSFREE MONITOR

777111	1	STAINLESS STEEL ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
751815	751825	NEOS HANDSFREE MONITOR COAX
751899	1	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



○ ●
745286 745288 2 KIT KVD-2 STAINLESS STEEL
NEOS HANDSFREE MONITOR

777121	1	STAINLESS STEEL ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
751815	751825	NEOS HANDSFREE MONITOR COAX
751899	2	NEOS MONITOR WALL BRACKET
750498	1	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

COAX

compact
entry panel

ENTRY PANEL DIMENSIONS


SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm

REF. QUANTITY DESCRIPTION

**746721 1 KIT KVD-1 COMPACT**

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509074	1	AAUDIO/VIDEO COAX MODULE S1
752105	1	COMPACT COAX MONITOR
750299	1	COMPACT COAX MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION

**747501 1 KIT KVD-1 AVANT BLACK**

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509074	1	AAUDIO/VIDEO COAX MODULE S1
750931	1	AVANT MONITOR
750920	1	AVANT MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**747701 1 KIT KVD-1 E-COMPACT WHITE**

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509074	1	AAUDIO/VIDEO COAX MODULE S1
751311	1	E-COMPACT MONITOR
750920	1	E-COMPACT MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

COAX

compact
entry panel

ENTRY PANEL DIMENSIONS


SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm

REF. QUANTITY DESCRIPTION

**746722 2 KIT KVD-2 COMPACT**

651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509074	1	AAUDIO/VIDEO COAX MODULE S1
752105	2	COMPACT COAX MONITOR
750299	2	COMPACT COAX MONITOR WALL BRACKET
750498	1	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION

**747512 2 KIT KVD-2 AVANT BLACK**

651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509074	1	AAUDIO/VIDEO COAX MODULE S1
750931	2	AVANT MONITOR
750920	2	AVANT MONITOR WALL BRACKET
750498	1	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**747702 2 KIT KVD-2 E-COMPACT WHITE**

651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509074	1	AAUDIO/VIDEO COAX MODULE S1
751311	2	E-COMPACT MONITOR
750920	2	E-COMPACT MONITOR WALL BRACKET
750498	1	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

COAX

stainless steel
entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	155 x 130 mm	132 x 122 x 60 mm

REF. QUANTITY DESCRIPTION

**746564 1 KIT KVD-1 STAINLESS STEEL COMPACT**

777111	1	STAINLESS STEEL ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
752105	1	COLOR DIGITAL COMPACT MONITOR
750299	1	COMPACT COAX MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION

**747511 1 KIT KVD-1 STAINLESS STEEL AVANT BLACK**

777111	1	STAINLESS STEEL ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
750931	1	AVANT MONITOR
750920	1	AVANT MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**747715 1 KIT KVD-1 STAINLESS STEEL E-COMPACT WHITE**

777111	1	STAINLESS STEEL ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
751311	1	E-COMPACT MONITOR
750920	1	E-COMPACT MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

COAX

stainless steel

entry panel

ENTRY PANEL DIMENSIONS


SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	155 x 130 mm	132 x 122 x 60 mm

REF.	QUANTITY	DESCRIPTION	PVP (€)
------	----------	-------------	---------

**746603 2 KIT KVD-2 STAINLESS STEEL COMPACT**

777121	1	STAINLESS STEEL ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
752105	2	COLOR DIGITAL COMPACT MONITOR
750299	2	COMPACT COAX MONITOR WALL BRACKET
750498	1	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF.	QUANTITY	DESCRIPTION
------	----------	-------------

**747674 2 KIT KVD-2 STAINLESS STEEL AVANT BLACK**

777121	1	STAINLESS STEEL ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
750931	2	AVANT MONITOR
750920	2	AVANT MONITOR WALL BRACKET
750498	1	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**747768 2 KIT KVD-2 STAINLESS STEEL E-COMPACT WHITE**

777121	1	STAINLESS STEEL ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
751311	2	E-COMPACT MONITOR
750920	2	E-COMPACT MONITOR WALL BRACKET
750498	1	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits for buildings

COAX

compact
entry panel

They include all the necessary material, to perform a standard installation, except the indoor units (monitors)

- Full COMPACT entry panel including the A/V module.
- Mounting box.
- Module of control.
- Power supply.
- 1 video distributor for each 4 monitors.

**MONITORS
DO NOT INCLUDED
IN THE KIT**

AVAILABLE MONITORS

NEOS HANDSET ○ ●



NEOS HANDSFREE ○ ●



AVANT



E-COMPACT



COMPACT



ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 2	215 x 130 mm	203 x 130 x 60 mm
SERIES 3	262 x 130 mm	248 x 130 x 60 mm
SERIES 4	330 x 130 mm	319 x 130 x 60 mm
SERIES 5	400 x 130 mm	390 x 130 x 60 mm

REF. QUANTITY DESCRIPTION

741153 3 KIT VIDEO 3 WAY COMPACT COAX PUSH-BUTTON

651213	1	COMPACT ENTRY PANEL T S2 103
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
509057	1	AUDIO/VIDEO MODULE COAX
750498	1	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741156 6 KIT VIDEO 6 WAY COMPACT COAX PUSH-BUTTON

651223	1	COMPACT ENTRY PANEL T S2 203
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
509057	1	AUDIO/VIDEO MODULE COAX
750498	2	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741154 4 KIT VIDEO 4 WAY COMPACT COAX PUSH-BUTTON**

651222	1	COMPACT ENTRY PANEL T S2 202
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
509057	1	AUDIO/VIDEO MODULE COAX
750498	1	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741158 8 KIT VIDEO 8 WAY COMPACT COAX PUSH-BUTTON**

651224	1	COMPACT ENTRY PANEL T S2 204
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
509057	1	AUDIO/VIDEO MODULE COAX
750498	2	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits for buildings

COAX

REF. QUANTITY DESCRIPTION

741160 10 KIT VIDEO 10 WAY COMPACT COAX PUSH-BUTTON

651325	1	COMPACT ENTRY PANEL T S3 205
509023	1	MOUNTING BOX SERIES 3
600013	1	MODULE OF CONTROL COMPACT
509057	1	AUDIO/VIDEO MODULE COAX
750498	3	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741162 12 KIT VIDEO 12 WAY COMPACT COAX PUSH-BUTTON**

651326	1	COMPACT ENTRY PANEL T S3 206
509023	1	MOUNTING BOX SERIES 3
600013	1	MODULE OF CONTROL COMPACT
509057	1	AUDIO/VIDEO MODULE COAX
750498	3	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741164 14 KIT VIDEO 14 WAY COMPACT COAX PUSH-BUTTON**

651427	1	COMPACT ENTRY PANEL T S4 207
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
509057	1	AUDIO/VIDEO MODULE COAX
750498	4	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741166 16 KIT VIDEO 16 WAY COMPACT COAX PUSH-BUTTON**

651428	1	COMPACT ENTRY PANEL T S4 208
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
509057	1	AUDIO/VIDEO MODULE COAX
750498	4	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741168 18 KIT VIDEO 18 WAY COMPACT COAX PUSH-BUTTON**

651429	1	COMPACT ENTRY PANEL T S4 209
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
509057	1	AUDIO/VIDEO MODULE COAX
750498	5	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741170 20 KIT VIDEO 20 WAY COMPACT COAX PUSH-BUTTON

651540	1	COMPACT ENTRY PANEL T S5 210
509025	1	MOUNTING BOX SERIES 5
600013	1	MODULE OF CONTROL COMPACT
509057	1	AUDIO/VIDEO MODULE COAX
750498	5	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741172 22 KIT VIDEO 22 WAY COMPACT COAX PUSH-BUTTON**

651541	1	COMPACT ENTRY PANEL T S5 211
509025	1	MOUNTING BOX SERIES 5
600013	1	MODULE OF CONTROL COMPACT
509057	1	AUDIO/VIDEO MODULE COAX
750498	6	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741182 32 KIT VIDEO 32 WAY COMPACT COAX KEYPAD**

652402	1	COMPACT ENTRY PANEL T/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
509057	1	AUDIO/VIDEO MODULE COAX
509018	1	DC CARDHOLDER
750498	8	COAX VIDEO DISTRIBUTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY

**741190 40 KIT VIDEO 40 WAY COMPACT COAX KEYPAD**

652402	1	COMPACT ENTRY PANEL T/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
509057	1	AUDIO/VIDEO MODULE COAX
509018	1	DC CARDHOLDER
750498	10	COAX VIDEO DISTRIBUTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits for buildings

COAX

stainless steel

entry panel

They include all the necessary material, to perform a standard installation, except the indoor units (monitors)

- Full STAINLESS STEEL entry panel including the A/V module.
- Mounting box.
- Module of control.
- Power supply.
- 1 video distributor for each 4 monitors.

**MONITORS
DO NOT INCLUDED
IN THE KIT**

AVAILABLE MONITORS

NEOS HANDSET ○ ●



NEOS HANDSFREE ○ ●



AVANT



E-COMPACT



COMPACT



ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 2	225 x 130 mm	203 x 130 x 60 mm
SERIES 3	272 x 130 mm	248 x 130 x 60 mm
SERIES 4	340 x 130 mm	319 x 130 x 60 mm
SERIES 5	410 x 130 mm	390 x 130 x 60 mm

REF. QUANTITY DESCRIPTION

741553 3 KIT VIDEO 3 WAY STAINLESS STEEL COAX PUSH-BUTTON

777213	1	STAINLESS STEEL ENTRY PANEL FV S2 103
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
750498	1	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741556 6 KIT VIDEO 6 WAY STAINLESS STEEL COAX PUSH-BUTTON

777223	1	STAINLESS STEEL ENTRY PANEL FV S2 203
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
750498	2	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741554 4 KIT VIDEO 4 WAY STAINLESS STEEL COAX PUSH-BUTTON**

777222	1	STAINLESS STEEL ENTRY PANEL FV S2 202
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
750498	1	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741558 8 KIT VIDEO 8 WAY STAINLESS STEEL COAX PUSH-BUTTON**

777324	1	STAINLESS STEEL ENTRY PANEL FV S3 204
509023	1	MOUNTING BOX SERIES 3
600013	1	MODULE OF CONTROL COMPACT
750498	2	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits for buildings

COAX

REF. QUANTITY DESCRIPTION

741560 10 KIT VIDEO 10 WAY STAINLESS STEEL COAX PUSH-BUTTON

777325	1	STAINLESS STEEL ENTRY PANEL FV S3 205
509023	1	MOUNTING BOX SERIES 3
600013	1	MODULE OF CONTROL COMPACT
750498	3	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741562 12 KIT VIDEO 12 WAY STAINLESS STEEL COAX PUSH-BUTTON**

777426	1	STAINLESS STEEL ENTRY PANEL FV S4 206
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
750498	3	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741564 14 KIT VIDEO 14 WAY STAINLESS STEEL COAX PUSH-BUTTON**

777427	1	STAINLESS STEEL ENTRY PANEL FV S4 207
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
750498	4	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741566 16 KIT VIDEO 16 WAY STAINLESS STEEL COAX PUSH-BUTTON**

777428	1	STAINLESS STEEL ENTRY PANEL FV S4 208
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
750498	4	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741568 18 KIT VIDEO 18 WAY STAINLESS STEEL COAX PUSH-BUTTON**

777529	1	STAINLESS STEEL ENTRY PANEL FV S5 209
509025	1	MOUNTING BOX SERIES 5
600013	1	MODULE OF CONTROL COMPACT
750498	5	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741570 20 KIT VIDEO 20 WAY STAINLESS STEEL COAX PUSH-BUTTON

777530	1	STAINLESS STEEL ENTRY PANEL FV S5 210
509025	1	MOUNTING BOX SERIES 5
600013	1	MODULE OF CONTROL COMPACT
750498	5	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741572 22 KIT VIDEO 22 WAY STAINLESS STEEL COAX PUSH-BUTTON**

777531	1	STAINLESS STEEL ENTRY PANEL FV S5 211
509025	1	MOUNTING BOX SERIES 5
600013	1	MODULE OF CONTROL COMPACT
750498	6	COAX VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741582 32 KIT VIDEO 32 WAY STAINLESS STEEL COAX KEYPAD**

778401	1	STAINLESS STEEL ENTRY PANEL FVT S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
750498	8	COAX VIDEO DISTRIBUTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY

**741590 40 KIT VIDEO 40 WAY STAINLESS STEEL COAX KEYPAD**

778401	1	STAINLESS STEEL ENTRY PANEL FVT S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
750498	10	COAX VIDEO DISTRIBUTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits of 1 & 2 ways

COAXLESS

compact
entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm



! The NEOS monitor HANDSET and HANDSFREE is also available in black color. See reference ●

REF. QUANTITY DESCRIPTION



○ ●
745301 745341 1 KIT KVD-1 NEOS MONITOR HANDSET

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509077	1	AUDIO/VIDEO MODULE COAXLESS S1
751812	751822	1 NEOS MONITOR HANDSET COAXLESS
751899	1	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION



○ ●
745302 745342 2 KIT KVD-2 NEOS MONITOR HANDSET

651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509077	1	AUDIO/VIDEO MODULE COAXLESS S1
753098	1	COAXLESS VIDEO DISTRIBUTOR
751812	751822	2 NEOS MONITOR HANDSET COAXLESS
751899	2	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



○ ●
745321 745361 1 KIT KVD-1 NEOS MONITOR HANDSFREE

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509077	1	AUDIO/VIDEO MODULE COAXLESS S1
751816	751826	1 MONITOR NEOS HANDSFREE COAXLESS
751899	1	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



○ ●
745322 745362 2 KIT KVD-2 NEOS MONITOR HANDSFREE

651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509077	1	AUDIO/VIDEO MODULE COAXLESS S1
753098	1	COAXLESS VIDEO DISTRIBUTOR
751816	751826	2 MONITOR NEOS HANDSFREE COAXLESS
751899	2	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

COAXLESS

stainless steel

entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	155 x 130 mm	132 x 122 x 60 mm



! The NEOS monitor HANDSET and HANDSFREE is also available in black color. See reference ●

REF. QUANTITY DESCRIPTION



○ ●
745381 745383 1 KIT KVD-1 STAINLESS STEEL NEOS MONITOR HANDSET

787111	1	STAINLESS STEEL PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
751812	751822	1 NEOS MONITOR HANDSET COAXLESS
751899	1	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION



○ ●
745385 745387 2 KIT KVD-2 STAINLESS STEEL NEOS MONITOR HANDSET

787121	1	STAINLESS STEEL PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
751812	751822	2 NEOS MONITOR HANDSET COAXLESS
751899	2	NEOS MONITOR WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



○ ●
745382 745384 1 KIT KVD-1 STAINLESS STEEL NEOS MONITOR HANDSFREE

787111	1	STAINLESS STEEL PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
751816	751826	1 MONITOR NEOS HANDSFREE COAXLESS
751899	1	NEOS MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



○ ●
745386 745388 2 KIT KVD-2 STAINLESS STEEL NEOS MONITOR HANDSFREE

787121	1	STAINLESS STEEL PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
751816	751826	2 MONITOR NEOS HANDSFREE COAXLESS
751899	2	NEOS MONITOR WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

COAXLESS

compact
entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm

REF. QUANTITY DESCRIPTION

**746921 1 KIT KVD-1 COMPACT**

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509077	1	AUDIO/VIDEO COAXLESS MODULE S1
752105	1	COLOR DIGITAL COMPACT MONITOR
750399	1	COMPACT MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION

**747541 1 KIT KVD-1 AVANT BLACK**

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509077	1	AUDIO/VIDEO COAXLESS MODULE S1
750934	1	AVANT MONITOR
750920	1	AVANT MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**747731 1 KIT KVD-1 E-COMPACT WHITE**

651151	1	COMPACT ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
509077	1	AUDIO/VIDEO COAXLESS MODULE S1
751312	1	E-COMPACT MONITOR
750920	1	E-COMPACT MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

COAXLESS

compact

entry panel

ENTRY PANEL DIMENSIONS


SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm

REF. QUANTITY DESCRIPTION

**746922 2 KIT KVD-2 COMPACT**

651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509077	1	AUDIO/VIDEO COAXLESS MODULE S1
752105	2	COLOR DIGITAL COMPACT MONITOR
750399	2	COMPACT MONITOR WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION

**747552 2 KIT KVD-2 AVANT BLACK**

651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509077	1	AUDIO/VIDEO COAXLESS MODULE S1
750934	2	AVANT MONITOR
750920	2	AVANT MONITOR WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**747732 2 KIT KVD-2 E-COMPACT WHITE**

651161	1	COMPACT ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
509077	1	AUDIO/VIDEO COAXLESS MODULE S1
751312	2	E-COMPACT MONITOR
750920	2	E-COMPACT MONITOR WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

COAXLESS

stainless steel
entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	155 x 130 mm	132 x 122 x 60 mm

REF. QUANTITY DESCRIPTION

**746979 1 KIT KVD-1 STAINLESS STEEL COMPACT**

787111	1	STAINLESS STEEL ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
752105	1	COLOR DIGITAL COMPACT MONITOR
750399	1	COMPACT MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION

**747550 1 KIT KVD-1 STAINLESS STEEL AVANT BLACK**

787111	1	STAINLESS STEEL ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
750934	1	AVANT MONITOR
750920	1	AVANT MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**747745 1 KIT KVD-1 STAINLESS STEEL E-COMPACT WHITE**

787111	1	STAINLESS STEEL ENTRY PANEL FV S1 101
509021	1	MOUNTING BOX SERIES 1
751312	1	E-COMPACT MONITOR
750920	1	E-COMPACT MONITOR WALL BRACKET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

COAXLESS

stainless steel

entry panel

ENTRY PANEL DIMENSIONS


SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	155 x 130 mm	132 x 122 x 60 mm

REF.	QUANTITY	DESCRIPTION
------	----------	-------------

**746608 2 KIT KVD-2 STAINLESS STEEL COMPACT**

787121	1	STAINLESS STEEL ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
752105	2	COLOR DIGITAL COMPACT MONITOR
750399	2	COMPACT MONITOR WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF.	QUANTITY	DESCRIPTION
------	----------	-------------

**747675 2 KIT KVD-2 STAINLESS STEEL AVANT BLACK**

787121	1	STAINLESS STEEL ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
750934	2	AVANT MONITOR
750920	2	AVANT MONITOR WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**747769 2 KIT KVD-2 STAINLESS STEEL E-COMPACT WHITE**

787121	1	STAINLESS STEEL ENTRY PANEL FV S1 201
509021	1	MOUNTING BOX SERIES 1
751312	2	E-COMPACT MONITOR
750920	2	E-COMPACT MONITOR WALL BRACKET
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits for buildings

COAXLESS

compact
entry panel

They include all the necessary material, to perform a standard installation, except the indoor units (monitors)

- Full COMPACT entry panel including the A/V module.
- Mounting box.
- Module of control.
- Power supply.
- 1 video distributor for each 4 monitors.

**MONITORS
DO NOT INCLUDED
IN THE KIT**

AVAILABLE MONITORS

NEOS HANDSET ○ ●



NEOS HANDSFREE ○ ●



AVANT



E-COMPACT



COMPACT



ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 2	215 x 130 mm	203 x 130 x 60 mm
SERIES 3	262 x 130 mm	248 x 130 x 60 mm
SERIES 4	330 x 130 mm	319 x 130 x 60 mm
SERIES 5	400 x 130 mm	390 x 130 x 60 mm

REF. QUANTITY DESCRIPTION

741103 3 KIT VIDEO 3 WAY COMPACT COAXLESS PUSH-BUTTON

651213	1	COMPACT ENTRY PANEL T S2 103
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
509058	1	AUDIO/VIDEO MODULE COAXLESS
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741106 6 KIT VIDEO 6 WAY COMPACT COAXLESS PUSH-BUTTON

651223	1	COMPACT ENTRY PANEL T S2 203
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
509058	1	AUDIO/VIDEO MODULE COAXLESS
753098	2	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741104 4 KIT VIDEO 4 WAY COMPACT COAXLESS PUSH-BUTTON**

651222	1	COMPACT ENTRY PANEL T S2 202
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
509058	1	AUDIO/VIDEO MODULE COAXLESS
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741108 8 KIT VIDEO 8 WAY COMPACT COAXLESS PUSH-BUTTON**

651224	1	COMPACT ENTRY PANEL T S2 204
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
509058	1	AUDIO/VIDEO MODULE COAXLESS
753098	2	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits for buildings

REF. QUANTITY DESCRIPTION

741110 10 KIT VIDEO 10 WAY COMPACT COAXLESS PUSH-BUTTON

651325	1	COMPACT ENTRY PANEL T S3 205
509023	1	MOUNTING BOX SERIES 3
600013	1	MODULE OF CONTROL COMPACT
509058	1	AUDIO/VIDEO MODULE COAXLESS
753098	3	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741112 12 KIT VIDEO 12 WAY COMPACT COAXLESS PUSH-BUTTON**

651326	1	COMPACT ENTRY PANEL T S3 206
509023	1	MOUNTING BOX SERIES 3
600013	1	MODULE OF CONTROL COMPACT
509058	1	AUDIO/VIDEO MODULE COAXLESS
753098	3	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741114 14 KIT VIDEO 14 WAY COMPACT COAXLESS PUSH-BUTTON**

651427	1	COMPACT ENTRY PANEL T S4 207
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
509058	1	AUDIO/VIDEO MODULE COAXLESS
753098	4	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741116 16 KIT VIDEO 16 WAY COMPACT COAXLESS PUSH-BUTTON**

651428	1	COMPACT ENTRY PANEL T S4 208
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
509058	1	AUDIO/VIDEO MODULE COAXLESS
753098	4	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741118 18 KIT VIDEO 18 WAY COMPACT COAXLESS PUSH-BUTTON**

651429	1	COMPACT ENTRY PANEL T S4 209
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
509058	1	AUDIO/VIDEO MODULE COAXLESS
753098	5	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741120 20 KIT VIDEO 20 WAY COMPACT COAXLESS PUSH-BUTTON

651540	1	COMPACT ENTRY PANEL T S5 210
509025	1	MOUNTING BOX SERIES 5
600013	1	MODULE OF CONTROL COMPACT
509058	1	AUDIO/VIDEO MODULE COAXLESS
753098	5	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741122 22 KIT VIDEO 22 WAY COMPACT COAXLESS PUSH-BUTTON**

651541	1	COMPACT ENTRY PANEL T S5 211
509025	1	MOUNTING BOX SERIES 5
600013	1	MODULE OF CONTROL COMPACT
509058	1	AUDIO/VIDEO MODULE COAXLESS
753098	6	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741132 32 KIT VIDEO 32 WAY COMPACT COAXLESS KEYPAD**

652402	1	COMPACT ENTRY PANEL T/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
509058	1	AUDIO/VIDEO MODULE COAXLESS
509018	1	DC CARDHOLDER
753098	8	COAXLESS VIDEO DISTRIBUTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY

**741140 40 KIT VIDEO 40 WAY COMPACT COAXLESS KEYPAD**

652402	1	COMPACT ENTRY PANEL T/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
509058	1	AUDIO/VIDEO MODULE COAXLESS
509018	1	DC CARDHOLDER
753098	10	COAXLESS VIDEO DISTRIBUTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits for buildings

COAXLESS

stainless steel

entry panel

They include all the necessary material, to perform a standard installation, except the indoor units (monitors)

- Full STAINLESS STEEL entry panel including the A/V module.
- Mounting box.
- Module of control.
- Power supply.
- 1 video distributor for each 4 monitors.

**MONITORS
DO NOT INCLUDED
IN THE KIT**

AVAILABLE MONITORS

NEOS HANDSET ○ ●



NEOS HANDSFREE ○ ●



AVANT



E-COMPACT



COMPACT



ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 2	225 x 130 mm	203 x 130 x 60 mm
SERIES 3	272 x 130 mm	248 x 130 x 60 mm
SERIES 4	340 x 130 mm	319 x 130 x 60 mm
SERIES 5	410 x 130 mm	390 x 130 x 60 mm

REF. QUANTITY DESCRIPTION

741503 3 KIT VIDEO 3 WAY STAINLESS STEEL PUSH-BUTTON

787213	1	STAINLESS STEEL ENTRY PANEL FV S2 103
509022	1	MOUNTING BOX SERIES 2
600013	1	MODULE OF CONTROL COMPACT
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741506 6 KIT VIDEO 6 WAY STAINLESS STEEL PUSH-BUTTON

787223	1	STAINLESS STEEL ENTRY PANEL FV S2 203
509022	1	MOUNTING BOX SERIES 2
600013	1	MODULE OF CONTROL COMPACT
753098	2	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741504 4 KIT VIDEO 4 WAY STAINLESS STEEL PUSH-BUTTON**

787222	1	STAINLESS STEEL ENTRY PANEL FV S2 202
509022	1	MOUNTING BOX SERIES 2
600013	1	MODULE OF CONTROL COMPACT
753098	1	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741508 8 KIT VIDEO 8 WAY STAINLESS STEEL PUSH-BUTTON**

787324	1	STAINLESS STEEL ENTRY PANEL FV S3 204
509023	1	MOUNTING BOX SERIES 3
600013	1	MODULE OF CONTROL COMPACT
753098	2	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits for buildings

COAXLESS

REF. QUANTITY DESCRIPTION

741510 10 KIT VIDEO 10 WAY STAINLESS STEEL PUSH-BUTTON

787325	1	STAINLESS STEEL ENTRY PANEL FV S3 205
509023	1	MOUNTING BOX SERIES 3
600013	1	MODULE OF CONTROL COMPACT
753098	3	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741512 12 KIT VIDEO 12 WAY STAINLESS STEEL PUSH-BUTTON**

787426	1	STAINLESS STEEL ENTRY PANEL FV S4 206
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
753098	3	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741514 14 KIT VIDEO 12 WAY STAINLESS STEEL PUSH-BUTTON**

787427	1	STAINLESS STEEL ENTRY PANEL FV S4 207
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
753098	4	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741516 16 KIT VIDEO 16 WAY STAINLESS STEEL PUSH-BUTTON**

787428	1	STAINLESS STEEL ENTRY PANEL FV S4 208
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
753098	4	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741518 18 KIT VIDEO 18 WAY STAINLESS STEEL PUSH-BUTTON**

787529	1	STAINLESS STEEL ENTRY PANEL FV S5 209
509025	1	MOUNTING BOX SERIES 5
600013	1	MODULE OF CONTROL COMPACT
753098	5	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741520 20 KIT VIDEO 20 WAY STAINLESS STEEL PUSH-BUTTON

787530	1	STAINLESS STEEL ENTRY PANEL FV S5 210
509025	1	MOUNTING BOX SERIES 5
600013	1	MODULE OF CONTROL COMPACT
753098	5	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741522 22 KIT VIDEO 22 WAY STAINLESS STEEL PUSH-BUTTON**

787531	1	STAINLESS STEEL ENTRY PANEL FV S5 211
509025	1	MOUNTING BOX SERIES 5
600013	1	MODULE OF CONTROL COMPACT
753098	6	COAXLESS VIDEO DISTRIBUTOR
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741532 32 KIT VIDEO 32 WAY STAINLESS STEEL KEYPAD**

788401	1	STAINLESS STEEL ENTRY PANEL FV/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
753098	8	COAXLESS VIDEO DISTRIBUTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY

**741540 40 KIT VIDEO 40 WAY STAINLESS STEEL KEYPAD**

788401	1	STAINLESS STEEL ENTRY PANEL FV/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
753098	10	COAXLESS VIDEO DISTRIBUTOR
715703	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits of 1 & 2 ways

compact entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm



! The NEOS HANDSET
is also available in black color.
See reference ●

REF. QUANTITY DESCRIPTION



○ ●
744201 744241 1 KIT KFD-1 NEOS

651131	1	COMPACT ENTRY PANEL F S1 101
509021	1	MOUNTING BOX SERIES 1
509079	1	AUDIO DIGITAL MODULE S1
701812	701822	NEOS DIGITAL HANDSET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION



○ ●
744202 744242 2 KIT KFD-2 NEOS

651141	1	COMPACT ENTRY PANEL F S1 201
509021	1	MOUNTING BOX SERIES 1
509079	1	AUDIO DIGITAL MODULE S1
701812	701822	NEOS DIGITAL HANDSET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits of 1 & 2 ways

compact

entry panel

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm

REF. QUANTITY DESCRIPTION



749811 1 KIT KFD-1 COMPACT

651131	1	COMPACT ENTRY PANEL F S1 101
509021	1	MOUNTING BOX SERIES 1
509079	1	AUDIO DIGITAL MODULE S1
700005	1	COMPACT DIGITAL HANDSET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

REF. QUANTITY DESCRIPTION



749812 2 KIT KFD-2 COMPACT

651141	1	COMPACT ENTRY PANEL F S1 201
509021	1	MOUNTING BOX SERIES 1
509079	1	AUDIO DIGITAL MODULE S1
700005	2	COMPACT DIGITAL HANDSET
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

Kits for buildings

compact

entry panel

They include all the necessary material, to perform a standard installation, except the indoor units (handsets).

- Full COMPACT entry panel including the A/V module.
- Mounting box.
- Module of control.
- Power supply .

**HANDSET
DO NOT INCLUDED
IN THE KIT**

ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 2	215 x 130 mm	203 x 130 x 60 mm
SERIES 3	262 x 130 mm	248 x 130 x 60 mm
SERIES 4	330 x 130 mm	319 x 130 x 60 mm
SERIES 5	400 x 130 mm	390 x 130 x 60 mm

AVAILABLE HANDSETS

NEOS



COMPACT



REF. QUANTITY DESCRIPTION

741303 3 KIT AUDIO 3 WAY COMPACT PUSH-BUTTON

651213	1	COMPACT ENTRY PANEL T S2 103
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
509050	1	AUDIO DIGITAL MODULE
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741304 4 KIT AUDIO 4 WAY COMPACT PUSH-BUTTON

651222	1	COMPACT ENTRY PANEL T S2 202
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
509050	1	AUDIO DIGITAL MODULE
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



741306 6 KIT AUDIO 6 WAY COMPACT PUSH-BUTTON

651223	1	COMPACT ENTRY PANEL T S2 203
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
509050	1	AUDIO DIGITAL MODULE
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



Kits for buildings

REF. QUANTITY DESCRIPTION

741308 8 KIT AUDIO 8 WAY COMPACT PUSH-BUTTON

651224	1	COMPACT ENTRY PANEL T S2 204
509022	1	MOUNTING BOX SERIES2
600013	1	MODULE OF CONTROL COMPACT
509050	1	AUDIO DIGITAL MODULE
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741310 10 KIT AUDIO 10 WAY COMPACT PUSH-BUTTON**

651325	1	COMPACT ENTRY PANEL T S3 205
509023	1	MOUNTING BOX SERIES 3
600013	1	MODULE OF CONTROL COMPACT
509050	1	AUDIO DIGITAL MODULE
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741312 12 KIT AUDIO 12 WAY COMPACT PUSH-BUTTON**

651326	1	COMPACT ENTRY PANEL T S3 206
509023	1	MOUNTING BOX SERIES 3
600013	1	MODULE OF CONTROL COMPACT
509050	1	AUDIO DIGITAL MODULE
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741314 14 KIT AUDIO 14 WAY COMPACT PUSH-BUTTON**

651427	1	COMPACT ENTRY PANEL T S4 207
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
509050	1	AUDIO DIGITAL MODULE
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741316 16 KIT AUDIO 16 WAY COMPACT PUSH-BUTTON**

651428	1	COMPACT ENTRY PANEL T S4 208
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
509050	1	AUDIO DIGITAL MODULE
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



REF. QUANTITY DESCRIPTION

741318 18 KIT AUDIO 18 WAY COMPACT PUSH-BUTTON

651429	1	COMPACT ENTRY PANEL T S4 209
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
509050	1	AUDIO DIGITAL MODULE
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741320 20 KIT AUDIO 20 WAY COMPACT PUSH-BUTTON**

651540	1	COMPACT ENTRY PANEL T S5 210
509025	1	MOUNTING BOX SERIES 5
600013	1	MODULE OF CONTROL COMPACT
509050	1	AUDIO DIGITAL MODULE
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**731322 22 KIT AUDIO 22 WAY COMPACT PUSH-BUTTON**

651541	1	COMPACT ENTRY PANEL T S5 211
509025	1	MOUNTING BOX SERIES 5
600013	1	MODULE OF CONTROL COMPACT
509050	1	AUDIO DIGITAL MODULE
715303	1	ALV-1'5A / 24VDC POWER SUPPLY

**741332 KIT AUDIO COMPACT KEYPAD**

652402	1	COMPACT ENTRY PANEL T/T S4 KEYPAD
509024	1	MOUNTING BOX SERIES 4
600013	1	MODULE OF CONTROL COMPACT
509050	1	AUDIO DIGITAL MODULE
509018	1	DC CARDHOLDER
715303	1	ALV-1'5A / 24VDC POWER SUPPLY



CONVENTIONAL
INSTALLATION 4+N

All the KITS include:

- Full COMPACT entry panel including the AUDIO module.
- Mounting box.
- Power supply.
- NEOS analog handset.

neos



ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm
SERIES 2	215 x 130 mm	203 x 130 x 60 mm
SERIES 3	262 x 130 mm	248 x 130 x 60 mm



KF-1

KF-2



KF-3



KF-4



KF-5 / KF-6



KF-7 / KF-8



KF-9 / KF-10



KF-11 / KF-12

	REF.		DESCRIPTION
	○	●	
SERIES 1	744301	744341	KIT KF-1 ANALOG DOOR ENTRY NEOS
	744302	744342	KIT KF-2 ANALOG DOOR ENTRY NEOS
SERIES 2	744303	744343	KIT KF-3 ANALOG DOOR ENTRY NEOS
	744304	744344	KIT KF-4 ANALOG DOOR ENTRY NEOS
	744305	744345	KIT KF-5 ANALOG DOOR ENTRY NEOS
	744306	744346	KIT KF-6 ANALOG DOOR ENTRY NEOS
	744307	744347	KIT KF-7 ANALOG DOOR ENTRY NEOS
	744308	744348	KIT KF-8 ANALOG DOOR ENTRY NEOS
SERIES 3	744309	744349	KIT KF-9 ANALOG DOOR ENTRY NEOS
	744310	744350	KIT KF-10 ANALOG DOOR ENTRY NEOS
	744311	744351	KIT KF-11 ANALOG DOOR ENTRY NEOS
	744312	744352	KIT KF-12 ANALOG DOOR ENTRY NEOS

CONVENTIONAL INSTALLATION 4+N

All the KITS include:

- Full COMPACT entry panel including the AUDIO module.
- Mounting box.
- Power supply.
- COMPACT analog handset.

compact



ENTRY PANEL DIMENSIONS

SERIES	ENTRY PANEL	MOUNTING BOX
SERIES 1	145 x 130 mm	132 x 122 x 60 mm
SERIES 2	215 x 130 mm	203 x 130 x 60 mm
SERIES 3	262 x 130 mm	319 x 130 x 60 mm
SERIES 4	330 x 130 mm	390 x 130 x 60 mm



KF-1

KF-2



KF-3



KF-4



KF-5 / KF-6



KF-7 / KF-8



KF-9 / KF-10



KF-11 / KF-12



KF-14

REF.	DESCRIPTION
SERIES 1 749701	KIT KF-1 ANALOG DOOR ENTRY COMPACT
749702	KIT KF-2 ANALOG DOOR ENTRY COMPACT
SERIES 2 749703	KIT KF-3 ANALOG DOOR ENTRY COMPACT
749704	KIT KF-4 ANALOG DOOR ENTRY COMPACT
749705	KIT KF-5 ANALOG DOOR ENTRY COMPACT
749706	KIT KF-6 ANALOG DOOR ENTRY COMPACT
749707	KIT KF-7 ANALOG DOOR ENTRY COMPACT
749708	KIT KF-8 ANALOG DOOR ENTRY COMPACT
SERIES 3 749709	KIT KF-9 ANALOG DOOR ENTRY COMPACT
749710	KIT KF-10 ANALOG DOOR ENTRY COMPACT
749711	KIT KF-11 ANALOG DOOR ENTRY COMPACT
749712	KIT KF-12 ANALOG DOOR ENTRY COMPACT
SERIES 4 749714	KIT KF-14 ANALOG DOOR ENTRY COMPACT
SERIES 1 749543	KIT KF-1 ANALOG DOOR ENTRY COMPACT 2HT 2 WIRES INSTALLATION










auta

Bringing people together

Door opener



Door opener

	REF.	DESCRIPTION
	720001	DOOR-OPENER MOD. A Automatic. 12V AC
	720002	DOOR-OPENER MOD. AD Automatic with Unlocking. 12V AC
	720003	DOOR-OPENER MOD. N Normal. 12V AC
	720004	DOOR-OPENER MOD. ND Normal with Unlocking. 12V AC
	720008	DOOR-OPENER MOD. A 12VDC Automatic. 12V DC
	720016	DOOR-OPENER MOD. A 24VDC Automatic. 24V DC
	720017	UNIVERSAL DOOR-OPENER ADF/S 10-24V AC/DC Last generation door-release. Small (like switcher box) (with 25,5 mm depth) It's coil works with AC or DC current with a range from 10 to 24 V
	721001	ARMOR MOD. G Armor for flush door-opener.
	721004	DOUBLE CONTACT To be flushed in the frame of the door. Not visible cables.

auta

Bringing people together

Spare parts



Spare parts

ENTRY PANEL

REF.	DESCRIPTION
509007	AUTA KEY MODULE
509009	KEYPAD + DISPLAY MODULE
509019	KEYPAD + DISPLAY FOR DIRECTORY PANEL
150255	CARDHOLDER PLASTIC GLASS
150260	LCD DISPLAY PLASTIC GLASS
509814	LIGHTING PCB FOR DECOR ENTRY PANEL 12VAC
509830	LIGHTING PCB FOR COMPACT ENTRY PANEL 12VAC
509834	LIGHTING PCB FOR COMPACT ENTRY PANEL 24VDC
509820	ACCESSORIES BAG FOR COMPACT ENTRY PANEL
509826	ACCESSORIES BAG FOR DECOR ENTRY PANEL
509036	STAINLESS STEEL CARDHOLDER
150316	PLASTIC COVER BOX FOR MODULE OF CONTROL

PUSH-BUTTONS

REF.	DESCRIPTION
080088	STAINLESS STEEL CARDHOLDER
080090	STAINLESS STEEL PUSH-BUTTON (22 MM)
080078	STAINLESS STEEL PUSH-BUTTON (16 MM)
509808	2HT DECOR SINGLE PUSH-BUTTON
509841	PACK 10 COMPACT SINGLE PUSH-BUTTONS
509842	PACK 10 COMPACT ANALOG DOUBLE PUSH-BUTTONS
509843	PACK 10 COMPACT DIGITAL DOUBLE PUSH-BUTTONS
509844	PACK 10 DECOR SINGLE PUSH-BUTTONS
509845	PACK 10 DECOR ANALOG DOUBLE PUSH-BUTTONS
509846	PACK 10 DECOR DIGITAL DOUBLE PUSH-BUTTONS

POWER

REF.	DESCRIPTION
730151	POWER SUPPLY ADAPTOR

AUDIO MODULES

REF.	DESCRIPTION
509001	DIGITAL DECOR AUDIO MODULE MF-D
509014	DIGITAL DECOR ANALOG AUDIO MODULE MF-2H
509031	VISUALTECH DECOR AUDIO MODULE MF-D 5H
509085	ANALOG COMPACT MODULE MF-S
090022	AUDIO GRILL FOR COMPACT ENTRY PANEL
090023	AUDIO/VIDEO GRILL FOR COMPACT ENTRY PANEL
150244	AUDIO GRILL FOR DECOR ENTRY PANEL

AUDIO/VIDEO MODULE

REF.	DESCRIPTION
509004	DECOR COLOR VIDEO MODULE 900 MV-S
509005	DECOR COLOR COAX VIDEO MODULE MV-D
509011	DECOR COLOR COAXLESS VIDEO MODULE MV-D
509086	COMPACT AUDIO/VIDEO MODULE MF-S
509087	COMPACT AUDIO/VIDEO MODULE AV-900 MF-S
509061	COMPACT COLOR CCD CAMERA
100020	LENS GLASS FOR COMPACT CAMERA
150218	LENS GLASS FOR DECOR CAMERA

HANDSETS

REF.	DESCRIPTION
507080	NEOS WHITE HANDSET
507081	NEOS BLACK HANDSET
507020	DIGITAL DECOR HANDSET ONLY
507025	ANALOG DECOR HANDSET ONLY
507038	SILVER COMPACT HANDSET ONLY
507040	COMPACT HANDSET ONLY
507050	2HT COMPACT HANDSET ONLY
507055	COMPACT INTERCOM WITH DISPLAY HANDSET ONLY
507066	COMPACT INTERCOM W/O DISPLAY HANDSET ONLY
020025	HANDSET RIBBON WITH CONNECTORS

auta










Bringing people together

Access control











Access control







STANDALONE

	REF.	DESCRIPTION
	850105	STAND-ALONE 4K PROXIMITY READER Stand-alone proximity reader. EM technology (725Khz). Made in high quality aluminium. Management of up to 4000 users. Can be installed embedded or surface. Internal/external installation. 72/24 ac/dc.
	940101	STAINLESS STEEL STAND-ALONE 4K PROXIMITY READER Stand-alone proximity reader. EM technology (125Khz). Made in high quality polished stainless steal. Management of up to 4000 users. Can be installed embedded or surface. Internal/external installation. 12/24 ac/dc.
	507222	STAND-ALONE 4K PROXIMITY READER Stand-alone 4K proximity module that can be installed at COMPACT and STAINLESS STEEL panels. EM technology (125Khz). Management of up to 4000 users. 12/24 ac/dc.
	721150	STAND-ALONE PROXIMITY READER Stand-alone proximity reader far access control that allow up to 4000 different users. EM technology (725Khz). Made in high quality polycarbonate. Surface installation. Internal/external installation, IP66. 12/24 ac/dc.
	721117	EM PROXIMITY CARD Proximity card numerated ISO 4002. EM technology (725Khz). Can be personalised.
	721118	EM PROXIMITY KEY FOB Proximity KEY FOB numerated ISO 4002. EM technology (725Khz)
	850101	COMPACT AUTA KEY Keypad for access control that allow up to 300 diferent codes. Made in high quality aluminium. Management of 2 independent doors. Can be installed embedded or surface. Outdoor/Indoor. 12Vac.
	940100	STAINLESS STEEL AUTA KEY Keypad for access control that allow up to 300 diferent codes. Made in high quality aluminium. Management of 2 independent doors. Can be installed embedded or surface. Outdoor/Indoor. installation. 12Vac.
	721162	STAND-ALONE MINI KEYPAD BK Keypad for access control that allow up to 99 difieren! codes. Made in high quality ABS. Surface installation. Internal/external installation, IP65. 72/24 ac/dc.











STANDALONE

	REF.	DESCRIPTION
	721102	ANTI-VANDAL STAND-ALONE MINI KEYPAD Keypad for access control that allow up to 99 different codes. Made in high quality EXTRA ALUMINIUM. Surface installation. Internal/external installation, IP65. 2 different outputs. 72/24 ac/dc. PROMOTION UNTIL END OF STOCK
	721163	STAND-ALONE BIOMETRIC READER BK Finger print reader for access control. Up to 98 finger prints. Made in high quality ABS. Surface installation. Internal/external installation, IP65. 12Vdc.
	721154	BIOMETRIC + PROXIMITY READER STAND-ALONE DUAL reader. Include finger print read and proximity read of cards/fobs. Up to 98 finger prints and 2000 cards. EM and HID technology (725 KHz). Made in high quality aluminium. Surface installation. Internal/external installation, IP65. 12Vdc.
	721155	BIOMETRIC + KEYPAD READER STAND-ALONE DUAL reader. Include finger print read and code. Up to 98 finger prints and 97 codes. Made in high quality aluminium. Surface installation. Internal/external installation, IP65. 12Vdc. IP65. 12Vcc.
	721114	ANTI-VANDAL STAND-ALONE DUAL READER Keypad + Proximity reader for access control that allow up to 99 different codes+ EM cards. Made in high quality EXTRA ALUMINIUM. Surface installation. Internal/external installation, IP65. 2 different outputs. 12V ac/dc. PROMOTION UNTIL END OF STOCK
	721164	SENSITIVE BUTTON BK Button with capacitive technology. State indicator by LEO illumination. Made in high quality ABS. Surface installation. Internal/external installation, IP54. 12/24 ac/dc.
	721092	STAND-ALONE WIRELESS RECEIVER Radio frequency receiver (868 Mhz). Storage up to 500 emitters. 2 programmable relays. Integrated antenna. Internal/external installation, IP54. 12/24 ac/dc.
	721094	EMITTER MINI 2 channels radio frequency emitter. Reach 100m

STANDALONE. OFF-LINE MANAGEMENT

	REF.	DESCRIPTION
	721171	OFF-LINE MANAGEMENT SOFTWARE Software that allow to manage OFF-LINE access control systems. Platform, WINDOWS. Management of events. Management through MicroUSB or through programming MIFARE 4K card (721168 USB reader). UNLIMITED number of different installations. Up to 80 doors on each installation.
	721169	MIFARE STAND-ALONE PROXIMITY READER Stand-alone proximity reader for access control compatible with cards/key fobs MIFARE Classic 1K and 4K. MIFARE technology (13,56Mhz). Recording up to 3500 events. Made in high quality polycarbonate. Surface installation. Internal/external installation, IP65. 12dc.
	721170	1K MIFARE PROXIMITY CARD Proximity card 150 13,56Mhz. MIFARE Classic 1K technology. Can be personalised.
	721172	4K MIFARE PROXIMITY CARD Proximity card ISO 13,56Mhz. MIFARE Classic 4K technology.
	721173	4K MIFARE KEYFOB Proximity card 150 13,56Mhz. MIFARE Classic 1K technology. Can be personalised.
	721168	USB PROXIMITY ENROLLER Universal USB proximity reader that allow to read proximity cards EM (125Khz) also MIFARE Classic 1 K and 4K (13,56Mhz) and introduce them into the access control management software.

NETWORK


	REF.	DESCRIPTION
	721156	CONTROL UNIT Controller unit, connection of 2 readers per unit. Unlimited number of controllers per system. Connection of auxiliary buttons, programmable inputs/outputs. 15.000 users and 30.000 events. Native TCP/IP. Programmable WIEGAND 8-128 bits. 12Vdc.
	721140	MANAGEMENT SOFTWARE Software that allow to manage the access control network system. Platform, WINDOWS. Management of events. Management of users. Creation of time zones. Tool to control the worked hours. Tool to create detailed reports. CLIENT or SERVER configuration.
	850106	NETWORK 4K PROXIMITY READER Proximity reader with control by software. EM technology (125Khz). Made in high quality aluminium. Can be installed embedded or surface. Internal/external installation. Communication protocol WIEGAND, CLOCK & DATA or CODIX.
	940102	STAINLESS STEEL NETWORK 4K PROXIMITY READER Proximity reader with control by software. EM technology (125Khz). Made in high quality polished stainless steel. Can be installed embedded or surface. Internal/external installation. Communication protocol WIEGAND, CLOCK & DATA or CODIX.
	507223	COMPACT 4K NETWORK PROXIMITY MODULE 4K proximity module with control by software that can be installed at COMPACT and STAINLESS STEEL panels. EM technology (125Khz). Communication protocol WIEGAND, CLOCK & DATA or CODIX.
	721165	NETWORK PROXIMITY READER Proximity reader for access control. EM technology (125Khz). Made in high quality ABS. Surface installation. Internal/external installation, IP65. Communication protocol WIEGAND, CLOCK & DATA or CODIX.
	721117	EM PROXIMITY CARD Proximity card numerated ISO 4002. EM technology (125Khz). Can be personalised.
	721118	EM PROXIMITY KEY FOB Proximity KEY FOB numerated ISO 4002. EM technology (125Khz).
	721166	NETWORK BK MINI KEYPAD Keypad for access control. Made in high quality ABS. Surface installation. Internal/external installation, IP65. Communication protocol WIEGAND, CLOCK & DATA or CODIX.
	721123	ANTI-VANDAL NETWORK KEYPAD Keypad for access control. Made in high quality EXTRA ABS. Surface installation. Internal/external installation, IP65. Communication protocol WIEGAND, CLOCK & DATA or CODIX. PROMOTION UNTIL END OF STOCK

Access control

NETWORK










	REF.	DESCRIPTION
	721167	OUTDOOR NETWORK BIOMETRIC READER BK Finger print reader for access control. Up to 98 finger prints. Made in high quality ABS. Surface installation. Internal/external installation, IP65. Communication protocol WIEGAND_BUS-485.
	721158	NETWORK BIOMETRIC + PROXIMITY READER DUAL reader. Includes finger print read and proximity read of cards/fobs. Up to 98 finger prints and 2000 cards. EM and HID technology 125(Khz). Made in high quality aluminium. Surface installation. Internal/ external installation, IP65. WIEGAND_BUS-485.
	721159	NETWORK BIOMETRIC + KEYPAD READER DUAL reader. Includes finger print read and code. Up to 98 finger prints and 97 codes. Made in high quality aluminium. Surface installation. Internal/external installation, IP65. Communication protocol WIEGAND_BUS-485.
	721160	NETWORK PROXIMITY + KEYPAD READER DUAL reader. Includes proximity read and code. Made in high quality aluminium. Surface installation. Internal/external installation, IP65. Communication protocol WIEGAND, CLOCK & DATA or CODIX.
	721093	NETWORK WIRELESS RECEIVER Radio frequency receiver (868Mhz). Communication protocol WIEGAND. Integrated antenna. Internal/ external installation, IP54.
	721094	EMITTER MINI 2 channels radio frequency emitter. Reach 100m
	721164	SENSITIVE BUTTON BK Button with capacitive technology. State indicator by LED illumination. Made in high quality ABS. Surface installation. Internal/external installation, IP54. 12/24 ac/dc.
	721168	USB PROXIMITY ENROLLER Universal USB proximity reader that allow to read proximity cards EM (125Khz) also Mifare (13,56Mhz) and introduce them into the access control management software.
	721161	USB DUAL ENROLLER USB reader that allow to register and introduce finger prints or proximity cards EM (125Khz) also Mifare (13,56Mhz) into the access control software.

NETWORK. WEB MANAGEMENT







	REF.	DESCRIPTION
	721180	WEB CONTROL UNIT 1D WEB controller unit, connection of 1 DOOR / READER per unit. Expandable up to 20 doors. Connection of auxiliary buttons, programable inputs/outputs. 2.500 users and 50.000 events. Native TCP/IP. Rs-485 protocol. 12Vdc. Integrated battery management.
	721181	WEB CONTROL UNIT 2D WEB controller unit, connection of 2 DOORS / READERS per unit. Expandable up to 20 doors. Connection of auxiliary buttons, programable inputs/outputs. 2.500 users and 50.000 events. Native TCP/IP. Rs-485 protocol. 12Vdc. Integrated battery management.
	721182	WEB CONTROL UNIT 4D WEB controller unit, connection of 4 DOORS / READERS per unit. Expandable up to 20 doors. Connection of auxiliary buttons, programable inputs/outputs. 2.500 users and 50.000 events. Native TCP/IP. Rs-485 protocol. 12Vdc. Integrated battery management.
	721183	1 DOOR / READER EXPANDER -1D Expansion module 1 DOOR / READER for 1D control unit. It allows to expand and manage 1 extra DOOR / READER in systems with 1D exchanges.
	721184	UNIVERSAL CABINET + PSU FOR WEB SYSTEMS Universal aluminium wall mounted housing for WEB systems. Includes 1 x 5A PSU. Includes placement for 1 battery.
	721175	MINI PROXIMIT READER RS-485 Proximity reader for access control. EM Technology (125Khz). Made of high quality ABS. Surface installation. Suitable for outdoor / indoor. IP-65. RS-485 protocol.
	721176	PROXIMITY READER MINI RS-485 Proximity reader for access control. EM technology (125Khz). Made in high quality ABS. Surface installation. Internal/external installation, IP55. Protocol RS-485. 12Vdc.
	721177	RS-485 CONVERTER Interface that allows the connection and control of any reader, WIEGAND, DATA/CLOCK ISO2, DALLAS and RS-232, into the access control WEB system
	721117	EM PROXIMITY CARD Proximity card numerated ISO 4002. EM technology (725Khz). Can be personalised
	721118	EM PROXIMITY KEY FOB Proximity key fob numerated ISO 4002. EM technology (725Khz)

Access control

STANDALONE / REMOTE MANAGEMENT

	REF.	DESCRIPTION
	721077	USB RECORDING STATION + SOFTWARE Recording station for cards/key fobs/emitters. Information of new/delete/swap users inside the programmed element. It's not necessary to be in the system to manage the users. Protection of the installation through installer PIN.
	507226	STAND-ALONE COMPACT PROXIMITY READER Proximity module for remote management systems that can be installed at COMPACT and STAINLESS STEEL panels. Storage up to 500 users. 1 programmable relay. 12/24 ac/dc
	507227	COMPACT PROXIMITY READER FOR DUAL SYSTEM Proximity module for remote management systems that can be installed at COMPACT and STAINLESS STEEL panels and connected to a wireless emitter 721096. That convert the system in a double technology access system.
	721097	PROXIMITY READER FOR DUAL SYSTEM Proximity reader for remote management systems that can be connected to a wireless emitter 721096. That convert the system in a double technology access system.
	721099	PROXIMITY CARD Programmable proximity card with 150 numeration. Can be personalised.
	721098	PROXIMITY KEY FOB Programmable proximity KEY FOB with 150 numeration. Can be personalised.
	721096	WIRELESS RECEIVER Radio frequency receiver (868Mhz). Storage up to 500 emitters. 2 programmable relays. Integrated antenna. Internal/external installation, IP54. 12/24 ac/dc.
	721094	EMITTER MINI 2 channels radio frequency emitter. Reach 100m.
	721095	DUAL EMITTER MINI 2 channels radio frequency emitter + proximity. Reach 100m

POWER SUPPLY & ACCESSORIES

	REF.	DESCRIPTION
	715503	ATF-12 POWER SUPPLY UNIT Analog power supply. Entry 220-230 Vac. Output 12Vac 1.2A. Made of high quality ABS. It is mainly used in analog installations. It can also be used in systems where you want to feed a 12Vca door opener up to 1.2A. Can be mounted on the surface or DIN rail (2 elements).
	716003	ALV-2A 12Vcc POWER SUPPLY UNIT 12Vcc 2A. Made of high quality ABS. Can be mounted on the surface or DIN rail (4 elements).
	715303	ALV-1.5A. 24Vcc POWER SUPPLY UNIT 24Vcc 1.5A. Made of high quality ABS. Can be mounted on the surface or DIN rail (3 elements).
	715703	ALV-2.5A. 24Vcc POWER SUPPLY UNIT 24Vcc 2.5A. Made of high quality ABS. Can be mounted on the surface or DIN rail (3 elements).
	720017	UNIVERSAL DOOR-OPENER ADF/S 10-24V AC/DC Last generation door-release. Small (like switcher box) (with 25,5 mm depth) It's coil works with AC or DC current with a range from 10 to 24 V
	730145	24V BATTERY BACKUP Battery backup for 24Vcc based systems.. Made of high quality ABS. Status LEDS. Battery protection against power total lost. Can be mounted on the surface or DIN rail (6 elements).
	721433	12V 7AH BATTERY Regarchable battery. NiMH 12V 7.2Ah.

NOTES

General conditions

ORDERS

Orders must be faxed to our fax number +34961665286 or emailed to export@auta.es

DELIVERY TERMS

Standard items: 1 week after order's reception

Stainless Steel panels: 3 weeks after order's reception

RETURNS

Returns will be only accepted when a delivery is mistaken. The returns will not be credited until reception. All the returns will be inspected upon arrival. They must be returned with the original packaging.

WARRANTY

Auta comunicaciones, s.l. grants all its products with a 2 years warranty since the delivery date. In case of an improper use, improper installation or incorrect voltage.

Auta comunicaciones, s.l. is fully excluded of any responsibility on direct or indirect damages on the products.

The warranty is limited to the product restitution

TECHNICAL ASSISTANCE SERVICE

Our technical assistance department is able to give you any needed advice at working hours. They can also provide special drawings for special installations. You can contact them by phone on +34961643020 or by email on tecnico@auta.es / sat@auta.es

RESERVES

Auta comunicaciones, s.l. has the right to amend the technical specifications as well as the prices of all products listed in this catalogue with not prior notice.

ACCEPTANCE

An official order from a client will be considered as a fully acceptance of these general conditions.

auta

Bringing people together

Door entry
Video door entry
Access control

Auta Comunicaciones, s.l.

Polígono Industrial El Oliveral. Calle C, s/n.
46394 Riba-Roja
Valencia. España (Spain)

T +34 961 643 020
F +34 961 665 286
E auta@auta.es

auta

Bringing people together